Cucumber Report

| *Start : Aug 12, 2:38:53.175 PM*	*End : Aug 12, 2:39:15.567 PM*	*Duration : 22.392 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 2 SKIPPED - 0	PASSED - 5 FAILED - 2 SKIPPED - 4

Features

1

Pass % — 0 %

Scenarios

3

Pass % — 33 %

Steps

11

Pass % — 45 %

#	Feature Name	T	P	F	S	Duration
1	Hireprous login	3	1	2	0	22.392 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Hireprous login	Login page field validation	3	3	0	0	9.423 s
2	Hireprous login	Login to application with Invalid user credentials	4	1	1	2	6.354 s
3	Hireprous login	Login to application with valid user credentials	4	1	1	2	6.597 s

(F)- Hireprous login

FAILED	DURATION - 22.392 s		Scenarios		Steps	
/ 2:38:53.175 PM // 2:39:15.567 PM /			Total - 3 Pass - 1 Fail - 2 Skip - 0	3	Total - 11 Pass - 5 Fail - 2 Skip - 4	11

(S)- Login page field validation

PASSED	DURATION - 9.423 s		Steps	
/ 2:38:53.179 PM // 2:39:02.602 PM /			Total - 3 Pass - 3 Fail - 0 Skip - 0	3
Hireprous login				
@RegressionTest				

#	Step / Hook Details	Status	Duration
1	Given User navigate to Hireprous page	PASSED	7.303 s
2	When user verifies Hireprous logo	PASSED	2.048 s
3	And User verifies login page fields	PASSED	0.051 s

(S)- Login to application with Invalid user credentials

FAILED	DURATION - 6.354 s		Steps	
/ 2:39:02.608 PM // 2:39:08.962 PM /			Total - 4 Pass - 1 Fail - 1 Skip - 2	4
Hireprous login				
@RegressionTest				

#	Step / Hook Details	Status	Duration
1	Given User is on the Hireprous page	PASSED	2.025 s

#	Step / Hook Details	Status	Duration
2	When User enters invalid username and password	FAILED	4.178 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"email"} (Session info: chrome=104.0.5112.81) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-KASTHURI', ip: '192.168.0.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bcafe97a5dbed2f8f26dac7f1a0aac23, findElement {using=xpath, value=email}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.81, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:62719}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62719/devtoo..., se:cdpVersion: 104.0.5112.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: bcafe97a5dbed2f8f26dac7f1a0aac23
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619)
	  at org.openqa.selenium.remote.RemoteWebDriver$Mechanism$2.findElement(RemoteWebDriver.java:1258)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:386)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380)
	  at TestStepdef.Stepdef.user_enters_invalid_username_and_password(Stepdef.java:82)
	  at ?.User enters invalid username and password(file:///C:/TestProject/src/test/resources/Features/Loginpage.feature:14)
	* Not displayable characters are replaced by '?'.		

3	And User clicks on the Log IN button	SKIPPED	0.001 s
4	Then User verifes the error message for invalid credentials	SKIPPED	0.001 s
	AFTER - TestStepdef.Stepdef.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
	image 		

(S)- Login to application with valid user credentials

FAILED	DURATION - 6.597 s
/ 2:39:08.970 PM // 2:39:15.567 PM /	
Hireprous login	
@SmokeTest	

Steps
Total - 4
Pass - 1
Fail - 1
Skip - 2

4

#	Step / Hook Details	Status	Duration
1	Given User is on Hireprous login page	PASSED	2.031 s
2	When User enters username and password	FAILED	4.421 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"password"} (Session info: chrome=104.0.5112.81) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-KASTHURI', ip: '192.168.0.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bcafe97a5dbed2f8f26dac7f1a0aac23, findElement {using=xpath, value=password}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.81, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:62719}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62719/devtoo..., se:cdpVersion: 104.0.5112.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: bcafe97a5dbed2f8f26dac7f1a0aac23
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619)
   at org.openqa.selenium.remote.RemoteWebDriver$Mechanism$2.findElement(RemoteWebDriver.java:1258)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:386)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380)
   at TestStepdef.Stepdef.user_enters_username_and_password(Stepdef.java:120)
   at ?.User enters username and password(file:///C:/TestProject/src/test/resources/Features/Loginpage.feature:23)
* Not displayable characters are replaced by '?'.

#	Step / Hook Details	Status	Duration
3	And User clicks on Log IN button	SKIPPED	0.000 s
4	Then User login must be successful	SKIPPED	0.001 s
	AFTER - TestStepdef.Stepdef.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	image		

(Step) AFTER - TestStepdef.Stepdef.
addScreenshot(io.cucumber.java.
Scenario)

(S) Login to application with Invalid user
credentials

(F) Hireprous login

(Step) AFTER - TestStepdef.Stepdef.
addScreenshot(io.cucumber.java.
Scenario)

(S) Login to application with valid user
credentials

(F) Hireprous login