

# Cucumber Report

12-Aug-2022, 2:42:14 PM

**Start : Aug 12, 2:41:50.692 PM**

**End : Aug 12, 2:42:13.419 PM**

**Duration : 22.727 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 1**


**FAILED - 2**


**SKIPPED - 0**

**PASSED - 5**


**FAILED - 2**

**SKIPPED - 4**







#	Feature Name	T	P	F	S	Duration
1	Hireprous login	3	1	2	0	22.727 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Hireprous login</u>	<u>Login page field validation</u>	3	3	0	0	9.564 s
2	<u>Hireprous login</u>	<u>Login to application with Invalid user credentials</u>	4	1	1	2	6.525 s
3	<u>Hireprous login</u>	<u>Login to application with valid user credentials</u>	4	1	1	2	6.621 s

**(F)- Hireprous login**



<b>FAILED</b>	<b>DURATION - 22.727 s</b>	Scenarios		Steps	
/ 2:41:50.692 PM // 2:42:13.419 PM /		Total - 3		Total - 11	
		Pass - 1		Pass - 5	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 4	

**(S)- Login page field validation**


<b>PASSED</b>	<b>DURATION - 9.564 s</b>		Steps	
/ 2:41:50.695 PM // 2:42:00.259 PM /			Total - 3	
Hireprous login			Pass - 3	
@RegressionTest			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User navigate to Hireprous page	PASSED	7.439 s
2	When user verifies Hireprous logo	PASSED	2.046 s
3	And User verifies login page fields	PASSED	0.050 s



**(S)- Login to application with Invalid user credentials**

<b>FAILED</b>	<b>DURATION - 6.525 s</b>		Steps	
/ 2:42:00.266 PM // 2:42:06.791 PM /			Total - 4	
Hireprous login			Pass - 1	
@RegressionTest			Fail - 1	
			Skip - 2	


#	Step / Hook Details	Status	Duration
1	Given User is on the Hireprous page	PASSED	2.042 s

#	Step / Hook Details	Status	Duration
2	<p>When User enters invalid username and password</p> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"email"} (Session info: chrome=104.0.5112.81) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-KASTHURI', ip: '192.168.0.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3fbd4219f8db74ca80b304e0c5999b5c, findElement {using=xpath, value=email}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.81, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:62798}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62798/devtools..., se:cdpVersion: 104.0.5112.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3fbd4219f8db74ca80b304e0c5999b5c</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619)  at org.openqa.selenium.remote.RemoteWebDriver\$Mechanism\$2.findElement(RemoteWebDriver.java:1258)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:386)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380)  at TestStepdef.Stepdef.user_enters_invalid_username_and_password(Stepdef.java:82)  at ?.User enters invalid username and password(file:///C:/TestProject/src/test/resources/Features/Loginpage.feature:14)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	4.304 s
3	And User clicks on the Log IN button	SKIPPED	0.001 s
4	Then User verifies the error message for invalid credentials	SKIPPED	0.001 s
	AFTER - TestStepdef.Stepdef.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	image		
			

**(S)- Login to application with valid user credentials**

<div>FAILED</div> <div>DURATION - 6.621 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 2:42:06.798 PM // 2:42:13.419 PM /</div>				
<div>Hireprou login</div>				
<div>@SmokeTest</div>				


#	Step / Hook Details	Status	Duration
1	Given User is on Hireprou login page	PASSED	2.022 s
2	When User enters username and password <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"password"} (Session info: chrome=104.0.5112.81) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-KASTHURI', ip: '192.168.0.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3fbd4219f8db74ca80b304e0c5999b5c, findElement {using=xpath, value=password}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.81, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\Local\Temp\104.0.5112.81\chromedriver-win64\chromedriver.exe}, goog:chromeOptions: {debuggerAddress: localhost:62798}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62798/devtools/page/3fbd4219f8db74ca80b304e0c5999b5c, se:cdpVersion: 104.0.5112.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3fbd4219f8db74ca80b304e0c5999b5c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619) at org.openqa.selenium.remote.RemoteWebDriver\$Mechanism\$2.findElement(RemoteWebDriver.java:1258) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:386) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380) at TestStepdef.Stepdef.user_enters_username_and_password(Stepdef.java:120) at ?.User enters username and password(file:///C:/TestProject/src/test/resources/Features/Loginpage.feature:23) </pre>	FAILED	4.448 s
* Not displayable characters are replaced by '?'. 			

#	Step / Hook Details	Status	Duration
3	And User clicks on Log IN button	SKIPPED	0.001 s
4	Then User login must be successful	SKIPPED	0.000 s
	AFTER - TestStepdef.Stepdef.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.149 s
	image		
	 +		

(Step) AFTER - TestStepdef.Stepdef.  
addScreenshot(io.cucumber.java.  
Scenario)

(S) Login to application with Invalid user  
credentials

(F) Hireprou login



(Step) AFTER - TestStepdef.Stepdef.  
addScreenshot(io.cucumber.java.  
Scenario)

(S) Login to application with valid user  
credentials

(F) Hireprou login

