

Cucumber Report

12-Aug-2022, 2:35:29 PM

Start : Aug 12, 2:35:05.919 PM

End : Aug 12, 2:35:28.512 PM

Duration : 22.593 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 1


FAILED - 2


SKIPPED - 0

PASSED - 5


FAILED - 2

SKIPPED - 4







#	Feature Name	T	P	F	S	Duration
1	<u>Hireproux login</u>	3	1	2	0	22.593 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Hireprouis login</u>	<u>Login page field validation</u>	3	3	0	0	9.497 s
2	<u>Hireprouis login</u>	<u>Login to application with Invalid user credentials</u>	4	1	1	2	6.611 s
3	<u>Hireprouis login</u>	<u>Login to application with valid user credentials</u>	4	1	1	2	6.456 s

(F)- Hireprous login



FAILED	DURATION - 22.593 s	Scenarios		Steps	
/ 2:35:05.919 PM // 2:35:28.512 PM /		Total - 3		Total - 11	
		Pass - 1		Pass - 5	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 4	

(S)- Login page field validation


PASSED	DURATION - 9.497 s		Steps	
/ 2:35:05.923 PM // 2:35:15.420 PM /			Total - 3	
Hireprous login			Pass - 3	
@RegressionTest			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User navigate to Hireprous page	PASSED	7.388 s
2	When user verifies Hireprous logo	PASSED	2.037 s
3	And User verifies login page fields	PASSED	0.050 s

(S)- Login to application with Invalid user credentials

FAILED	DURATION - 6.611 s		Steps	
/ 2:35:15.429 PM // 2:35:22.040 PM /			Total - 4	
Hireprous login			Pass - 1	
@RegressionTest			Fail - 1	
			Skip - 2	


#	Step / Hook Details	Status	Duration
1	Given User is on the Hireprous page	PASSED	2.021 s

#	Step / Hook Details	Status	Duration
2	<p>When User enters invalid username and password</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"password"} (Session info: chrome=104.0.5112.81) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-KASTHURI', ip: '192.168.0.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7faba79e4257ca553816dfbd41803ee3, findElement {using=xpath, value=password}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.81, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:62668}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62668/devtools, se:cdpVersion: 104.0.5112.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 7faba79e4257ca553816dfbd41803ee3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619) at org.openqa.selenium.remote.RemoteWebDriver\$Mechanism\$2.findElement(RemoteWebDriver.java:1258) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:386) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380) at TestStepdef.Stepdef.user_enters_invalid_username_and_password(Stepdef.java:83) at ?.User enters invalid username and password(file:///C:/TestProject/src/test/resources/Features/Loginpage.feature:14) * Not displayable characters are replaced by '?'. </pre>	FAILED	4.426 s
3	And User clicks on the Log IN button	SKIPPED	0.008 s
4	Then User verifies the error message for invalid credentials	SKIPPED	0.000 s
	AFTER - TestStepdef.Stepdef.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	image		
			

(S)- Login to application with valid user credentials

<div>FAILED</div> <div>DURATION - 6.456 s</div>		<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>2.033</td></tr><tr><td>2</td><td>4.266</td></tr><tr><td>3</td><td>0</td></tr><tr><td>4</td><td>0</td></tr></tbody></table></div>	Step	Duration (s)	1	2.033	2	4.266	3	0	4	0	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div> <div></div>
Step	Duration (s)												
1	2.033												
2	4.266												
3	0												
4	0												
<div>/ 2:35:22.056 PM // 2:35:28.512 PM /</div>													
<div>Hireprou login</div>													
<div>@SmokeTest</div>													


#	Step / Hook Details	Status	Duration
1	Given User is on Hireprou login page	PASSED	2.033 s
2	When User enters username and password <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"password"} (Session info: chrome=104.0.5112.81) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-KASTHURI', ip: '192.168.0.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7faba79e4257ca553816dfbd41803ee3, findElement {using=xpath, value=password}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.81, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\Local\Temp\chrome-win-1030\chrome-win\chrome\chromedriver.exe}, goog:chromeOptions: {debuggerAddress: localhost:62668}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:62668/devtools/page/1, se.cdpVersion: 104.0.5112.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 7faba79e4257ca553816dfbd41803ee3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619) at org.openqa.selenium.remote.RemoteWebDriver\$Mechanism\$2.findElement(RemoteWebDriver.java:1258) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:386) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380) at TestStepdef.Stepdef.user_enters_username_and_password(Stepdef.java:120) at ?.User enters username and password(file:///C:/TestProject/src/test/resources/Features/Loginpage.feature:23) * Not displayable characters are replaced by '?'. </pre>	FAILED	4.266 s

#	Step / Hook Details	Status	Duration
3	And User clicks on Log IN button	SKIPPED	0.000 s
4	Then User login must be successful	SKIPPED	0.000 s
	AFTER - TestStepdef.Stepdef.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	image		
			

(Step) AFTER - TestStepdef.Stepdef.
addScreenshot(io.cucumber.java.
Scenario)

(S) Login to application with Invalid user
credentials

(F) Hireprous login




The screenshot shows the Hireprous login interface. At the top is the Hireprous logo. Below it is a text input field containing the email address 'sangtha@promantus.com'. Underneath is a password input field with the placeholder text 'Password'. To the right of the password field is a blue link that says 'Forgot Password?'. Below these fields is a blue button with the text 'LOGIN'. At the bottom of the white login box is the Promantus Services logo.

(Step) AFTER - TestStepdef.Stepdef.
addScreenshot(io.cucumber.java.
Scenario)

(S) Login to application with valid user
credentials

(F) Hireprous login



This screenshot is identical in layout to the one above, showing the Hireprous login page. However, the email address entered in the first input field is '@promantus.comsangeetha@prom', which is a valid user credential for the application.