Cucumber Report

Start : Aug 03, 10:38:05.437 am   **End : Aug 03, 10:38:53.404 am**   **Duration : 47.967 s**

Features	Scenarios	Steps
PASSED - 0	PASSED - 0	PASSED - 2
FAILED - 2	FAILED - 2	FAILED - 2
SKIPPED - 0	SKIPPED - 0	SKIPPED - 6

2

2

10

Pass %   0 %

Pass %   0 %

Pass %   20 %

| #	Feature Name	T	P	F	S	Duration
1	Test Login functionality	1	0	1	0	46.761 s
2	Adding Resource functionality in Services	1	0	1	0	1.174 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Test Login functionality	Login to application with valid user credentials	4	2	1	1	46.756 s
2	Adding Resource functionality in Services	Filling Resources creation	6	0	1	5	1.174 s

(F)- Test Login functionality

FAILED	DURATION - 46.761 s	Scenarios		Steps	
/ 10:38:05.437 am // 10:38:52.198 am /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 4 Pass - 2 Fail - 1 Skip - 1	4

(S)- Login to application with valid user credentials

| FAILED	DURATION - 46.756 s		Steps	
/ 10:38:05.442 am // 10:38:52.198 am /			Total - 4	
Test Login functionality			Pass - 2	4
@SmokeTest			Fail - 1 Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given User navigate to Hireprous page	PASSED	43.285 s
2	When User enters username and password	PASSED	1.249 s
3	And User clicks on Sign IN button	FAILED	2.034 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@class= 'btn btn-primary form-controll']"}   (Session info: chrome=103.0.5060.134) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-NAGESH', ip: '192.168.43.106', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b4ea6f177bf206240f35a010a113b79b, findElement {using=xpath, value=//*[@class= 'btn btn-primary form-controll']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.134, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:60973}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60973/devtoo..., se:cdpVersion: 103.0.5060.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b4ea6f177bf206240f35a010a113b79b

   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78)
   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619) at org.openqa.selenium.remote.RemoteWebDriver$Mechanism$2.findElement(RemoteWebDriver.java:1258) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:386) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380) at StepDefinition.HireprousStepdef.user_clicks_on_sign_in_button(HireprousStepdef.java:58) at ?.User clicks on Sign IN button(file:///D:/eclipse-workspace/TestProject/src/test/resources/Features/Login.feature:8) * Not displayable characters are replaced by '?'.		
4	Then User login must be successful	SKIPPED	0.002 s
	AFTER - StepDefinition.HireprousStepdef.addScreenshot(io.cucumber.java.Scenario) image +	PASSED	0.151 s

(F)- Adding Resource functionality in Services

FAILED	DURATION - 1.174 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 10:38:52.230 am // 10:38:53.404 am /					

(S)- Filling Resources creation

| FAILED	DURATION - 1.174 s
	/ 10:38:52.230 am // 10:38:53.404 am /
	Adding Resource functionality in Services
	@SmokeTest

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

6

#	Step / Hook Details	Status	Duration
1	Given User navigates to the Resource Management in the Services	FAILED	1.032 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id='services']"} (Session info: chrome=103.0.5060.134) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-NAGESH', ip: '192.168.43.106', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b4ea6f177bf206240f35a010a113b79b, findElement {using=xpath, value=//*[@id='services']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.134, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:60973}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60973/devtoo..., se:cdpVersion: 103.0.5060.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b4ea6f177bf206240f35a010a113b79b
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619)
	    at org.openqa.selenium.remote.RemoteWebDriver$Mechanism$2.findElement(RemoteWebDriver.java:1258)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:386)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380)
	    at StepDefinition.HireprousStepdef.user_navigates_to_the_Resource_Management_in_the_Services(HireprousStepdef.java:72)
	    at ?.User navigates to the Resource Management in the Services(file:///D:/eclipse-workspace/TestProject/src/test/resources/Features/Services.feature:6)
	* Not displayable characters are replaced by '?'.		

#	Step / Hook Details	Status	Duration
2	When User clicks on Resource Management button	SKIPPED	0.001 s
3	And User clicks on New Resource Management button	SKIPPED	0.001 s
4	And User Enters data to EmployeeId By HR, WorkOrderNumber, Employment Type, FirstName, LastName, ContactNo, Email, Gender, Project Allocation, Project Name, CustomerName, Business Unit, Designation, YearofExperiance, Skillset field and verifies	SKIPPED	0.001 s
5	Then User clicks on Save button and navigate to view Resources list page	SKIPPED	0.001 s
6	And User verify the added Resource by searching	SKIPPED	0.000 s
	AFTER - StepDefinition.HireprousStepdef.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.132 s

(Step) AFTER - StepDefinition. HireprousStepdef.addScreenshot(io. cucumber.java.Scenario)	
(S) Login to application with valid user credentials	
(F) Test Login functionality	

(Step) AFTER - StepDefinition. HireprousStepdef.addScreenshot(io. cucumber.java.Scenario)	
(S) Filling Resources creation	
(F) Adding Resource functionality in Services	