

Cucumber Report

12-Aug-2022, 3:52:13 PM

Start : Aug 12, 3:51:52.517 PM

End : Aug 12, 3:52:12.362 PM

Duration : 19.845 s

Features


Scenarios


Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 1
FAILED - 2
SKIPPED - 0

PASSED - 7
FAILED - 2
SKIPPED - 2







#	Feature Name	T	P	F	S	Duration
1	<u>Hireprous login</u>	3	1	2	0	19.845 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Hireprouis login</u>	<u>Login page field validation</u>	3	3	0	0	9.477 s
2	<u>Hireprouis login</u>	<u>Login to application with Invalid user credentials</u>	4	3	1	0	3.827 s
3	<u>Hireprouis login</u>	<u>Login to application with valid user credentials</u>	4	1	1	2	6.517 s

(F)- Hireprous login



FAILED	DURATION - 19.845 s	Scenarios		Steps	
/ 3:51:52.517 PM // 3:52:12.362 PM /		Total - 3		Total - 11	
		Pass - 1		Pass - 7	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 2	

(S)- Login page field validation


<div>PASSED</div> <div>DURATION - 9.477 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 3:51:52.519 PM // 3:52:01.996 PM /</div>				
<div>Hireprous login</div>				
<div>@RegressionTest</div>				

#	Step / Hook Details	Status	Duration
1	Given User navigate to Hireprous page	PASSED	7.310 s
2	When user verifies Hireprous logo	PASSED	2.074 s
3	And User verifies login page fields	PASSED	0.064 s

(S)- Login to application with Invalid user credentials

<div>FAILED</div> <div>DURATION - 3.827 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 3:52:02.003 PM // 3:52:05.830 PM /				
Hireprous login				
@RegressionTest				

#	Step / Hook Details	Status	Duration
1	Given User is on the Hireprous page	PASSED	2.030 s

#	Step / Hook Details	Status	Duration
2	When User enters invalid username and password	PASSED	1.452 s
3	And User clicks on the Log IN button	PASSED	0.045 s
4	Then User verifies the error message for invalid credentials	FAILED	0.032 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@class='alertify-notifierajs-topajs-right']"} (Session info: chrome=104.0.5112.81) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-KASTHURI', ip: '192.168.0.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0652437693a4c6710dab21efdf66b886, findElement {using=xpath, value=//*[@class='alertify-notifierajs-topajs-right']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.81, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\Local\Temp\chromeOptions: {debuggerAddress: localhost:64904}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:64904/devtools, se.cdpVersion: 104.0.5112.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0652437693a4c6710dab21efdf66b886</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619) at org.openqa.selenium.remote.RemoteWebDriver\$Mechanism\$2.findElement(RemoteWebDriver.java:1258) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:386) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380) at TestStepdef.Stepdef.user_verifies_the_error_message_for_invalid_credentials(Stepdef.java:94) at ?.User verifies the error message for invalid credentials(file:///C:/TestProject/src/test/resources/Features/Loginpage.feature:16)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER - TestStepdef.Stepdef.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.261 s
	image		
			

<div> <div> <div>FAILED</div> <div>DURATION - 6.517 s</div> </div> <div> <div>/ 3:52:05.845 PM // 3:52:12.362 PM /</div> <div>Hireprou login</div> <div>@SmokeTest</div> </div> </div>	<table border="1"> <thead> <tr> <th>Step</th> <th>Count</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2</td> </tr> <tr> <td>2</td> <td>4</td> </tr> </tbody> </table>	Step	Count	1	2	2	4	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	
Step	Count								
1	2								
2	4								


#	Step / Hook Details	Status	Duration
1	Given User is on Hireprousr login page	PASSED	2.043 s
2	When User enters username and password	FAILED	4.317 s

```

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"password"}
(Session info: chrome=104.0.5112.81) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build
info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-KASTHURI', ip: '192.168.0.187', os.name: 'Windows 10', os.arch:
'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:
[0652437693a4c6710dab21efdf66b886, findElement {using=xpath, value=password}] Capabilities {acceptInsecureCerts: false, browserName:
chrome, browserVersion: 104.0.5112.81, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir:
C:\Users\PROMAN~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:64904}, javascriptEnabled: true,
networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp:
ws://localhost:64904/devtools..., se:cdpVersion: 104.0.5112.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,
pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,
webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0652437693a4c6710dab21efdf66b886
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619)
at org.openqa.selenium.remote.RemoteWebDriver$Mechanism$2.findElement(RemoteWebDriver.java:1258)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:386)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380)
at TestStepdef.Stepdef.user_enters_username_and_password(Stepdef.java:118)
at ?.User enters username and password(file:///C:/TestProject/src/test/resources/Features/Loginpage.feature:23)

```


* Not displayable characters are replaced by '?'.

#	Step / Hook Details	Status	Duration
3	And User clicks on Log IN button	SKIPPED	0.002 s
4	Then User login must be successful	SKIPPED	0.000 s
	AFTER - TestStepdef.Stepdef.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	image		
			

(Step) AFTER - TestStepdef.Stepdef.
addScreenshot(io.cucumber.java.
Scenario)

(S) Login to application with Invalid user
credentials

(F) Hireprous login



(Step) AFTER - TestStepdef.Stepdef.
addScreenshot(io.cucumber.java.
Scenario)

(S) Login to application with valid user
credentials

(F) Hireprous login

