

# Cucumber Report

12-Aug-2022, 12:35:25 PM

**Start : Aug 12, 12:33:21.444 PM**

**End : Aug 12, 12:35:24.864 PM**

**Duration : 2 m 3.420 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 1**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 3**


**FAILED - 3**

**SKIPPED - 0**

**PASSED - 17**


**FAILED - 3**

**SKIPPED - 8**







#	Feature Name	T	P	F	S	Duration
1	Checking Recruitment functionality	3	3	0	0	2 m 3.385 s
2	Hireproux login	3	0	3	0	0.034 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checking Recruitment functionality</u>	<u>Recruitment page field validation</u>	6	6	0	0	33.496 s
2	<u>Checking Recruitment functionality</u>	<u>Recruitment field and error message validation</u>	5	5	0	0	20.029 s
3	<u>Checking Recruitment functionality</u>	<u>Filling Job Request creation</u>	6	6	0	0	1 m 9.825 s
4	<u>Hireprouis login</u>	<u>Login page field validation</u>	3	0	1	2	0.017 s
5	<u>Hireprouis login</u>	<u>Login to application with Invalid user credentials</u>	4	0	1	3	0.000 s
6	<u>Hireprouis login</u>	<u>Login to application with valid user credentials</u>	4	0	1	3	0.000 s


**(F)- Checking Recruitment functionality**

<b>PASSED</b>	<b>DURATION - 2 m 3.385 s</b>	Scenarios		Steps	
/ 12:33:21.444 PM // 12:35:24.829 PM /		Total - 3		Total - 17	
		Pass - 3		Pass - 17	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	


**(S)- Recruitment page field validation**

<div><div>PASSED</div><div>DURATION - 33.496 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 6</div><div>Pass - 6</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
/ 12:33:21.447 PM // 12:33:54.943 PM /				
Checking Recruitment functionality				
@RegressionTest				

#	Step / Hook Details	Status	Duration
1	Given User navigate to the Dashboard page by logging in Hireprouse page	PASSED	21.068 s
2	When User clicks on Recruitment from top menu	PASSED	3.102 s
3	Then User will be redirected to Recruitment process page	PASSED	2.069 s
4	And User clicks on Job Request menu	PASSED	3.138 s
5	Then User will be redirected to the JOB Request list page successfully	PASSED	2.043 s
6	And User verifies fields on the Job Request list page	PASSED	2.052 s

**(S)- Recruitment field and error message validation**



#	Step / Hook Details	Status	Duration
1	Given User is on Job Request page	PASSED	2.037 s
2	When User clicks on New Job Request button	PASSED	1.112 s
3	Then User will be redirected to Add job request page	PASSED	2.033 s
4	And User verifies fields on add job request page	PASSED	4.373 s
5	And User clicks on the Save button without entering the mandatory fields and verifies error meassage	PASSED	10.473 s

**(S)- Filling Job Request creation**



#	Step / Hook Details	Status	Duration
1	Given User navigate to the Recruitment page by logging in Hireprouse page	PASSED	11.411 s
2	When User clicks on Recruitment from top	PASSED	3.079 s
3	Then User will redirected to Recruitment process page	PASSED	2.066 s
4	And User clicks on Job Request tab	PASSED	3.089 s
5	And User clicks on the new Job Request button	PASSED	3.093 s
6	And User has to fill the details of Customer Name, Recruitment Role, Business Unit, No. of Openings, Location, Currency Type, Pay Range, Pay Frequency, Employment Type, Project Start Date, Placement For, Remote Working, Recruiter, Email, Firstname, Lastname, Location, Pay Range, Contract Duration, Job Description, Mandatory Skills, Optional Skills and save the	PASSED	47.085 s

#	Step / Hook Details	Status	Duration
	Job request		

**(F)- Hireprous login**

<b>FAILED</b>	<b>DURATION - 0.034 s</b>	Scenarios		Steps	
/ 12:35:24.830 PM // 12:35:24.864 PM /		Total - 3		Total - 11	
		Pass - 0		Pass - 0	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 8	



**(S)- Login page field validation**

<div>FAILED</div> <div>DURATION - 0.017 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 12:35:24.830 PM // 12:35:24.847 PM /				
Hireprous login				
@RegressionTest				

#	Step / Hook Details	Status	Duration
1	<p>Given User navigate to Hireprous page</p> <pre>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-KASTHURI', ip: '192.168.0.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, get {url=http://3.82.142.185:9393/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.81, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:62046}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62046/devtoo..., se:cdpVersion: 104.0.5112.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619)     at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:333)     at TestStepdef.Stepdef.user_navigate_to_hireprous_page(Stepdef.java:44)</pre>	<b>FAILED</b>	0.000 s

#	Step / Hook Details	Status	Duration
	at ?.User navigate to Hireprous page(file:///C:/TestProject/src/test/resources/Features/Loginpage.feature:6) * Not displayable characters are replaced by '?'. 2 When user verifies Hireprous logo 3 And User verifies login page fields		
	AFTER - TestStepdef.Stepdef.addScreenshot(io.cucumber.java.Scenario)	FAILED	0.017 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-KASTHURI', ip: '192.168.0.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.81, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:62046}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62046/devtoo..., se:cdpVersion: 104.0.5112.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:674) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:678) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:354) at TestStepdef.Stepdef.addScreenshot(Stepdef.java:37)		

**(S)- Login to application with Invalid user credentials**

<b>FAILED</b>	<b>DURATION - 0.000 s</b>		<b>Steps</b> Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 12:35:24.847 PM // 12:35:24.847 PM /				
Hireprous login				
@RegressionTest				

#	Step / Hook Details	Status	Duration
1	Given User is on the Hireprous page	FAILED	0.000 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-KASTHURI', ip: '192.168.0.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, findElement {using=xpath, value=//*[@id='hirepro']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.81, chrome:		

#	Step / Hook Details	Status	Duration
	<pre> {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:62046}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62046/devtools, se:cdpVersion: 104.0.5112.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619)   at org.openqa.selenium.remote.RemoteWebDriver\$Mechanism\$2.findElement(RemoteWebDriver.java:1258)   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:386)   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380)   at TestStepdef.Stepdef.user_is_on_the_hireprous_page(Stepdef.java:66)   at ?.User is on the Hireprous page(file:///C:/TestProject/src/test/resources/Features/Loginpage.feature:13) * Not displayable characters are replaced by '?'. </pre>		
2	When User enters invalid username and password	SKIPPED	0.000 s
3	And User clicks on the Log IN button	SKIPPED	0.000 s
4	Then User verifies the error message for invalid credentials	SKIPPED	0.000 s
	<p>AFTER - TestStepdef.Stepdef.addScreenshot(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-KASTHURI', ip: '192.168.0.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.81, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:62046}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62046/devtools, se:cdpVersion: 104.0.5112.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:674)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:678)   at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:354)   at TestStepdef.Stepdef.addScreenshot(Stepdef.java:37) </pre>	FAILED	0.000 s



**(S)- Login to application with valid user credentials**

<div>FAILED</div> <div>DURATION - 0.000 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 12:35:24.864 PM // 12:35:24.864 PM /				
Hireprous login				
@SmokeTest				

#	Step / Hook Details	Status	Duration
1	<p>Given User is on Hireprous login page</p> <pre>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-KASTHURI', ip: '192.168.0.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, findElement {using=xpath, value=//*[@id='hirepro'}}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.81, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\Local\Temp\103.0.5060.53\chromedriver.exe}, goog:chromeOptions: {debuggerAddress: localhost:62046}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62046/devtools, se:cdpVersion: 104.0.5112.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</pre> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619)  at org.openqa.selenium.remote.RemoteWebDriver\$Mechanism\$2.findElement(RemoteWebDriver.java:1258)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:386)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380)  at TestStepdef.Stepdef.user_is_on_hireprous_login_page(Stepdef.java:98)  at ?.User is on Hireprous login page(file:///C:/TestProject/src/test/resources/Features/Loginpage.feature:22)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.000 s
2	When User enters username and password	SKIPPED	0.000 s
3	And User clicks on Log IN button	SKIPPED	0.000 s
4	Then User login must be successful	SKIPPED	0.000 s
	<p>AFTER - TestStepdef.Stepdef.addScreenshot(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-KASTHURI', ip: '192.168.0.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.81, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\Local\Temp\103.0.5060.53\chromedriver.exe}, goog:chromeOptions: {debuggerAddress: localhost:62046}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:</pre>	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	<pre>Proxy(), se:cdp: ws://localhost:62046/devtoo..., se:cdpVersion: 104.0.5112.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:674)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:678)   at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:354)   at TestStepdef.Stepdef.addScreenshot(Stepdef.java:37)</pre>		