Cucumber Report

| Start : Aug 10, 9:51:29.061 pm	End : Aug 10, 9:53:04.932 pm	Duration : 1 m 35.871 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 1 FAILED - 4 SKIPPED - 0	PASSED - 9 FAILED - 4 SKIPPED - 9

#	Feature Name	T	P	F	S	Duration
1	_Checking Recruitment functionality_	2	0	2	0	42.326 s
2	_Hireprous login_	3	1	2	0	53.502 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking Recruitment functionality	Recuruitment page field validation	6	0	1	5	17.944 s
2	Checking Recruitment functionality	Recruitment field and error message validation	5	0	1	4	24.341 s
3	Hireprous login	Login page field validation	3	3	0	0	27.426 s
4	Hireprous login	Login to application with Invalid user credentials	4	3	1	0	12.160 s
5	Hireprous login	Login to application with valid user credentials	4	3	1	0	13.889 s

(F)- Checking Recruitment functionality

FAILED	DURATION - 42.326 s		Scenarios		Steps	
/ 9:51:29.061 pm // 9:52:11.387 pm /			Total - 2 Pass - 0 Fail - 2 Skip - 0	2	Total - 11 Pass - 0 Fail - 2 Skip - 9	11

(S)- Recuruitment page field validation

FAILED	DURATION - 17.944 s		Steps	
/ 9:51:29.066 pm // 9:51:47.010 pm /			Total - 6 Pass - 0 Fail - 1 Skip - 5	6
Checking Recruitment functionality				
@RegressionTest				

#	Step / Hook Details	Status	Duration
1	Given User navigate to the Dashboard page by logging in Hireprous page	FAILED	5.735 s

	org.openqa.selenium.WebDriverException: unknown error: cannot determine loading status from disconnected: received Inspector.detached event (Session info: chrome=103.0.5060.134) Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-NAGESH', ip: '192.168.43.106', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [e734b1314976c94cd86c86a36b041c58, get {url=http://3.82.142.185:9393/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.134, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58706}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58706/devtoo..., se:cdpVersion: 103.0.5060.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: e734b1314976c94cd86c86a36b041c58
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:333) at TestStepdef.Stepdef.user_navigate_to_the_dashboard_page_by_logging_in_hireprous_page(Stepdef.java:152) at ?.User navigate to the Dashboard page by logging in Hireprous page(file:///D:/eclipse-workspace/TestProject/src/test/resources/Features/JobRequest.feature:6) * Not displayable characters are replaced by '?'.		
2	When User clicks on Recruitment from top menu	SKIPPED	0.001 s
3	Then User will be redirected to Recruitment process page	SKIPPED	0.001 s
4	And User clicks on Job Request menu	SKIPPED	0.001 s
5	Then User will be redirected to the JOb Request list page successfully	SKIPPED	0.000 s
6	And User verifies fields on the Job Request list page	SKIPPED	0.001 s
	AFTER - TestStepdef.Stepdef.addScreenshot(io.cucumber.java.Scenario)	FAILED	12.179 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=103.0.5060.134) Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-NAGESH', ip: '192.168.43.106', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e734b1314976c94cd86c86a36b041c58, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.134, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58706}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58706/devtoo..., se:cdpVersion: 103.0.5060.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: e734b1314976c94cd86c86a36b041c58 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:674) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:678) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:354) at TestStepdef.Stepdef.addScreenshot(Stepdef.java:39)		

## (S)- Recruitment field and error message validation

FAILED	DURATION - 24.341 s
/ 9:51:47.046 pm // 9:52:11.387 pm /	
Checking Recruitment functionality	
@RegressionTest	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

#	Step / Hook Details	Status	Duration
1	Given User is on Job Request page	FAILED	12.124 s

	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=103.0.5060.134) Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-NAGESH', ip: '192.168.43.106', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e734b1314976c94cd86c86a36b041c58, findElement {using=xpath, value=//*[@id='tab1']/div/div/div/div/div/div[1]/div[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.134, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58706}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58706/devtoo..., se:cdpVersion: 103.0.5060.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: e734b1314976c94cd86c86a36b041c58
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619)
	  at org.openqa.selenium.remote.RemoteWebDriver$Mechanism$2.findElement(RemoteWebDriver.java:1258)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:386)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380)
	  at TestStepdef.Stepdef.user_is_on_job_request_page(Stepdef.java:217)
	  at ?.User is on Job Request page(file:///D:/eclipse-workspace/TestProject/src/test/resources/Features/JobRequest.feature:16)
	* Not displayable characters are replaced by '?'.		

2	When User clicks on New Job Request button	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then User will be redirected to Add job request page	SKIPPED	0.001 s
4	And User verifies fields on add job request page	SKIPPED	0.001 s
5	And User clicks on the Save button without entering the mandatory fields and verifies error meassage	SKIPPED	0.001 s
	AFTER - TestStepdef.Stepdef.addScreenshot(io.cucumber.java.Scenario)	FAILED	12.209 s

	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=103.0.5060.134) Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-NAGESH', ip: '192.168.43.106', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e734b1314976c94cd86c86a36b041c58, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.134, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58706}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58706/devtoo..., se:cdpVersion: 103.0.5060.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: e734b1314976c94cd86c86a36b041c58
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:674)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:678)
	    at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:354)
	    at TestStepdef.Stepdef.addScreenshot(Stepdef.java:39)		

(F)- Hireprous login

FAILED	DURATION - 53.502 s	Scenarios		Steps	
		Total - 3		Total - 11	
/ 9:52:11.430 pm // 9:53:04.932 pm /		Pass - 1	3	Pass - 9	11
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 0	

(S)- Login page field validation

PASSED	DURATION - 27.426 s		Steps
/ 9:52:11.430 pm // 9:52:38.856 pm /			Total - 3
Hireprous login			Pass - 3
			Fail - 0
@RegressionTest			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User navigate to Hireprous page	PASSED	25.277 s
2	When user verifies Hireprous logo	PASSED	2.082 s
3	And User verifies login page fields	PASSED	0.063 s

(S)- Login to application with Invalid user credentials

FAILED	DURATION - 12.160 s		Steps
/ 9:52:38.868 pm // 9:52:51.028 pm /			Total - 4
Hireprous login			Pass - 3
			Fail - 1
@RegressionTest			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User is on the Hireprous page	PASSED	2.044 s
2	When User enters invalid username and password	PASSED	5.665 s
3	And User clicks on the Log IN button	PASSED	4.176 s
4	Then User verifes the error message for invalid credentials	FAILED	0.063 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@class='alertify-notifier ajs-top ajs-right']"} (Session info: chrome=103.0.5060.134) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-NAGESH', ip: '192.168.43.106', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [50dcd86385cc9f3bf4b017e5e2a6a5ed, findElement {using=xpath, value=//*[@class='alertify-notifier ajs-top ajs-right']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.134, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58799},		

| #	Step / Hook Details	Status	Duration

	javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58799/devtoo..., se:cdpVersion: 103.0.5060.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 50dcd86385cc9f3bf4b017e5e2a6a5ed
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619)
	   at org.openqa.selenium.remote.RemoteWebDriver$Mechanism$2.findElement(RemoteWebDriver.java:1258)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:386)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380)
	   at TestStepdef.Stepdef.user_verifes_the_error_message_for_invalid_credentials(Stepdef.java:99)
	   at ?.User verifes the error message for invalid credentials(file:///D:/eclipse-workspace/TestProject/src/test/resources/Features/Loginpage.feature:16)
	* Not displayable characters are replaced by '?'.		

	AFTER - TestStepdef.Stepdef.addScreenshot(io.cucumber.java.Scenario) image +	PASSED	0.199 s

(S)- Login to application with valid user credentials

FAILED	DURATION - 13.889 s		Steps	
/ 9:52:51.043 pm // 9:53:04.932 pm /			Total - 4	
Hireprous login			Pass - 3	
@SmokeTest			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User is on Hireprous login page	PASSED	2.049 s
2	When User enters username and password	PASSED	7.612 s
3	And User clicks on Log IN button	PASSED	4.087 s
4	Then User login must be successful	FAILED	0.042 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id='dashboard'] | //*[@class='nav-link active']"}   (Session info: chrome=103.0.5060.134) For documentation on this error, please visit: https://selenium.dev/ exceptions/#no_such_element Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-NAGESH', ip: '192.168.43.106', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [50dcd86385cc9f3bf4b017e5e2a6a5ed, findElement {using=xpath, value=//*[@id='dashboard'] | //*[@class='nav-link active']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.134, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58799}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58799/devtoo..., se:cdpVersion: 103.0.5060.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 50dcd86385cc9f3bf4b017e5e2a6a5ed
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619)
    at org.openqa.selenium.remote.RemoteWebDriver$Mechanism$2.findElement(RemoteWebDriver.java:1258)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:386)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380) at TestStepdef.Stepdef.user_login_must_be_successful(Stepdef.java:139) at ?.User login must be successful(file:///D:/eclipse-workspace/TestProject/src/test/resources/Features/Loginpage.feature:25) * Not displayable characters are replaced by '?'.		
	AFTER - TestStepdef.Stepdef.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.094 s

(Step) AFTER - TestStepdef.Stepdef. addScreenshot(io.cucumber.java. Scenario)

(S) Login to application with Invalid user credentials

(F) Hireprous login

(Step) AFTER - TestStepdef.Stepdef. addScreenshot(io.cucumber.java. Scenario)

(S) Login to application with valid user credentials

(F) Hireprous login