

Cucumber Report

16-Aug-2022, 1:46:36 PM

Start : Aug 16, 1:46:28.580 PM

End : Aug 16, 1:46:36.097 PM

Duration : 7.517 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 3


SKIPPED - 0

PASSED - 1


FAILED - 3

SKIPPED - 7







| # | Feature Name | T | P | F | S | Duration |
|---|-----------------|---|---|---|---|----------|
| 1 | Hireprous login | 3 | 0 | 3 | 0 | 7.517 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|------------------------|---|---|---|---|---|----------|
| 1 | <u>Hireprous login</u> | <u>Login page field validation</u> | 3 | 1 | 1 | 1 | 7.202 s |
| 2 | <u>Hireprous login</u> | <u>Login to application with Invalid user credentials</u> | 4 | 0 | 1 | 3 | 0.135 s |
| 3 | <u>Hireprous login</u> | <u>Login to application with valid user credentials</u> | 4 | 0 | 1 | 3 | 0.150 s |


(F)- Hireprous login

| | | | | | |
|--------------------------------------|---------------------------|-----------|---|------------|---|
| FAILED | DURATION - 7.517 s | Scenarios |  | Steps |  |
| / 1:46:28.580 PM // 1:46:36.097 PM / | | Total - 3 | | Total - 11 | |
| | | Pass - 0 | | Pass - 1 | |
| | | Fail - 3 | | Fail - 3 | |
| | | Skip - 0 | | Skip - 7 | |



(S)- Login page field validation

| | | | | |
|---|--|--|-------|---|
| <div>FAILED</div> <div>DURATION - 7.202 s</div> | |  | Steps |  |
| / 1:46:28.597 PM // 1:46:35.799 PM / | | | | |
| Hireprous login | | | | |
| @RegressionTest | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User navigate to Hireprous page | PASSED | 6.976 s |
| 2 | When user verifies Hireprous logo org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[@id='hirepro'] //*[@src='assets/img/Hireprous.png'] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[@id='hirepro'] //*[@src='assets/img/Hireprous.png'] is not a valid XPath expression. (Session info: chrome=104.0.5112.81) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-KASTHURI', ip: '192.168.0.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f741b5a168b8ab4be1a627e7d27e9de3, findElement {using=xpath, value=//*[@id='hirepro'] //*[@src='assets/img/Hireprous.png']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.81, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\Local\Temp\chrome-win-1030\chrome-win\chrome\chromedriver.exe}, goog:chromeOptions: {debuggerAddress: localhost:55525}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55525/devtools, se:cdpVersion: 104.0.5112.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f741b5a168b8ab4be1a627e7d27e9de3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198) | FAILED | 0.052 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619) at org.openqa.selenium.remote.RemoteWebDriver\$Mechanism\$2.findElement(RemoteWebDriver.java:1258) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:386) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380) at TestStepdef.Stepdef.user_verifies_hireprous_logo(Stepdef.java:59) at ?.user verifies Hireprous logo(file:///C:/TestProject/src/test/resources/Features/Loginpage.feature:7) * Not displayable characters are replaced by '?'. </pre> | | |
| 3 | And User verifies login page fields | SKIPPED | 0.000 s |
| | AFTER - TestStepdef.Stepdef.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.167 s |
| | image | | |
| |  | | |



(S)- Login to application with Invalid user credentials

| | | | | |
|---|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 0.135 s</div> | |  | <div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div> |  |
| / 1:46:35.812 PM // 1:46:35.947 PM / | | | | |
| Hireprous login | | | | |
| @RegressionTest | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User is on the Hireprous page | FAILED | 0.002 s |
| | <pre> org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[@id='hirepro'] //*[@src='assets/img/Hireprous.png'] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[@id='hirepro'] //*[@src='assets/img/Hireprous.png'] is not a valid XPath expression. (Session info: chrome=104.0.5112.81) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-KASTHURI', ip: '192.168.0.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <p>'11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f741b5a168b8ab4be1a627e7d27e9de3, findElement {using=xpath, value=//*[@id='hirepro'] //*[@src='assets/img/Hireprou.png'}}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.81, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:55525}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55525/devtoo..., se:cdpVersion: 104.0.5112.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f741b5a168b8ab4be1a627e7d27e9de3</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619) at org.openqa.selenium.remote.RemoteWebDriver\$Mechanism\$2.findElement(RemoteWebDriver.java:1258) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:386) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380) at TestStepdef.Stepdef.user_is_on_the_hireprou_page(Stepdef.java:74) at ?.User is on the Hireprou page(file:///C:/TestProject/src/test/resources/Features/Loginpage.feature:13)</p> <p>* Not displayable characters are replaced by '?'. </p> | | |
| 2 | When User enters invalid username and password | SKIPPED | 0.000 s |
| 3 | And User clicks on the Log IN button | SKIPPED | 0.000 s |
| 4 | Then User verifies the error message for invalid credentials | SKIPPED | 0.000 s |
| | AFTER - TestStepdef.Stepdef.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.132 s |
| | image | | |
| |  | | |

(S)- Login to application with valid user credentials

| | | | |
|---|--|---|---|
| <div>FAILED</div> <div>DURATION - 0.150 s</div> |  | <div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div> |  |
| <div>/ 1:46:35.947 PM // 1:46:36.097 PM /</div> | | | |
| <div>Hireprous login</div> | | | |
| <div>@SmokeTest</div> | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | <p>Given User is on Hireprous login page</p> <p>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression <code>//*[@id='hirepro'] //*[@src='assets/img/Hireprous.png']</code> because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string <code>'//*[@id='hirepro'] //*[@src='assets/img/Hireprous.png']</code> is not a valid XPath expression. (Session info: chrome=104.0.5112.81) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-KASTHURI', ip: '192.168.0.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f741b5a168b8ab4be1a627e7d27e9de3, findElement {using=xpath, value=//*[@id='hirepro'] //*[@src='assets/img/Hireprous.png']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.81, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\Local\Temp\goog-chromeOptions: {debuggerAddress: localhost:55525}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55525/devtools, se:cdpVersion: 104.0.5112.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f741b5a168b8ab4be1a627e7d27e9de3</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619) at org.openqa.selenium.remote.RemoteWebDriver\$Mechanism\$2.findElement(RemoteWebDriver.java:1258) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:386) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380) at TestStepdef.Stepdef.user_is_on_hireprous_login_page(Stepdef.java:111) at ?.User is on Hireprous login page(file:///C:/TestProject/src/test/resources/Features/Loginpage.feature:22)</p> <p>* Not displayable characters are replaced by '?'. </p> | FAILED | 0.002 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 2 | When User enters username and password | SKIPPED | 0.000 s |
| 3 | And User clicks on Log IN button | SKIPPED | 0.000 s |
| 4 | Then User login must be successful | SKIPPED | 0.000 s |
| | AFTER - TestStepdef.Stepdef.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.132 s |
| | image | | |
| |  + | | |

(Step) AFTER - TestStepdef.Stepdef.
addScreenshot(io.cucumber.java.
Scenario)

(S) Login page field validation


(F) Hireprouse login



(Step) AFTER - TestStepdef.Stepdef.
addScreenshot(io.cucumber.java.
Scenario)

(S) Login to application with Invalid user
credentials

(F) Hireprouse login



(Step) AFTER - TestStepdef.Stepdef.
addScreenshot(io.cucumber.java.
Scenario)

(S) Login to application with valid user
credentials

(F) Hireprou login

