

Cucumber Report

11-Aug-2022, 7:28:49 PM

Start : Aug 11, 7:26:53.271 PM

End : Aug 11, 7:28:46.196 PM

Duration : 1 m 52.925 s

Features

PASSED - 1

FAILED - 1

SKIPPED - 0

Scenarios

PASSED - 3

FAILED - 3


SKIPPED - 0

Steps

PASSED - 11


FAILED - 3

SKIPPED - 14







#	Feature Name	T	P	F	S	Duration
1	Checking Recruitment functionality	3	0	3	0	1 m 14.085 s
2	Hireprouis login	3	3	0	0	38.807 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checking Recruitment functionality</u>	<u>Recruitment page field validation</u>	6	0	1	5	20.396 s
2	<u>Checking Recruitment functionality</u>	<u>Recruitment field and error message validation</u>	5	0	1	4	24.287 s
3	<u>Checking Recruitment functionality</u>	<u>Filling Job Request creation</u>	6	0	1	5	29.321 s
4	<u>Hireprouis login</u>	<u>Login page field validation</u>	3	3	0	0	10.340 s
5	<u>Hireprouis login</u>	<u>Login to application with Invalid user credentials</u>	4	4	0	0	12.287 s
6	<u>Hireprouis login</u>	<u>Login to application with valid user credentials</u>	4	4	0	0	16.152 s

(F)- Checking Recruitment functionality

FAILED	DURATION - 1 m 14.085 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 17 Pass - 0 Fail - 3 Skip - 14	
/ 7:26:53.271 PM // 7:28:07.356 PM /					



(S)- Recuruitment page field validation

FAILED	DURATION - 20.396 s	 <p>A bar chart with a horizontal axis labeled 1 through 6 and a vertical axis labeled 0 through 8. A single black bar is present at index 1, reaching a height of 7.</p>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	 <p>A donut chart with 6 segments in total. 5 segments are yellow and 1 segment is red. The number 6 is displayed in the center of the donut.</p>
/ 7:26:53.276 PM // 7:27:13.672 PM /				
Checking Recruitment functionality				
@RegressionTest				

#	Step / Hook Details	Status	Duration
1	<p>Given User navigate to the Dashboard page by logging in Hireprous page</p> <pre>org.openqa.selenium.WebDriverException: unknown error: cannot determine loading status from disconnected: unable to send message to renderer (Session info: chrome=104.0.5112.81) Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-KASTHURI', ip: '192.168.0.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [30f8f80ae42c2039fba071aab3131d0a, get {url=http://3.82.142.185:9393/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.81, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:59581}}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59581/devtools..., se:cdpVersion: 104.0.5112.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 30f8f80ae42c2039fba071aab3131d0a at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</pre>	FAILED	7.002 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:333) at TestStepdef.Stepdef.user_navigate_to_the_dashboard_page_by_logging_in_hireproux_page(Stepdef.java:152) at ?.User navigate to the Dashboard page by logging in Hireproux page(file:///C:/TestProject/src/test/resources/Features/JobRequest.feature:6) * Not displayable characters are replaced by '?'. </pre>		
2	When User clicks on Recruitment from top menu	SKIPPED	0.004 s
3	Then User will be redirected to Recruitment process page	SKIPPED	0.001 s
4	And User clicks on Job Request menu	SKIPPED	0.000 s
5	Then User will be redirected to the JOB Request list page successfully	SKIPPED	0.000 s
6	And User verifies fields on the Job Request list page	SKIPPED	0.001 s
	<p>AFTER - TestStepdef.Stepdef.addScreenshot(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=104.0.5112.81) Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-KASTHURI', ip: '192.168.0.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [30f8f80ae42c2039fba071aab3131d0a, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.81, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:59581}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59581/devtoo..., se:cdpVersion: 104.0.5112.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 30f8f80ae42c2039fba071aab3131d0a at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:674) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:678) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:354) at TestStepdef.Stepdef.addScreenshot(Stepdef.java:39) </pre>	FAILED	13.304 s



(S)- Recruitment field and error message validation

<div>FAILED</div> <div>DURATION - 24.287 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 7:27:13.712 PM // 7:27:37.999 PM /				
Checking Recruitment functionality				
@RegressionTest				

#	Step / Hook Details	Status	Duration
1	<p>Given User is on Job Request page</p> <pre>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=104.0.5112.81) Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-KASTHURI', ip: '192.168.0.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [30f8f80ae42c2039fba071aab3131d0a, findElement {using=xpath, value=//*[@id='tab1']/div/div/div/div/div/div[1]/div[1]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.81, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:59581}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59581/devtools, se:cdpVersion: 104.0.5112.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 30f8f80ae42c2039fba071aab3131d0a at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619) at org.openqa.selenium.remote.RemoteWebDriver\$Mechanism\$2.findElement(RemoteWebDriver.java:1258) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:386) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380) at TestStepdef.Stepdef.user_is_on_job_request_page(Stepdef.java:217) at ?.User is on Job Request page(file:///C:/TestProject/src/test/resources/Features/JobRequest.feature:16) * Not displayable characters are replaced by '?'. </pre>	FAILED	12.147 s
2	When User clicks on New Job Request button	SKIPPED	0.001 s
3	Then User will be redirected to Add job request page	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
4	And User verifies fields on add job request page	SKIPPED	0.000 s
5	And User clicks on the Save button without entering the mandatory fields and verifies error message	SKIPPED	0.000 s
	AFTER - TestStepdef.Stepdef.addScreenshot(io.cucumber.java.Scenario)	FAILED	12.133 s
	<pre>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=104.0.5112.81) Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-KASTHURI', ip: '192.168.0.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [30f8f80ae42c2039fba071aab3131d0a, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.81, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\Local\Temp\chromeoptions\chromeoptions-59581}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:59581/devtools, se.cdpVersion: 104.0.5112.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 30f8f80ae42c2039fba071aab3131d0a at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:674) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:678) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:354) at TestStepdef.Stepdef.addScreenshot(Stepdef.java:39)</pre>		

(S)- Filling Job Request creation



<div>FAILED</div> <div>DURATION - 29.321 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
<div>/ 7:27:38.035 PM // 7:28:07.356 PM /</div>				
<div>Checking Recruitment functionality</div>				
<div>@SmokeTest</div>				

#	Step / Hook Details	Status	Duration
1	Given User navigate to the Recruitment page by logging in Hireprouse page	FAILED	17.169 s



#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=104.0.5112.81) Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-KASTHURI', ip: '192.168.0.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [30f8f80ae42c2039fba071aab3131d0a, findElement {using=name, value=email}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.81, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:59581}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59581/devtoo..., se:cdpVersion: 104.0.5112.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 30f8f80ae42c2039fba071aab3131d0a</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619) at org.openqa.selenium.remote.RemoteWebDriver\$Mechanism\$2.findElement(RemoteWebDriver.java:1258) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:393) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380) at TestStepdef.Stepdef.user_navigate_to_the_recruitment_page_by_logging_in_hireprouse_page(Stepdef.java:286) at ?.User navigate to the Recruitment page by logging in Hireprouse page(file:///C:/TestProject/src/test/resources/Features/JobRequest.feature:25)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	When User clicks on Recruitment from top	SKIPPED	0.000 s
3	Then User will redirected to Recruitment process page	SKIPPED	0.000 s
4	And User clicks on Job Request tab	SKIPPED	0.016 s
5	And User clicks on the new Job Request button	SKIPPED	0.000 s
6	And User has to fill the details of Customer Name, Recruitment Role, Business Unit, No. of Openings, Location, Currency Type, Pay Range, Pay Frequency, Employment Type, Project Start Date, Placement For, Remote Working, Recruiter, Email, Firstname, Lastname, Location, Pay Range, Contract Duration, Job Description, Mandatory Skills, Optional Skills and save the Job request	SKIPPED	0.000 s
	AFTER - TestStepdef.Stepdef.addScreenshot(io.cucumber.java.Scenario)	FAILED	12.136 s
	<p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=104.0.5112.81) Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-KASTHURI', ip: '192.168.0.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [30f8f80ae42c2039fba071aab3131d0a, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.81, chrome: {chromedriverVersion:</p>		

#	Step / Hook Details	Status	Duration
	103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:59581}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59581/devtools, se:cdpVersion: 104.0.5112.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 30f8f80ae42c2039fba071aab3131d0a at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:674) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:678) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:354) at TestStepDef.Stepdef.addScreenshot(Stepdef.java:39)		

(F)- Hireprouis login



PASSED	DURATION - 38.807 s	Scenarios		Steps	
/ 7:28:07.389 PM // 7:28:46.196 PM /		Total - 3		Total - 11	
		Pass - 3		Pass - 11	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Login page field validation

PASSED	DURATION - 10.340 s		Steps	
/ 7:28:07.390 PM // 7:28:17.730 PM /			Total - 3	
Hireprouis login			Pass - 3	
@RegressionTest			Fail - 0	
		Skip - 0		



#	Step / Hook Details	Status	Duration
1	Given User navigate to Hireprouse page	PASSED	8.147 s
2	When user verifies Hireprouse logo	PASSED	2.108 s
3	And User verifies login page fields	PASSED	0.082 s

(S)- Login to application with Invalid user credentials

<div>PASSED</div> <div>DURATION - 12.287 s</div>		<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>2</td></tr><tr><td>2</td><td>6</td></tr><tr><td>3</td><td>4</td></tr><tr><td>4</td><td>0</td></tr></tbody></table></div>	Step	Duration (s)	1	2	2	6	3	4	4	0	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div>4</div></div>
Step	Duration (s)													
1	2													
2	6													
3	4													
4	0													
<div>/ 7:28:17.742 PM // 7:28:30.029 PM /</div>														
<div>Hireprouse login</div>														
<div>@RegressionTest</div>														

#	Step / Hook Details	Status	Duration
1	Given User is on the Hireprouse page	PASSED	2.059 s
2	When User enters invalid username and password	PASSED	6.064 s
3	And User clicks on the Log IN button	PASSED	4.121 s
4	Then User verifies the error message for invalid credentials	PASSED	0.043 s

(S)- Login to application with valid user credentials

PASSED		DURATION - 16.152 s			<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 7:28:30.044 PM // 7:28:46.196 PM /						
Hireprouse login						
@SmokeTest						

#	Step / Hook Details	Status	Duration
1	Given User is on Hireprouse login page	PASSED	2.073 s
2	When User enters username and password	PASSED	7.879 s
3	And User clicks on Log IN button	PASSED	4.079 s
4	Then User login must be successful	PASSED	2.118 s