Cucumber Report

| Start : Aug 16, 7:24:04.039 PM	End : Aug 16, 7:26:04.284 PM	Duration : 2 m 0.245 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 1 SKIPPED - 0	PASSED - 3 FAILED - 1 SKIPPED - 0	PASSED - 17 FAILED - 1 SKIPPED - 3

#	Feature Name	T	P	F	S	Duration
1	_Checking Recruitment functionality_	3	3	0	0	2 m 0.173 s
2	_Hireprous login_	1	0	1	0	0.056 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking Recruitment functionality	Recuruitment page field validation	6	6	0	0	28.038 s
2	Checking Recruitment functionality	Recruitment field and error message validation	5	5	0	0	18.614 s
3	Checking Recruitment functionality	Filling Job Request creation	6	6	0	0	1 m 13.471 s
4	Hireprous login	Login to application with valid user credentials	4	0	1	3	0.056 s

(F)- Checking Recruitment functionality

PASSED	DURATION - 2 m 0.173 s	Scenarios		Steps	
/ 7:24:04.039 PM // 7:26:04.212 PM /		Total - 3 Pass - 3 Fail - 0 Skip - 0	3	Total - 17 Pass - 17 Fail - 0 Skip - 0	17

## **(S)- Recuruitment page field validation**

PASSED	DURATION - 28.038 s		Steps	
/ 7:24:04.051 PM // 7:24:32.089 PM /			Total - 6	
Checking Recruitment functionality			Pass - 6 Fail - 0	6
@RegressionTest			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User navigate to the Dashboard page by logging in Hireprous page	PASSED	15.138 s
2	When User clicks on Recruitment from top menu	PASSED	3.211 s
3	Then User will be redirected to Recruitment process page	PASSED	2.150 s
4	And User clicks on Job Request menu	PASSED	3.265 s
5	Then User will be redirected to the JOb Request list page successfully	PASSED	2.133 s
6	And User verifies fields on the Job Request list page	PASSED	2.117 s

(S)- Recruitment field and error message validation

PASSED	DURATION - 18.614 s
/ 7:24:32.107 PM // 7:24:50.721 PM /	
Checking Recruitment functionality	
@RegressionTest	

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given User is on Job Request page	PASSED	2.092 s
2	When User clicks on New Job Request button	PASSED	1.185 s
3	Then User will be redirected to Add job request page	PASSED	2.065 s
4	And User verifies fields on add job request page	PASSED	4.739 s
5	And User clicks on the Save button without entering the mandatory fields and verifies error meassage	PASSED	8.530 s

(S)- Filling Job Request creation

PASSED	DURATION - 1 m 13.471 s
/ 7:24:50.741 PM // 7:26:04.212 PM /	
Checking Recruitment functionality	
@SmokeTest	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User navigate to the Recruitment page by logging in Hireprous page	PASSED	11.776 s
2	When User clicks on Recruitment from top	PASSED	3.134 s
3	Then User will redirected to Recruitment process page	PASSED	2.092 s
4	And User clicks on Job Request tab	PASSED	3.200 s
5	And User clicks on the new Job Request button	PASSED	3.158 s
6	And User has to fill the details of Customer Name, Recruitment Role, Business Unit, No. of Openings, Location, Currency Type, Pay Range, Pay Frequency, Employment Type, Project Start Date, Placement For, Remote Working, Recruiter, Email, Firstname, Lastname, Location, Pay Range, Contract Duration,Job Description, Mandatory Skills, Optional Skills and save the	PASSED	50.110 s

#	Step / Hook Details	Status	Duration
	Job request		

(F)- Hireprous login

FAILED	DURATION - 0.056 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 7:26:04.228 PM // 7:26:04.284 PM /		Pass - 0	1	Pass - 0	4
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

(S)- Login to application with valid user credentials

FAILED	DURATION - 0.056 s		Steps	
			Total - 4	
/ 7:26:04.228 PM // 7:26:04.284 PM /			Pass - 0	4
Hireprous login			Fail - 1	
@SmokeTest			Skip - 3	

#	Step / Hook Details	Status	Duration
1	Given User is on Hireprous login page	FAILED	0.031 s

	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-KASTHURI', ip: '192.168.0.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, findElement {using=xpath, value=//*[@id='hirepro']	//*[@src='assets/img/Hireprous.png']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.81, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:50047}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50047/devtoo..., se:cdpVersion: 104.0.5112.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}
		   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)
		   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153)
		   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)
		   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619)
		   at org.openqa.selenium.remote.RemoteWebDriver$Mechanism$2.findElement(RemoteWebDriver.java:1258)
		   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:386)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380) at TestStepdef.Stepdef.user_is_on_hireprous_login_page(Stepdef.java:111) at ?.User is on Hireprous login page(file:///C:/TestProject/src/test/resources/Features/Loginpage.feature:22) * Not displayable characters are replaced by '?'.		
2	When User enters username and password	SKIPPED	0.000 s
3	And User clicks on Log IN button	SKIPPED	0.000 s
4	Then User login must be successful	SKIPPED	0.000 s
	AFTER - TestStepdef.Stepdef.addScreenshot(io.cucumber.java.Scenario)	FAILED	0.018 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-KASTHURI', ip: '192.168.0.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.81, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:50047}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50047/devtoo..., se:cdpVersion: 104.0.5112.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:674) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:678) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:354) at TestStepdef.Stepdef.addScreenshot(Stepdef.java:42)		