Cucumber Report

Start : Aug 12, 12:30:41.895 PM	**End : Aug 12, 12:30:41.978 PM**	**Duration : 0.083 s**
Features	*Scenarios*	*Steps*
PASSED - 0 *FAILED - 1* *SKIPPED - 0*	*PASSED - 0* *FAILED - 3* *SKIPPED - 0*	*PASSED - 0* *FAILED - 3* *SKIPPED - 8*

#	Feature Name	T	P	F	S	Duration
1	Hireprous login	3	0	3	0	0.083 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Hireprous login	Login page field validation	3	0	1	2	0.017 s
2	Hireprous login	Login to application with Invalid user credentials	4	0	1	3	0.006 s
3	Hireprous login	Login to application with valid user credentials	4	0	1	3	0.000 s

(F)- Hireprous login

FAILED	DURATION - 0.083 s	Scenarios		Steps	
		Total - 3		Total - 11	
/ 12:30:41.895 PM // 12:30:41.978 PM /		Pass - 0	3	Pass - 0	11
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 8	

(S)- Login page field validation

FAILED	DURATION - 0.017 s		Steps	
/ 12:30:41.911 PM // 12:30:41.928 PM /			Total - 3	
Hireprous login			Pass - 0	3
			Fail - 1	
@RegressionTest			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given User navigate to Hireprous page	FAILED	0.014 s

	java.lang.NullPointerException
	   at TestStepdef.Stepdef.user_navigate_to_hireprous_page(Stepdef.java:48)
	   at ?.User navigate to Hireprous page(file:///C:/TestProject/src/test/resources/Features/Loginpage.feature:6)
	* Not displayable characters are replaced by '?'.		

2	When user verifies Hireprous logo	SKIPPED	0.000 s
3	And User verifies login page fields	SKIPPED	0.000 s
	AFTER - TestStepdef.Stepdef.addScreenshot(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException at TestStepdef.Stepdef.addScreenshot(Stepdef.java:41)		

(S)- Login to application with Invalid user credentials

FAILED	DURATION - 0.006 s		Steps
/ 12:30:41.964 PM // 12:30:41.970 PM /			Total - 4
Hireprous login			Pass - 0
			Fail - 1
@RegressionTest			Skip - 3

#	Step / Hook Details	Status	Duration
1	Given User is on the Hireprous page	FAILED	0.004 s

	java.lang.NullPointerException
	   at TestStepdef.Stepdef.user_is_on_the_hireprous_page(Stepdef.java:70)
	   at ?.User is on the Hireprous page(file:///C:/TestProject/src/test/resources/Features/Loginpage.feature:13)
	* Not displayable characters are replaced by '?'.		

2	When User enters invalid username and password	SKIPPED	0.000 s
3	And User clicks on the Log IN button	SKIPPED	0.000 s
4	Then User verifes the error message for invalid credentials	SKIPPED	0.000 s
	AFTER - TestStepdef.Stepdef.addScreenshot(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException at TestStepdef.Stepdef.addScreenshot(Stepdef.java:41)		

(S)- Login to application with valid user credentials

FAILED	DURATION - 0.000 s		Steps
/ 12:30:41.978 PM // 12:30:41.978 PM /			Total - 4
Hireprous login			Pass - 0
			Fail - 1
@SmokeTest			Skip - 3

#	Step / Hook Details	Status	Duration
1	Given User is on Hireprous login page	FAILED	0.000 s
	java.lang.NullPointerException		

#	Step / Hook Details	Status	Duration
	at TestStepdef.Stepdef.user_is_on_hireprous_login_page(Stepdef.java:102) at ?.User is on Hireprous login page(file:///C:/TestProject/src/test/resources/Features/Loginpage.feature:22) * Not displayable characters are replaced by '?'.		
2	When User enters username and password	SKIPPED	0.000 s
3	And User clicks on Log IN button	SKIPPED	0.000 s
4	Then User login must be successful	SKIPPED	0.000 s
	AFTER - TestStepdef.Stepdef.addScreenshot(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException at TestStepdef.Stepdef.addScreenshot(Stepdef.java:41)		