

# Cucumber Report

16-Aug-2022, 4:04:31 PM

**Start : Aug 16, 4:03:22.010 PM**

**End : Aug 16, 4:04:30.169 PM**

**Duration : 1 m 8.159 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 2**

**SKIPPED - 0**

**PASSED - 1**



**FAILED - 5**


**SKIPPED - 0**

**PASSED - 10**


**FAILED - 5**

**SKIPPED - 13**







#	Feature Name	T	P	F	S	Duration
1	Checking Recruitment functionality	3	1	2	0	1 m 5.335 s
2	Hireprous login	3	0	3	0	2.812 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checking Recruitment functionality</u>	<u>Recruitment page field validation</u>	6	6	0	0	25.041 s
2	<u>Checking Recruitment functionality</u>	<u>Recruitment field and error message validation</u>	5	4	1	0	10.887 s
3	<u>Checking Recruitment functionality</u>	<u>Filling Job Request creation</u>	6	0	1	5	29.370 s
4	<u>Hireprouis login</u>	<u>Login page field validation</u>	3	0	1	2	2.744 s
5	<u>Hireprouis login</u>	<u>Login to application with Invalid user credentials</u>	4	0	1	3	0.030 s
6	<u>Hireprouis login</u>	<u>Login to application with valid user credentials</u>	4	0	1	3	0.017 s

**(F)- Checking Recruitment functionality**


<b>FAILED</b>	<b>DURATION - 1 m 5.335 s</b>	Scenarios		Steps	
/ 4:03:22.010 PM // 4:04:27.345 PM /		Total - 3		Total - 17	
		Pass - 1		Pass - 10	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 5	

**(S)- Recruitment page field validation**

<div>PASSED</div> <div>DURATION - 25.041 s</div>		<div></div>	Steps		<div></div>
/ 4:03:22.010 PM // 4:03:47.051 PM /			Total - 6		
Checking Recruitment functionality			Pass - 6		
@RegressionTest			Fail - 0		
		Skip - 0			

#	Step / Hook Details	Status	Duration
1	Given User navigate to the Dashboard page by logging in Hireprouse page	PASSED	12.679 s
2	When User clicks on Recruitment from top menu	PASSED	3.097 s
3	Then User will be redirected to Recruitment process page	PASSED	2.074 s
4	And User clicks on Job Request menu	PASSED	3.111 s
5	Then User will be redirected to the JOB Request list page successfully	PASSED	2.032 s
6	And User verifies fields on the Job Request list page	PASSED	2.036 s

FAILED	DURATION - 10.887 s
/ 4:03:47.063 PM // 4:03:57.950 PM /	
Checking Recruitment functionality	
@RegressionTest	




Steps

Total - 5


Pass - 4

Fail - 1



Skip - 0



#	Step / Hook Details	Status	Duration
1	Given User is on Job Request page	PASSED	2.029 s
2	When User clicks on New Job Request button	PASSED	1.117 s
3	Then User will be redirected to Add job request page	PASSED	2.052 s
4	And User verifies fields on add job request page	PASSED	4.332 s
5	And User clicks on the Save button without entering the mandatory fields and verifies error meassage	FAILED	1.110 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element is not clickable at point (149, 879) (Session info: chrome=104.0.5112.81) Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-KASTHURI', ip: '192.168.0.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0a2c8033084c4b21ff595ec544cd933a, clickElement {id=4a46612e-cb37-4b90-9ef6-8ca2a9b74a96}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.81, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\IPROMAN~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:60006}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60006/devtoo..., se:cdpVersion: 104.0.5112.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (0a2c8033084c4b21ff595ec544cd933a)] -> xpath: //*[@value='Save']] Session ID: 0a2c8033084c4b21ff595ec544cd933a at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:237) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:75) at TestStepdef.Stepdef.user_clicks_on_the_save_button_without_entering_the_mandatory_fields_and_verifies_error_meassage(Stepdef.		

#	Step / Hook Details	Status	Duration
	java:257) at ?.User clicks on the Save button without entering the mandatory fields and verifies error message(file:///C:/TestProject/src/test/resources/Features/JobRequest.feature:20) * Not displayable characters are replaced by '?'.		
	AFTER - TestStepdef.Stepdef.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.245 s
	image		
			

### (S)- Filling Job Request creation



<b>FAILED</b> <b>DURATION - 29.370 s</b> <b>/ 4:03:57.975 PM // 4:04:27.345 PM /</b> <b>Checking Recruitment functionality</b> <b>@SmokeTest</b>		<b>Steps</b> <b>Total - 6</b> <b>Pass - 0</b> <b>Fail - 1</b> <b>Skip - 5</b>	
--	--	---	---

#	Step / Hook Details	Status	Duration
1	Given User navigate to the Recruitment page by logging in Hireprous page  org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=104.0.5112.81) Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-KASTHURI', ip: '192.168.0.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0a2c8033084c4b21ff595ec544cd933a, findElement {using=name, value=email}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.81, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:60006}}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60006/devtoo..., se:cdpVersion: 104.0.5112.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0a2c8033084c4b21ff595ec544cd933a at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198)	FAILED	17.182 s



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619) at org.openqa.selenium.remote.RemoteWebDriver\$Mechanism\$2.findElement(RemoteWebDriver.java:1258) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:386) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380) at TestStepdef.Stepdef.user_navigate_to_the_recruitment_page_by_logging_in_hireprou_page(Stepdef.java:280) at ?.User navigate to the Recruitment page by logging in Hireprou page(file:///C:/TestProject/src/test/resources/Features/JobRequest.feature:25) * Not displayable characters are replaced by '?'. </pre>		
2	When User clicks on Recruitment from top	SKIPPED	0.000 s
3	Then User will redirected to Recruitment process page	SKIPPED	0.000 s
4	And User clicks on Job Request tab	SKIPPED	0.000 s
5	And User clicks on the new Job Request button	SKIPPED	0.000 s
6	And User has to fill the details of Customer Name, Recruitment Role, Business Unit, No. of Openings, Location, Currency Type, Pay Range, Pay Frequency, Employment Type, Project Start Date, Placement For, Remote Working, Recruiter, Email, Firstname, Lastname, Location, Pay Range, Contract Duration, Job Description, Mandatory Skills, Optional Skills and save the Job request	SKIPPED	0.000 s
	<p>AFTER - TestStepdef.Stepdef.addScreenshot(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=104.0.5112.81) Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-KASTHURI', ip: '192.168.0.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0a2c8033084c4b21ff595ec544cd933a, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.81, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\Local\Temp\chrome-wk\103.0.5060.53\userDataDir}, goog:chromeOptions: {debuggerAddress: localhost:60006}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60006/devtools/cdp/, se:cdpVersion: 104.0.5112.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0a2c8033084c4b21ff595ec544cd933a at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128) </pre>	FAILED	12.188 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:674) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:678) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:354) at TestStepdef.Stepdef.addScreenshot(Stepdef.java:42)		

**(F)- Hireprous login**

<b>FAILED</b>	<b>DURATION - 2.812 s</b>	Scenarios		Steps	
/ 4:04:27.357 PM // 4:04:30.169 PM /		Total - 3		Total - 11	
		Pass - 0		Pass - 0	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 8	

**(S)- Login page field validation**

<b>FAILED</b>	<b>DURATION - 2.744 s</b>		Steps	
/ 4:04:27.357 PM // 4:04:30.101 PM /			Total - 3	
Hireprous login			Pass - 0	
@RegressionTest			Fail - 1	
			Skip - 2	



#	Step / Hook Details	Status	Duration
1	Given User navigate to Hireprous page  org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=104.0.5112.81) Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-KASTHURI', ip: '192.168.0.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [504a5862fe7da778ff2dd52c0859d219, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.81, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:60091}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60091/devtoo..., se:cdpVersion: 104.0.5112.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 504a5862fe7da778ff2dd52c0859d219 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)	<b>FAILED</b>	2.722 s



#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:674) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:678) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:983) at TestStepdef.Stepdef.user_navigate_to_hireprouse_page(Stepdef.java:53) at ?.User navigate to Hireprouse page(file:///C:/TestProject/src/test/resources/Features/Loginpage.feature:6) * Not displayable characters are replaced by '?'. </pre>		
2	When user verifies Hireprouse logo	SKIPPED	0.002 s
3	And User verifies login page fields	SKIPPED	0.000 s
	<p>AFTER - TestStepdef.Stepdef.addScreenshot(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=104.0.5112.81) Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-KASTHURI', ip: '192.168.0.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [504a5862fe7da778ff2dd52c0859d219, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.81, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:60091}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60091/devtools..., se:cdpVersion: 104.0.5112.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 504a5862fe7da778ff2dd52c0859d219 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:674) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:678) </pre>	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:354) at TestStepdef.Stepdef.addScreenshot(Stepdef.java:42)		



## (S)- Login to application with Invalid user credentials

<div>FAILED</div> <div>DURATION - 0.030 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 4:04:30.110 PM // 4:04:30.140 PM /				
Hireprous login				
@RegressionTest				

#	Step / Hook Details	Status	Duration
1	<p>Given User is on the Hireprous page</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=104.0.5112.81) Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-KASTHURI', ip: '192.168.0.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [504a5862fe7da778ff2dd52c0859d219, findElement {using=xpath, value=//*[@id='hirepro']   /*[@src='assets/img/Hireprous.png']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.81, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\IPROMAN~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:60091}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60091/devtoo..., se:cdpVersion: 104.0.5112.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 504a5862fe7da778ff2dd52c0859d219</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619) at org.openqa.selenium.remote.RemoteWebDriver\$Mechanism\$2.findElement(RemoteWebDriver.java:1258) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:386) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380)</p>	FAILED	0.018 s

#	Step / Hook Details	Status	Duration
	at TestStepdef.Stepdef.user_is_on_the_hireprous_page(Stepdef.java:74) at ?.User is on the Hireprous page(file:///C:/TestProject/src/test/resources/Features/Loginpage.feature:13) * Not displayable characters are replaced by '?'.		
2	When User enters invalid username and password	SKIPPED	0.002 s
3	And User clicks on the Log IN button	SKIPPED	0.000 s
4	Then User verifies the error message for invalid credentials	SKIPPED	0.000 s
	AFTER - TestStepdef.Stepdef.addScreenshot(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=104.0.5112.81) Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-KASTHURI', ip: '192.168.0.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [504a5862fe7da778ff2dd52c0859d219, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.81, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:60091}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60091/devtoo..., se:cdpVersion: 104.0.5112.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 504a5862fe7da778ff2dd52c0859d219 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:674) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:678) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:354) at TestStepdef.Stepdef.addScreenshot(Stepdef.java:42)	FAILED	0.007 s

**(S)- Login to application with valid user credentials**

<div>FAILED</div> <div>DURATION - 0.017 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 4:04:30.152 PM // 4:04:30.169 PM /				
Hireprous login				
@SmokeTest				

#	Step / Hook Details	Status	Duration
1	<p>Given User is on Hireprous login page</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=104.0.5112.81) Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-KASTHURI', ip: '192.168.0.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [504a5862fe7da778ff2dd52c0859d219, findElement {using=xpath, value=//*[@id='hirepro']   /*[@src='assets/img/Hireprous.png']}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.81, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:60091}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60091/devtoo..., se:cdpVersion: 104.0.5112.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 504a5862fe7da778ff2dd52c0859d219</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619)  at org.openqa.selenium.remote.RemoteWebDriver\$Mechanism\$2.findElement(RemoteWebDriver.java:1258)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:386)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380)  at TestStepdef.Stepdef.user_is_on_hireprous_login_page(Stepdef.java:111)  at ?.User is on Hireprous login page(file:///C:/TestProject/src/test/resources/Features/Loginpage.feature:22)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.008 s
2	When User enters username and password	SKIPPED	0.002 s

#	Step / Hook Details	Status	Duration
3	And User clicks on Log IN button	SKIPPED	0.001 s
4	Then User login must be successful	SKIPPED	0.000 s
	<p>AFTER - TestStepdef.Stepdef.addScreenshot(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=104.0.5112.81) Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-KASTHURI', ip: '192.168.0.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [504a5862fe7da778ff2dd52c0859d219, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.81, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\Local\Temp\goog-chrome-options: {debuggerAddress: localhost:60091}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60091/devtools, se:cdpVersion: 104.0.5112.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 504a5862fe7da778ff2dd52c0859d219</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:674)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:678)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:354)  at TestStepdef.Stepdef.addScreenshot(Stepdef.java:42)</p>	FAILED	0.003 s

(Step) AFTER - TestStepdef.Stepdef.  
addScreenshot(io.cucumber.java.  
Scenario)

(S) Recruitment field and error message  
validation

(F) Checking Recruitment functionality

The screenshot displays the 'Recruitment' form in the HireProuse application. The interface includes a top navigation bar with the 'HIREPROUSE' logo and menu items: Dashboard, Configurations, Services, and Recruitment. A user profile for 'Sangeetha S. Admin' is visible in the top right. The form itself is organized into several sections with dropdown menus and input fields, each accompanied by a blue icon:

- Top Section:** Select Customer, Select Recruitment Role, Select Business Unit, and a field for the user ID (#).
- Location and Currency:** Location (location pin icon), Currency Type (currency icon), Pay Range (currency icon), and Pay Frequency (calendar icon).
- Employment and Contract:** Employment Type (calendar icon), Contract Duration (clock icon), Requester (email icon, showing 'Sangeetha S'), and Project Start Date (calendar icon, showing 'dd-mm-yyyy').
- Placement and Remote Work:** Placement For (calendar icon), Remote Working (laptop icon), and Recruiter (person icon).
- Job Description:** A large text area for the Job Description.

The footer of the application shows the copyright notice '© Copyright 2022 Promantus Inc. All Rights Reserved' and the version 'V - 3.0.4'.