CSA3710 SOFTWARE TESTING
EXPERIMENTS

Name: Pooja V **Register No:** 192421022

QUESTIONS:

6. To write a case study to identify & analyze the requirements of Food delivery Applications and to write a positive Test Scenarios as well as Testcases for the above application.

Code:

```
package kbexp;
public class FoodDeliveryPositiveTest {
   public static void main(String[] args) {

      System.out.println("Food Delivery Application");
      System.out.println("Positive Test Cases");
      System.out.println("------------------------------");

      // Test Case 1: Login
      String username = "Pooja";
      String password = "12345";

      if (username.equals("Pooja") && password.equals("12345")) {
         System.out.println("Login Test: PASS");
      } else {
         System.out.println("Login Test: FAIL");
      }

      // Test Case 2: Search Food
      String food = "Pizza";

      if (food.equals("Pizza")) {
         System.out.println("Search Food Test: PASS");
      } else {
         System.out.println("Search Food Test: FAIL");
      }
```

```
        // Test Case 3: Add Item to Cart
        int cartItems = 1;

        if (cartItems > 0) {
            System.out.println("Add to Cart Test: PASS");
        } else {
            System.out.println("Add to Cart Test: FAIL");
        }

        // Test Case 4: Place Order
        boolean orderPlaced = true;

        if (orderPlaced) {
            System.out.println("Place Order Test: PASS");
        } else {
            System.out.println("Place Order Test: FAIL");
        }

        // Test Case 5: Payment
        boolean paymentSuccess = true;

        if (paymentSuccess) {
            System.out.println("Payment Test: PASS");
        } else {
            System.out.println("Payment Test: FAIL");
        }


        System.out.println("------------------------------");
        System.out.println("Testing Completed");
    }
}
```

Report table:

S. No.	Feature	Test Scenario	Test Data	Expected Result	Pass/Fail
1	Login	Verify login with valid credentials	Valid username and password	User logs in successfully and the home page appears	Pass
2	Food Search	Search for an available food item	Pizza	Matching food items are displayed	Pass
3	Add to Cart	Add a food item to the cart	Available food item	Item is added to the cart with the correct price	Pass
4	Place Order	Place an order using a valid address	Valid delivery address	Order is placed successfully	Pass
5	Payment	Make payment using a valid payment method	Valid test payment	Payment succeeds and confirmation is displayed	Pass

Result: Thus, positive test scenarios and test cases were prepared for the Food Delivery Application.

Code output:


package-info.java
kav.java
package-info.java
Foodapplication.java
30 }
31
32 // Test Case 3: Add Item to Cart
33 int cartItems = 1;
34
35 if (cartItems > 0) {
36 System.out.println("Add to Cart Test: PASS");
37 } else {
38 System.out.println("Add to Cart Test: FAIL");
39 }
40
41 // Test Case 4: Place Order
42 boolean orderPlaced = true;
43
44 if (orderPlaced) {
45 System.out.println("Place Order Test: PASS");
46 } else {
47 System.out.println("Place Order Test: FAIL");
48 }
49
50 // Test Case 5: Payment
51 boolean paymentSuccess = true;
52
53 if (paymentSuccess) {
54 System.out.println("Payment Test: PASS");
55 } else {
Problems
Javadoc
Declaration
Console
<terminated> Foodapplication [Java Application] C:\Users\SAIL\.p2\pool\plugins\org.eclipse.justj.openjdk.hotspot.jre.full.win32.x86_64_21.0.12.v2
Food Delivery Application
Positive Test Cases
Login Test: PASS
Search Food Test: PASS
Add to Cart Test: PASS
Place Order Test: PASS
Payment Test: PASS
Testing Completed

7. To write a case study to identify & analyze the requirements of Food Delivery Applications and to write a negative ’1 est Scenarios as well as Testcases for the above application.

Code:

```
package kbexp;
public class FoodDeliveryNegativeTest {
   public static void main(String[] args) {

      System.out.println("Food Delivery Application");
      System.out.println("Negative Test Cases");
      System.out.println("------------------------------");

      // Test Case 1: Invalid Login
      String username = "user";
      String password = "wrong";

      if (!username.equals("Pooja") || !password.equals("12345")) {
         System.out.println("Invalid Login Test: PASS");
      } else {
         System.out.println("Invalid Login Test: FAIL");
      }

      // Test Case 2: Empty Food Search
      String food = "";

      if (food.isEmpty()) {
         System.out.println("Empty Search Test: PASS");
      } else {
         System.out.println("Empty Search Test: FAIL");
      }

      // Test Case 3: Empty Cart
      int cartItems = 0;

      if (cartItems == 0) {
         System.out.println("Empty Cart Test: PASS");
      } else {
         System.out.println("Empty Cart Test: FAIL");
      }
```

```
        // Test Case 4: Invalid Quantity
        int quantity = -1;

        if (quantity <= 0) {
            System.out.println("Invalid Quantity Test: PASS");
        } else {
            System.out.println("Invalid Quantity Test: FAIL");
        }

        // Test Case 5: Payment Failure
        boolean paymentSuccess = false;

        if (!paymentSuccess) {
            System.out.println("Payment Failure Test: PASS");
        } else {
            System.out.println("Payment Failure Test: FAIL");
        }


        System.out.println("------------------------------");
        System.out.println("Testing Completed");
    }
}
```

Report:

S. No.	Feature	Test Scenario	Test Data	Expected Result	Pass/Fail
1	Login	Login with invalid credentials	Incorrect username and password	System rejects login and displays an error message	Pass
2	Food Search	Search without entering a keyword	Empty search field	System handles the empty search appropriately	Pass
3	Add to Cart	Place an order with an empty cart	No items in cart	System prevents checkout	Pass
4	Place Order	Enter an invalid food quantity	Failed payment details	System rejects the invalid quantity	Pass
5	Payment	Make payment using a valid payment method	Failed payment details	System displays a failure message and does not mark the order as paid	Pass

Result: Thus, negative test scenarios and test cases were prepared for the Food Delivery Application.

Code output:



```
        }

        // Test Case 4: Invalid Quantity
        int quantity = -1;

        if (quantity <= 0) {
            System.out.println("Invalid Quantity Test: PASS");
        } else {
            System.out.println("Invalid Quantity Test: FAIL");
        }

        // Test Case 5: Payment Failure
        boolean paymentSuccess = false;

        if (!paymentSuccess) {
            System.out.println("Payment Failure Test: PASS");
        } else {
            System.out.println("Payment Failure Test: FAIL");
        }

        System.out.println("------------------------------");
        System.out.println("Testing Completed");
    }
}
```

```
<terminated> Foodappnegative [Java Application] C:\Users\SAIL\.p2\pool\plugins\org.eclipse.justj.openjdk.hotspot.jre.full.win32.x86_64_21.0.12.v
Food Delivery Application
Negative Test Cases
------------------------------
Invalid Login Test: PASS
Empty Search Test: PASS
Empty Cart Test: PASS
Invalid Quantity Test: PASS
Payment Failure Test: PASS
------------------------------
Testing Completed
```

8. write a case study to identify & analyze the requirements of Banking Applications and to write a positive Test Scenarios as well as Test cases for the above application.

Code:

```
package kbexp;
public class BankingPositiveTest {
   public static void main(String[] args) {

      System.out.println("Banking Application");
      System.out.println("Positive Test Cases");
      System.out.println("------------------------------");

      // Test Case 1: Valid Login
      String username = "user123";
      String password = "bank123";

      if (username.equals("user123") && password.equals("bank123")) {
         System.out.println("Valid Login Test: PASS");
      } else {
         System.out.println("Valid Login Test: FAIL");
      }

      // Test Case 2: Check Balance
      double balance = 5000;

      if (balance >= 0) {
         System.out.println("Balance Check Test: PASS");
      } else {
         System.out.println("Balance Check Test: FAIL");
      }

      // Test Case 3: Deposit Money
      balance = balance + 1000;

      if (balance == 6000) {
         System.out.println("Deposit Money Test: PASS");
      } else {
         System.out.println("Deposit Money Test: FAIL");
      }
```

```
        // Test Case 4: Withdraw Money
        balance = balance - 2000;

        if (balance == 4000) {
            System.out.println("Withdraw Money Test: PASS");
        } else {
            System.out.println("Withdraw Money Test: FAIL");
        }

        // Test Case 5: Fund Transfer
        boolean transferSuccess = true;

        if (transferSuccess) {
            System.out.println("Fund Transfer Test: PASS");
        } else {
            System.out.println("Fund Transfer Test: FAIL");
        }


        System.out.println("------------------------------");
        System.out.println("Testing Completed");
    }
}
```

Report:

S. No.	Feature	Test Scenario	Test Data	Expected Result	Pass/Fail
1	Login	Log in using valid credentials	Valid username and password	User logs in successfully	Pass
2	Balance Check	Check the account balance	Valid account details	Correct account balance is displayed	Pass
3	Deposit	Deposit money into the account	₹1,000	Balance increases by ₹1,000	Pass
4	Withdrawal	Withdraw money with sufficient balance	₹2,000 and sufficient balance	Amount is withdrawn and balance is updated	Pass
5	Fund Transfer	Transfer money to a valid beneficiary	Valid beneficiary and amount	Transfer succeeds and confirmation is displayed	Pass

Result: Thus, positive test scenarios and test cases were prepared for the Banking Application.

Code output:



```
            System.out.println("Deposit Money Test: FAIL");
        }

        // Test Case 4: Withdraw Money
        balance = balance - 2000;

        if (balance == 4000) {
            System.out.println("Withdraw Money Test: PASS");
        } else {
            System.out.println("Withdraw Money Test: FAIL");
        }

        // Test Case 5: Fund Transfer
        boolean transferSuccess = true;

        if (transferSuccess) {
            System.out.println("Fund Transfer Test: PASS");
        } else {
            System.out.println("Fund Transfer Test: FAIL");
        }

        System.out.println("------------------------------");
        System.out.println("Testing Completed");
    }
}
```

```
<terminated> Bankingapppositive [Java Application] C:\Users\SAIL\.p2\pool\plugins\org.eclipse.justj.openjdk.hotspot.jre.full.win32.x86_64_21.0.1
Banking Application
Positive Test Cases
------------------------------
Valid Login Test: PASS
Balance Check Test: PASS
Deposit Money Test: PASS
Withdraw Money Test: PASS
Fund Transfer Test: PASS
------------------------------
Testing Completed
```

9. To write a case study to identify & analyze the requirements of Banking Applications and to write a negative Test Scenarios as well as Test cases for the above application.

Code:

```
package kbexp;
public class BankingNegativeTest {
   public static void main(String[] args) {

      System.out.println("Banking Application");
      System.out.println("Negative Test Cases");
      System.out.println("------------------------------");

      // Test Case 1: Invalid Login
      String username = "wronguser";
      String password = "wrong123";

      if (!username.equals("user123")
            || !password.equals("bank123")) {
         System.out.println("Invalid Login Test: PASS");
      } else {
         System.out.println("Invalid Login Test: FAIL");
      }

      // Test Case 2: Insufficient Balance
      double balance = 1000;
      double withdrawal = 2000;

      if (withdrawal > balance) {
         System.out.println("Insufficient Balance Test: PASS");
      } else {
         System.out.println("Insufficient Balance Test: FAIL");
      }

      // Test Case 3: Invalid Deposit
      double deposit = -500;

      if (deposit <= 0) {
         System.out.println("Invalid Deposit Test: PASS");
```

```
        } else {
            System.out.println("Invalid Deposit Test: FAIL");
        }

        // Test Case 4: Invalid Transfer Amount
        double transferAmount = -1000;

        if (transferAmount <= 0) {
            System.out.println("Invalid Transfer Test: PASS");
        } else {
            System.out.println("Invalid Transfer Test: FAIL");
        }

        // Test Case 5: Empty Username
        String emptyUsername = "";

        if (emptyUsername.isEmpty()) {
            System.out.println("Empty Username Test: PASS");
        } else {
            System.out.println("Empty Username Test: FAIL");
        }


        System.out.println("------------------------------");
        System.out.println("Testing Completed");
    }
}
```

Report:

S. No.	Feature	Test Scenario	Test Data	Expected Result	Pass/Fail
1	Login	Attempt login with invalid credentials	Incorrect username and password	System rejects login and displays an error message	Pass
2	Withdrawal	Withdraw more money than the available balance	Balance ₹1,000; withdrawal ₹2,000	Transaction is rejected and balance remains unchanged	Pass
3	Deposit	Enter a negative deposit amount	-₹500	System rejects the amount	Pass
4	Fund Transfer	Submit login with an empty username	-₹1,000	System rejects the transfer	Pass
5	Login Validation	Submit login with an empty username	Blank username	System requests a username and prevents login	Pass

Result: Thus, negative test scenarios and test cases were prepared for the Banking Application.

Code output:



```
        // Test Case 4: Invalid Transfer Amount
        double transferAmount = -1000;

        if (transferAmount <= 0) {
            System.out.println("Invalid Transfer Test: PASS");
        } else {
            System.out.println("Invalid Transfer Test: FAIL");
        }

        // Test Case 5: Empty Username
        String emptyUsername = "";

        if (emptyUsername.isEmpty()) {
            System.out.println("Empty Username Test: PASS");
        } else {
            System.out.println("Empty Username Test: FAIL");
        }

        System.out.println("------------------------------");
        System.out.println("Testing Completed");
    }
}
```

```
<terminated> Bankingnegative [Java Application] C:\Users\SAIL\.p2\pool\plugins\org.eclipse.justj.openjdk.hotspot.jre.full.win32.x86_64_21.0.12.v
sers\SAIL\.p2\pool\plugins\org.eclipse.justj.openjdk.hotspot.jre.full.win32.x86_64_21.0.12.v20260826-1216\jre\bin\javaw.exe (15-Oct-2026, 10:40:4
Negative Test Cases
------------------------------
Invalid Login Test: PASS
Insufficient Balance Test: PASS
Invalid Deposit Test: PASS
Invalid Transfer Test: PASS
Empty Username Test: PASS
------------------------------
Testing Completed
```