

```
HP@DESKTOP-I3AJUTN MINGW64 ~
$ git --version
git version 2.54.0.windows.1

HP@DESKTOP-I3AJUTN MINGW64 ~
$ git config --global user.name "Pooja B"

HP@DESKTOP-I3AJUTN MINGW64 ~
$ git config --global user.email "pooja17112005@gmail.com"

HP@DESKTOP-I3AJUTN MINGW64 ~
$ git config --global --list
user.name=Pooja B
user.email=pooja17112005@gmail.com

HP@DESKTOP-I3AJUTN MINGW64 ~
$ git config --global core.editor "notepad++.exe -multiInst -nosession"

HP@DESKTOP-I3AJUTN MINGW64 ~
$ git config --global -e
hint: waiting for your editor to close the file... notepad++.exe -multiInst -nos
ession: line 1: notepad++.exe: command not found
error: there was a problem with the editor 'notepad++.exe -multiInst -nosession'

HP@DESKTOP-I3AJUTN MINGW64 ~
$ git init GitDemo
Initialized empty Git repository in C:/Users/HP/GitDemo/.git/

HP@DESKTOP-I3AJUTN MINGW64 ~
$ cd GitDemo

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo (master)
$ ls -al
bash: ls: command not found

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo (master)
$ ls- al
bash: ls-: command not found

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo (master)
$ dir

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo (master)
$ echo welcome to the version control > welcome.txt

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo (master)
$ dir
welcome.txt

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo (master)
$ cat welcome.txt
welcome to the version control

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    welcome.txt

nothing added to commit but untracked files present (use "git add" to track)

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo (master)
$ git add welcome.txt
warning: in the working copy of 'welcome.txt', LF will be replaced by CRLF the n
ext time Git touches it

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo (master)
$ git status
```

On branch master

No commits yet

Changes to be committed:

(use "git rm --cached <file>..." to unstage)
new file: welcome.txt

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo (master)

```
$ git commit -m "Added welcome.txt"
[master (root-commit) 354bee7] Added welcome.txt
1 file changed, 1 insertion(+)
create mode 100644 welcome.txt
```

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo (master)

```
$ git status
On branch master
nothing to commit, working tree clean
```

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo (master)

```
$ git remote add origin https://github.com/poojabalaji1711/GitDemo.git
```

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo (master)

```
$ git branch -M main
```

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo (main)

```
$ git push -u origin main
info: please complete authentication in your browser...
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 252 bytes | 252.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/poojabalaji1711/GitDemo.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
```

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo (main)

```
$ git clone https://github.com/poojabalaji1711/CTS_HANDSON.git
Cloning into 'CTS_HANDSON'...
warning: You appear to have cloned an empty repository.
```

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo (main)

```
$ mkdir week1
```

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo (main)

```
$ cp ..\GitDemo\welcome.txt week1\
>
bash: cp: command not found
```

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo (main)

```
$ copy ..\GitDemo\welcome.txt week1\
> ^C
```

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo (main)

```
$ cd CTS_HANDSON
```

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON (main)

```
$ mkdir week2
```

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON (main)

```
$ cd week2
```

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week2 (main)

```
$ echo This is a log file > sample.log
```

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week2 (main)

```
$ mkdir logs
```

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week2 (main)

```
$ echo Error Log > logs/error.log
```

```

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week2 (main)
$ touch > .gitignore
touch: missing file operand
Try 'touch --help' for more information.

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week2 (main)
$ echo. > .gitignore
bash: echo.: command not found

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week2 (main)
$ touch .gitignore

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week2 (main)
$ dir
logs  sample.log

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week2 (main)
$ ls
logs/  sample.log

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week2 (main)
$ notepad .gitignore

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week2 (main)
$ git status
On branch main

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
  ./

nothing added to commit but untracked files present (use "git add" to track)

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week2 (main)
$ git add .gitignore

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week2 (main)
$ git status
On branch main

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   .gitignore

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week2 (main)
$ git commit -m "Added gitignore"
[main (root-commit) b1bc019] Added gitignore
1 file changed, 2 insertions(+)
create mode 100644 week2/.gitignore

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week2 (main)
$ git push
To https://github.com/poojabalaji1711/CTS_HANDSON.git
! [rejected]        main -> main (fetch first)
error: failed to push some refs to 'https://github.com/poojabalaji1711/CTS_HANDSON.git'
hint: Updates were rejected because the remote contains work that you do not
hint: have locally. This is usually caused by another repository pushing to
hint: the same ref. If you want to integrate the remote changes, use
hint: 'git pull' before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week2 (main)
$ git pull origin main --allow-unrelated-histories
remote: Enumerating objects: 16, done.
remote: Counting objects: 100% (16/16), done.
remote: Compressing objects: 100% (7/7), done.

```

```
remote: Total 16 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (16/16), 203.08 KiB | 775.00 KiB/s, done.
From https://github.com/poojabalaji1711/CTS_HANDSON
* branch          main          -> FETCH_HEAD
* [new branch]    main          -> origin/main
hint: waiting for your editor to close the file... notepad++.exe -multiInst -nos
ession: line 1: notepad++.exe: command not found
error: there was a problem with the editor 'notepad++.exe -multiInst -nosession'
Not committing merge; use 'git commit' to complete the merge.
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week2 (main|MERGING)
$ git push origin main
To https://github.com/poojabalaji1711/CTS_HANDSON.git
! [rejected]        main -> main (non-fast-forward)
error: failed to push some refs to 'https://github.com/poojabalaji1711/CTS_HANDS
ON.git'
hint: Updates were rejected because the tip of your current branch is behind
hint: its remote counterpart. If you want to integrate the remote changes,
hint: use 'git pull' before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week2 (main|MERGING)
$ git status
On branch main
Your branch and 'origin/main' have diverged,
and have 1 and 5 different commits each, respectively.
(use "git pull" if you want to integrate the remote branch with yours)
```

```
All conflicts fixed but you are still merging.
(use "git commit" to conclude merge)
```

```
Changes to be committed:
  new file:   ../week1/Bashcmdsweek1_1.pdf
  new file:   ../week1/welcome.txt
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week2 (main|MERGING)
$ git commit -m "Merge remote changes"
[main 0a3b8b0] Merge remote changes
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week2 (main)
$ git pus origin main
git: 'pus' is not a git command. See 'git --help'.
```

```
The most similar commands are
  push
  pull
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week2 (main)
$ git push origin main
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 4 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (6/6), 520 bytes | 173.00 KiB/s, done.
Total 6 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/poojabalaji1711/CTS_HANDSON.git
   dec5c7c..0a3b8b0  main -> main
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week2 (main)
$ cd ../week1
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main)
$ pwd
/c/Users/HP/GitDemo/CTS_HANDSON/week1
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main)
$ git branch
* main
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main)
$ git branch GitNewBranch
```

```

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main)
$ git branch -a
  GitNewBranch
* main
  remotes/origin/main

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main)
$ git checkout GitNewBranch
Switched to branch 'GitNewBranch'

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (GitNewBranch)
$ echo This is Branch File > branch.txt

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (GitNewBranch)
$ dir
Bashcmdweek1_1.pdf  branch.txt  welcome.txt

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (GitNewBranch)
$ ls
Bashcmdweek1_1.pdf  branch.txt  welcome.txt

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (GitNewBranch)
$ git add branch.txt
warning: in the working copy of 'week1/branch.txt', LF will be replaced by CRLF
the next time Git touches it

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (GitNewBranch)
$ git commiy -m "Added branch file"
git: 'commiy' is not a git command. See 'git --help'.

The most similar command is
    commit

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (GitNewBranch)
$ git commit -m "Added branch file"
[GitNewBranch 226aa27] Added branch file
 1 file changed, 1 insertion(+)
 create mode 100644 week1/branch.txt

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (GitNewBranch)
$ git status
On branch GitNewBranch
nothing to commit, working tree clean

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (GitNewBranch)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main)
$ git diff main GitNewBranch

```

```

@@ -0,0 +1 @@
+This is Branch File

```

```

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main)
$ git log --oneline
0a3b8b0 (HEAD -> main, origin/main) Merge remote changes
b1bc019 Added gitignore
dec5c7c Add files via upload
6327bd4 Update welcome.txt
63105e5 Create welcome.txt
ceca04b Delete week1
630e0d0 Create week1

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main)
$ git merge GitNewBranch

```

```
Updating 0a3b8b0..226aa27
Fast-forward
 week1/branch.txt | 1 +
 1 file changed, 1 insertion(+)
 create mode 100644 week1/branch.txt
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main)
$ git log --oneline --graph --decorate
* 226aa27 (HEAD -> main, GitNewBranch) Added branch file
* 0a3b8b0 (origin/main) Merge remote changes
|
| * dec5c7c Add files via upload
| * 6327bd4 Update welcome.txt
| * 63105e5 Create welcome.txt
| * ceca04b Delete week1
| * 630e0d0 Create week1
* b1bc019 Added gitignore
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main)
$ git branch -d GitNewBranch
Deleted branch GitNewBranch (was 226aa27).
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main)
$ git status
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
(use "git push" to publish your local commits)
```

nothing to commit, working tree clean

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main)
$ git push origin main
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 4 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (4/4), 409 bytes | 204.00 KiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/poojabalaji1711/CTS_HANDSON.git
 0a3b8b0..226aa27  main -> main
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main)
$ cd ~/GitDemo/CTS_HANDSON/week1
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.
```

nothing to commit, working tree clean

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main)
$ git checkout -b Gitwork
Switched to a new branch 'Gitwork'
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (Gitwork)
$ git branch
* Gitwork
  main
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (Gitwork)
$ echo "<hello>Branch version</hello>" > hello.xml
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (Gitwork)
$ cat hello.xml
<hello>Branch version</hello>
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (Gitwork)
$ git status
On branch Gitwork
Untracked files:
  (use "git add <file>..." to include in what will be committed)
```

hello.xml

nothing added to commit but untracked files present (use "git add" to track)

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (Gitwork)

\$ git add hello.xml

warning: in the working copy of 'week1/hello.xml', LF will be replaced by CRLF the next time Git touches it

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (Gitwork)

\$ git commit -m "Added hello.xml in Gitwork"
[Gitwork 524040e] Added hello.xml in Gitwork
1 file changed, 1 insertion(+)
create mode 100644 week1/hello.xml

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (Gitwork)

\$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main)

\$ git branch
Gitwork
* main

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main)

\$ echo "<hello>Main Verison</hello>" > hello.xml

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main)

\$ cat hello.xml
<hello>Main Verison</hello>

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main)

\$ git add hello.xml
warning: in the working copy of 'week1/hello.xml', LF will be replaced by CRLF the next time Git touches it

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main)

\$ git commit -m "Added hello.xml in main"
[main b9d2661] Added hello.xml in main
1 file changed, 1 insertion(+)
create mode 100644 week1/hello.xml

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main)

\$ git log --oneline --graph --decorate --all
* b9d2661 (HEAD -> main) Added hello.xml in main
| * 524040e (Gitwork) Added hello.xml in Gitwork
|/
* 226aa27 (origin/main) Added branch file
* 0a3b8b0 Merge remote changes
|/
| * dec5c7c Add files via upload
| * 6327bd4 Update welcome.txt
| * 63105e5 Create welcome.txt
| * ceca04b Delete week1
| * 630e0d0 Create week1
* b1bc019 Added gitignore

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main)

\$ git diff main Gitwork

@@ -1 +1 @@

-<hello>Main Verison</hello>
+<hello>Branch Version</hello>

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main)

\$ git merge Gitwork
Auto-merging week1/hello.xml
CONFLICT (add/add): Merge conflict in week1/hello.xml

Automatic merge failed; fix conflicts and then commit the result.

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main|MERGING)
$ notepad hello.xml
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main|MERGING)
$ git add hello.xml
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main|MERGING)
$ git commit -m "Resolved merge conflict"
[main f3c2c36] Resolved merge conflict
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main)
$ git status
On branch main
Your branch is ahead of 'origin/main' by 3 commits.
(use "git push" to publish your local commits)
```

nothing to commit, working tree clean

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main)
$ notepad .gitmore
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main)
$ notepad .gitignore
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main)
$ git add .gitignore
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main)
$ git commit -m "Added backup to gitignore"
[main 50038d2] Added backup to gitignore
1 file changed, 1 insertion(+)
create mode 100644 week1/.gitignore
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main)
$ git branch
Gitwork
* main
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main)
$ git branch -d Gitwork
Deleted branch Gitwork (was 524040e).
```

```
g
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main)
$ git log --oneline --graph --decorate
* 50038d2 (HEAD -> main) Added backup to gitignore
* f3c2c36 Resolved merge conflict
| \
| * 524040e Added hello.xml in Gitwork
* | b9d2661 Added hello.xml in main
| /
* 226aa27 (origin/main) Added branch file
* 0a3b8b0 Merge remote changes
| \
| * dec5c7c Add files via upload
| * 6327bd4 Update welcome.txt
| * 63105e5 Create welcome.txt
| * ceca04b Delete week1
| * 630e0d0 Create week1
* b1bc019 Added gitignore
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main)
$ git push origin main
Enumerating objects: 18, done.
Counting objects: 100% (18/18), done.
Delta compression using up to 4 threads
Compressing objects: 100% (13/13), done.
Writing objects: 100% (16/16), 1.31 KiB | 222.00 KiB/s, done.
Total 16 (delta 4), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (4/4), done.
To https://github.com/poojabalaji1711/CTS_HANDSON.git
```



```
226aa27..50038d2  main -> main
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.
```

```
nothing to commit, working tree clean
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main)
$ git branch
* main
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main)
$ git pull origin main
From https://github.com/poojabalaji1711/CTS_HANDSON
* branch          main          -> FETCH_HEAD
Already up to date.
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main)
$ git push origin main
Everything up-to-date
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main)
$ git rm -r week2
bash: git: command not found
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main)
$ git rm -r week2
fatal: pathspec 'week2' did not match any files
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON/week1 (main)
$ cd
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~
$ ls
'3D Objects'/
5.py
6.py
AppData/
'Application Data'@
CF-Demo/
Contacts/
Cookies@
Documents/
Downloads/
Favorites/
GitDemo/
IntelGraphicsProfiles/
Iris.csv
KDDTest+.txt
KDDTrain+.txt
KDDTrain+_20Percent.txt
Links/
'Local Settings'@
MediaGet2/
Music/
'My Documents'@
NTUSER.DAT
NTUSER.DAT{53b39e88-18c4-11ea-a811-000d3aa4692b}.TM.blf
NTUSER.DAT{53b39e88-18c4-11ea-a811-000d3aa4692b}.TM.Container000000000000000001.regtrans-ms
NTUSER.DAT{53b39e88-18c4-11ea-a811-000d3aa4692b}.TM.Container000000000000000002.regtrans-ms
NetHood@
OneDrive/
Pictures/
PrintHood@
Recent@
'Saved Games'/
Searches/
SendTo@
```

```
'Start Menu'@
Templates@
Test.ipynb
Train.ipynb
Untitled.ipynb
Untitled1.ipynb
Untitled13.ipynb
Untitled14.ipynb
Untitled15.ipynb
Untitled16.ipynb
Untitled17.ipynb
Untitled2.ipynb
Untitled3.ipynb
Untitled4.ipynb
Untitled5.ipynb
Untitled6.ipynb
Untitled7.ipynb
Videos/
anaconda_projects/
asl_model.h5
aslcode
class_labels.npy
collect_imgs.py
eclipse/
eclipse-workspace/
logs/
node_modules/
ns2/
ntuser.dat.LOG1
ntuser.dat.LOG2
ntuser.ini
openemr/
package-lock.json
package.json
practice.ipynb
realworkingcode
signcode
streetcart-frontend/
untitled.py
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~
$ git rm -r week2
fatal: not a git repository (or any of the parent directories): .git
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~
$ git status
fatal: not a git repository (or any of the parent directories): .git
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~
$ git branch
fatal: not a git repository (or any of the parent directories): .git
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~
$ cd ~/GitDemo/CTS_HANDSON
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON (main)
$ pwd
/c/Users/HP/GitDemo/CTS_HANDSON
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.
```

```
nothing to commit, working tree clean
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON (main)
$ git branch
* main
```

```
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON (main)
$ git pull origin main
```

```

From https://github.com/poojabalaji1711/CTS_HANDSON
 * branch      main      -> FETCH_HEAD
Already up to date.
gigigit
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON (main)
$ git push origin main
Everything up-to-date

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON (main)
$ ls
week1/  week2/

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON (main)
$ git rm -r week2
rm 'week2/.gitignore'

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON (main)
$ git commit -m "Remove accidental week2 folder"
[main 8cef8f7] Remove accidental week2 folder
1 file changed, 2 deletions(-)
delete mode 100644 week2/.gitignore

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON (main)
$ git push origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 4 threads
Compressing objects: 100% (1/1), done.
Writing objects: 100% (2/2), 244 bytes | 244.00 KiB/s, done.
Total 2 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/poojabalaji1711/CTS_HANDSON.git
50038d2..8cef8f7  main -> main

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON (main)
$ cd ~/GitDemo/CTS_HANDSON

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON (main)
$ pwd
/c/Users/HP/GitDemo/CTS_HANDSON

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    week2/

nothing added to commit but untracked files present (use "git add" to track)

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON (main)
$ git branch
* main

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON (main)
$ git pull origin main
From https://github.com/poojabalaji1711/CTS_HANDSON
 * branch      main      -> FETCH_HEAD
Already up to date.
gigigit
HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON (main)
$ git push origin main
Everything up-to-date

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON (main)
$ rm -rf week2

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

```

nothing to commit, working tree clean

HP@DESKTOP-I3AJUTN MINGW64 ~/GitDemo/CTS_HANDSON (main)
\$