

GURU NANAK DEV ENGINEERING COLLEGE

DEPARTMENT OF INFORMATION TECHNOLOGY

Batch- 2018-2022, 5th semester

SESSION -: July-Dec 2020



LAB MANUAL- WEB TECHNOLOGY

Assignment-4

Submitted To:

**Prof. Ranjodh Kaur
ASSISTANT PROFESSOR**

Submitted By:

**Pooja Gupta
1805538
D3IT-A2**

Assignment – 4

1. Create a lightweight tag and an annotated tag

Lightweight – v1.1

Annotated tag – v1.2

```
MINGW64:/c/Desktop  
admin@DESKTOP-7L3Q145 MINGW64 /c/Desktop ((b77730e...))  
$ git tag v1.1  
  
admin@DESKTOP-7L3Q145 MINGW64 /c/Desktop ((v1.1))  
$ git tag  
v1.1  
  
admin@DESKTOP-7L3Q145 MINGW64 /c/Desktop ((v1.1))  
$ gti tag -a v1.2 -m"My version 1.2"  
bash: gti: command not found  
  
admin@DESKTOP-7L3Q145 MINGW64 /c/Desktop ((v1.1))  
$ git tag  
v1.1  
  
admin@DESKTOP-7L3Q145 MINGW64 /c/Desktop ((v1.1))  
$ git tag -a v1.2 -m"My version 1.2"  
  
admin@DESKTOP-7L3Q145 MINGW64 /c/Desktop ((v1.2))  
$ git tag  
v1.1  
v1.2  
  
admin@DESKTOP-7L3Q145 MINGW64 /c/Desktop ((v1.2))  
$ |
```

2. Understand the difference between both the tags

Lightweight tag:

Using show on v1.1:

 MINGW64:/c/Desktop

```
admin@DESKTOP-7L3Q145 MINGW64 /c/Desktop ((v1.1))
$ git show v1.1
commit b77730e1b03682352fedb57e9a16bb352bada6b6 (HEAD, tag: v1.2, tag: v1.1)
Author: poojagupta78345 <pooja2016rcc@gmail.com>
Date: Wed Dec 2 16:03:57 2020 +0530
```

new.html added

```
diff --git a/Awt1Assignment.pdf b/Awt1Assignment.pdf
```

```
new file mode 100644
```

```
index 0000000..59b0490
```

```
--- /dev/null
```

+++ b/Awt1Assignment.pdf

@@ -0,0 +1,30 @@

+

```
+4. Commit the file to your repository.
```

+5. See the commit details using Git log command.

 ΔL

```
\ No newline at end of file
```

```
diff --git a/AwtAss b/AwtAss
```

```
new file mode 100644
```

```
index 0000000..e69de29
```

```
diff --git a/new.html b/new.html
```

```
new file mode 100644
```

```
index 0000000..61ee07e
```

```
--- /dev/null
```

```
+++ b/new.html
```

@@ -0,0 +1,8 @@

```
+<!DOCTYPE HTML>
```

+<html>

+<body>

+

```
+<h1>This is my second Awt Assignment</h1>
```

+

+</body>

+</html>

```
\ No newline at end of file
```

2

2

Annotated tag :

Using show on v1.2 :

MINGW64:/c/Desktop

```
admin@DESKTOP-7L3Q145 MINGW64 /c/Desktop ((v1.2))
$ git show v1.2
tag v1.2
Tagger: poojagupta78345 <pooja2016rcc@gmail.com>
Date:   Wed Dec 2 18:19:11 2020 +0530

My version 1.2

commit b77730e1b03682352fedb57e9a16bb352bada6b6 (HEAD, tag: v1.2, tag: v1.1)
Author: poojagupta78345 <pooja2016rcc@gmail.com>
Date:   Wed Dec 2 16:03:57 2020 +0530

    new.html added

diff --git a/Awt1Assignment.pdf b/Awt1Assignment.pdf
new file mode 100644
index 0000000..59b0490
--- /dev/null
+++ b/Awt1Assignment.pdf
@@ -0,0 +1,30 @@
+
+4. Commit the file to your repository.
+5. See the commit details using Git log command.
+~
+ \ No newline at end of file
diff --git a/AwtAss b/AwtAss
new file mode 100644
index 0000000..e69de29
diff --git a/new.html b/new.html
new file mode 100644
index 0000000..61ee07e
--- /dev/null
+++ b/new.html
@@ -0,0 +1,8 @@
+<!DOCTYPE HTML>
+<html>
+<body>
+
+<h1>This is my second Awt Assignment</h1>
+
+</body>
+</html>
+ \ No newline at end of file
~
~
~
~
```