```
1 Exception handling.
 class Wrong Age extends Enception
    public String tostring()
    return "Please enter the right age:";
 clay Father
  Father (int agel)
    System out println (" Father age: " +age);
day son intends tather
 Son (int agel)
  Systemout, printen ("son age:"tage);
```

POOJA-18 clas Excep 1BM19 C8 111 public static void main (String args[]) int i = ags.length. int j= Integeriparse Int (args [0]) int k = Integer. parse Int (aggs [1]), 1 (CC=011; <= K) throw new WrongAge(); Father for new father (j); son senew son(k);

```
Excep.java - Notepad
                                                                                                                                                          O
File Edit Format View Help
class WrongAge extends Exception
   public String toString()
        return "Please enter the right age:";
class Father
int age;
Father(int age1)
     age=age1;
    System.out.println("Father age:"+age);
class Son extends Father
 Son(int age1)
   super(age1);
    System.out.println("Son age:"+age);
class Excep
public static void main(String args[]) throws WrongAge
   int i=args.length;
   int j=Integer.parseInt(args[0]);
   int k=Integer.parseInt(args[1]);
   if(i<=0 || j<=k)
      throw new WrongAge();
                                                                                                              Ln 39, Col 23
                                                                                                                                     Windows (CRLF)
                                                                                                                                                     UTF-8
          Type here to search
                                                   0
                                                                                                                             へ 🙆 🌡 🛎 🦟 切) ENG
```



