

CTI IDENIT'S	ENROLMENT NUMBER	
21 ODENI 3	ENKULIVIEN NUIVIBEK	

ITM (SLS) BARODA UNIVERSITY SCHOOL OF COMPUTER SCIENCE, ENGINEERING AND TECHNOLOGY (SOCSET) B. TECH CSE/IT//AI/DS ODD SEMESTER 2023-24 CONTINUOUS EVALUATION TEST (CET)-2

SEMESTER:7 DATE:25/9/2023 COURSE-CODE: C2720C2 MARKS: 30 COURSE-NAME: DEEP LEARNING TIME: 10:30 AM to 12:00 PM

Instructions:

- All questions are mandatory. There are no external options.
- Make suitable assumptions, wherever necessary, and state them clearly.
- Use of Non-Programmable Calculator is allowed/Not allowed.
- Figures to the right indicate maximum marks.

Q1.

[6]

- 1. In CNNs, which operation allows for parameter sharing?
 - a) Fully connected layers
 - b) Pooling layers
 - et Convolutional layers
 - d) Activation layers
- 2. Regularization methods like L1 and L2 are used to:
 - a) Increase model complexity
 - b) Reduce model complexity
 - c) Enhance model accuracy
 - d) Decrease model interpretability
- 3. In a Bidirectional RNN (Bi-RNN), what is the primary advantage of processing input sequences in both forward and backward directions?
 - a) It reduces the computational complexity of the network.
 - b) It allows the network to process sequences in parallel.
 - It captures context from both preceding and following elements.
 - d) It prevents overfitting in the model
- 4. What is a limitation of undercomplete autoencoders?
 - a) They are computationally expensive to train
 - _b} They may struggle to capture complex data patterns
 - c) They always result in overfitting
 - d) They require a large amount of labelled data
- 5. Which of the following is a common regularization technique applied to prevent overfitting in autoencoder models?
 - a) Data augmentation



Weight initialization Propout d) Batch normalization	
 6. How can the challenges in training Boltzmann Machines (BMs) be mitigated? a) By using a larger number of hidden units b) By using a smaller number of hidden units c) By increasing the learning rate d) By using dropout regularization 	
Answer any Two (out of Four) 1. Write Short note on DenseNet. 2. In Deep Learning, where we can use Transfer Learning approach? 3. Draw architecture of Bi-directional RNN and explain in detail. 4. What are the fundamental principles of Boltzmann Machines (BM)?	[6]
Q3. Answer any Two (out of Four) Short note PixelNet. What are the Transfer Learning Techniques? How DenseNet is good compare to CNN? Explain the concept of regularized autoencoders.	[6]
Q4. Answer any Two (out of Four) 1. What is called Sequence Modelling in Deep Learning? 2. Provide an overview of Long Short-Term Memory (LSTM) networks. 3. Short note Undercomplete Encoder. 4. Difference: Recurrent Neural Networks and Recursive Neural Networks.	[6]
Q5. Answer any Two (out of Four) 1. Describe the architecture of Bi-directional RNN, how does it work? 2. Explain the concept of Backpropagation Through Time (BPTT) in the context of training recurrent neural networks. 3. Write Short Note on Stochastic Encoders and Decoders. 4. Explain concept of Parameter Sharing in Deep Learning.	[6]



Enrolment No:

Roll No:

ITM (SLS) Baroda University, Vadodara
B.Tech-CSE,CSE-IT,AI: Semester VII (School of Computer Science, Engineering and Technology)

<u>CET-2</u>

Subject Name: Compiler Design Subject Code: C2710C2

Date: 26/9/2023

Time: 10:30-12:00

Maximum Marks: 30

Which of the following concept of FSA is used in the compiler? a) Code optimization b) Code generation Lexical analysis d) Parser (b) What is CFG? a) Regular Expression b) Compiler Language expression d) All of the mentioned (c) Which of the following error can Compiler diagnose? a) Logical errors only b) Grammatical and logical errors Grammatical and logical errors of which of the mentioned (d) All of the mentioned (d) Characters are grouped into tokens in which of the following phase of the compiler design? a) Code generator Lexical analyzer c) Parser d) Code optimization (e) Which of the following can detect an error if a programmer by mistake writes multiplication instead of division? a) Interpreter b) Compiler or interpreter test c) Compiler d) None of the mentioned f) The output of the lexical and syntax analyzer can stated as: a) parse stream, parse tree b) token tree, parse tree b) token stream, parse tree d) all of the mentioned O.2. ATTEMPT ANY TWO OUT OF FOUR Draw the DFA for the regular expression (a b)*abb using set construction method only.		Maximum Marks: 30	[6]
a) Code optimization b) Code generation c/Lexical analysis d) Parser (b) What is CFG? a) Regular Expression b) Compiler c/Language expression d) All of the mentioned (c) Which of the following error can Compiler diagnose? a) Logical errors only b) Grammatical and logical errors c/Grammatical and logical errors c/Grammatical and logical errors c/Grammatical errors only d) All of the mentioned (d) Characters are grouped into tokens in which of the following phase of the compiler design? a) Code generator c/Lexical analyzer c) Parser d) Code optimization (e) Which of the following can detect an error if a programmer by mistake writes multiplication instead of division? a) Interpreter b) Compiler or interpreter test c) Compiler d) Nione of the mentioned (f) The output of the lexical and syntax analyzer can stated as: a) parse stream, parse tree c) token stream, parse tree d) token stream, parse tree d) all of the mentioned (Q.2. ATTEMPT ANY TWO OUT OF FOUR Draw the DFA for the regular expression (a b)*abb using set construction method only.		MCQ	[0]
a) Code optimization b) Code generation c/Lexical analysis d) Parser (b) What is CFG? a) Regular Expression b) Compiler c/Language expression d) All of the mentioned (c) Which of the following error can Compiler diagnose? a) Logical errors only b) Grammatical and logical errors c/Grammatical and logical errors only d) All of the mentioned (d) Characters are grouped into tokens in which of the following phase of the compiler design? a) Code generator c/Lexical analyzer c) Parser d) Code optimization (e) Which of the following can detect an error if a programmer by mistake writes multiplication instead of division? a) Interpreter b) Compiler or interpreter test c) Compiler d) fine of the mentioned f) The output of the lexical and syntax analyzer can stated as: a) parse stream, parse tree b) token tree, parse tree b) token tree, parse tree c) token stream, parse tree d) all of the mentioned Q.2. ATTEMPT ANY TWO OUT OF FOUR Draw the DFA for the regular expression (a b)*abb using set construction method only.	Whic	ich of the following concept of FSA is used in the compiler?	
b) Code generation Lexical analysis d) Parser (b) What is CFG? a) Regular Expression b) Compiler Language expression d) All of the mentioned (c) Which of the following error can Compiler diagnose? a) Logical errors only b) Grammatical and logical errors c) Grammatical errors only d) All of the mentioned (d) Characters are grouped into tokens in which of the following phase of the compiler design? a) Code generator b) Lexical analyzer c) Parser d) Code optimization (e) Which of the following can detect an error if a programmer by mistake writes multiplication instead of division? a) Interpreter b) Compiler or interpreter test c) Compiler d) Nione of the mentioned f) The output of the lexical and syntax analyzer can stated as: a) parse stream, parse tree b) token tree, parse tree b) token tree, parse tree c) token stream, parse tree d) all of the mentioned Draw the DFA for the regular expression (a b)*abb using set construction method only.			
What is CFG? a) Regular Expression b) Compiler C-Language expression d) All of the mentioned (c) Which of the following error can Compiler diagnose? a) Logical errors only b) Grammatical and logical errors C-Grammatical errors only d) All of the mentioned (d) Characters are grouped into tokens in which of the following phase of the compiler design? a) Code generator Lexical analyzer c) Parser d) Code optimization (e) Which of the following can detect an error if a programmer by mistake writes multiplication instead of division? a) Interpreter b) Compiler or interpreter test c) Compiler d) None of the mentioned (f) The output of the lexical and syntax analyzer can stated as: a) parse stream, parse tree b) token tree, parse tree b) token tree, parse tree d) token stream, parse tree d) all of the mentioned Draw the DFA for the regular expression (a b)*abb using set construction method only.			
d) Parser What is CFG? a) Regular Expression b) Compiler Language expression d) All of the mentioned Which of the following error can Compiler diagnose? a) Logical errors only b) Grammatical and logical errors Grammatical errors only d) All of the mentioned Characters are grouped into tokens in which of the following phase of the compiler design? a) Code generator Lexical analyzer c) Parser d) Code optimization e) Which of the following can detect an error if a programmer by mistake writes multiplication instead of division? a) Interpreter b) Compiler d) None of the mentioned f) The output of the lexical and syntax analyzer can stated as: a) parse stream, parse tree b) token tree, parse tree d) token stream, parse tree d) token stream, parse tree d) all of the mentioned Draw the DFA for the regular expression (a b)*abb using set construction method only.	1		
a) Regular Expression b) Compiler Anguage expression d) All of the mentioned (c) Which of the following error can Compiler diagnose? a) Logical errors only b) Grammatical and logical errors Grammatical errors only d) All of the mentioned (d) Characters are grouped into tokens in which of the following phase of the compiler design? a) Code generator M Lexical analyzer c) Parser d) Code optimization (e) Which of the following can detect an error if a programmer by mistake writes multiplication instead of division? a) Interpreter b) Compiler or interpreter test c) Compiler d) None of the mentioned (f) The output of the lexical and syntax analyzer can stated as: a) parse stream, parse tree b) token tree, parse tree b) token tree, parse tree d) all of the mentioned (O.2.2. ATTEMPT ANY TWO OUT OF FOUR Draw the DFA for the regular expression (a b)*abb using set construction method only.	1/		
a) Regular Expression b) Compiler Panguage expression d) All of the mentioned (c) Which of the following error can Compiler diagnose? a) Logical errors only b) Grammatical and logical errors Grammatical errors only d) All of the mentioned (d) Characters are grouped into tokens in which of the following phase of the compiler design? a) Code generator Lexical analyzer c) Parser d) Code optimization (e) Which of the following can detect an error if a programmer by mistake writes multiplication instead of division? a) Interpreter b) Compiler or interpreter test c) Compiler d) None of the mentioned (f) The output of the lexical and syntax analyzer can stated as: a) parse stream, parse tree b) token tree, parse tree d) all of the mentioned (g) ATTEMPT ANY TWO OUT OF FOUR Draw the DFA for the regular expression (a b)*abb using set construction method only.			
Canguage expression d) All of the mentioned Which of the following error can Compiler diagnose? a) Logical errors only b) Grammatical and logical errors Grammatical errors only d) All of the mentioned Characters are grouped into tokens in which of the following phase of the compiler design? a) Code generator Lexical analyzer c) Parser d) Code optimization e) Which of the following can detect an error if a programmer by mistake writes multiplication instead of division? a) Interpreter b) Compiler or interpreter test c) Compiler d) None of the mentioned f) The output of the lexical and syntax analyzer can stated as: a) parse stream, parse tree b) token tree, parse tree c) token stream, parse tree d) all of the mentioned ATTEMPT ANY TWO OUT OF FOUR Draw the DFA for the regular expression (a b)*abb using set construction method only.			
d) All of the mentioned Which of the following error can Compiler diagnose? a) Logical errors only b) Grammatical and logical errors c) Grammatical errors only d) All of the mentioned (d) Characters are grouped into tokens in which of the following phase of the compiler design? a) Code generator b) Lexical analyzer c) Parser d) Code optimization e) Which of the following can detect an error if a programmer by mistake writes multiplication instead of division? a) Interpreter b) Compiler or interpreter test c) Compiler d) None of the mentioned f) The output of the lexical and syntax analyzer can stated as: a) parse stream, parse tree b) token tree, parse tree c) token stream, parse tree d) all of the mentioned Q.2. ATTEMPT ANY TWO OUT OF FOUR Draw the DFA for the regular expression (a b)*abb using set construction method only.			
Which of the following error can Compiler diagnose? a) Logical errors only b) Grammatical and logical errors Grammatical errors only d) All of the mentioned (d) Characters are grouped into tokens in which of the following phase of the compiler design? a) Code generator Lexical analyzer c) Parser d) Code optimization e) Which of the following can detect an error if a programmer by mistake writes multiplication instead of division? a) Interpreter b) Compiler or interpreter test c) Compiler d) None of the mentioned f) The output of the lexical and syntax analyzer can stated as: a) parse stream, parse tree b) token tree, parse tree d) all of the mentioned Q.2. ATTEMPT ANY TWO OUT OF FOUR Draw the DFA for the regular expression (a b)*abb using set construction method only.	chta	anguage expression	
a) Logical errors only b) Grammatical and logical errors c) Grammatical errors only d) All of the mentioned (d) Characters are grouped into tokens in which of the following phase of the compiler design? a) Code generator b) Lexical analyzer c) Parser d) Code optimization (e) Which of the following can detect an error if a programmer by mistake writes multiplication instead of division? a) Interpreter b) Compiler or interpreter test c) Compiler d) None of the mentioned (f) The output of the lexical and syntax analyzer can stated as: a) parse stream, parse tree b) token tree, parse tree c) token stream, parse tree d) all of the mentioned (O.2. ATTEMPT ANY TWO OUT OF FOUR Draw the DFA for the regular expression (a b)*abb using set construction method only.	d) Al	All of the mentioned	
a) Logical errors only b) Grammatical and logical errors Grammatical errors only d) All of the mentioned (d) Characters are grouped into tokens in which of the following phase of the compiler design? a) Code generator Lexical analyzer c) Parser d) Code optimization e) Which of the following can detect an error if a programmer by mistake writes multiplication instead of division? a) Interpreter b) Compiler or interpreter test c) Compiler d) None of the mentioned f) The output of the lexical and syntax analyzer can stated as: a) parse stream, parse tree b) token tree, parse tree c) token stream, parse tree d) all of the mentioned O.2. ATTEMPT ANY TWO OUT OF FOUR Draw the DFA for the regular expression (a b)*abb using set construction method only.	Whic	nich of the following error can Compiler diagnose?	İ
d) All of the mentioned Characters are grouped into tokens in which of the following phase of the compiler design? a) Code generator Lexical analyzer c) Parser d) Code optimization e) Which of the following can detect an error if a programmer by mistake writes multiplication instead of division? a) Interpreter b) Compiler or interpreter test c) Compiler d) None of the mentioned The output of the lexical and syntax analyzer can stated as: a) parse stream, parse tree b) token tree, parse tree c) token stream, parse tree d) all of the mentioned O.2. ATTEMPT ANY TWO OUT OF FOUR Draw the DFA for the regular expression (a b)*abb using set construction method only.	a) Lo	ogical errors only	
d) All of the mentioned Characters are grouped into tokens in which of the following phase of the compiler design? a) Code generator Lexical analyzer c) Parser d) Code optimization Which of the following can detect an error if a programmer by mistake writes multiplication instead of division? a) Interpreter b) Compiler or interpreter test c) Compiler d) None of the mentioned The output of the lexical and syntax analyzer can stated as: a) parse stream, parse tree b) token tree, parse tree c) token stream, parse tree d) all of the mentioned O.2. ATTEMPT ANY TWO OUT OF FOUR Draw the DFA for the regular expression (a b)*abb using set construction method only.	b) Gr	Frammatical and logical errors	
Characters are grouped into tokens in which of the following phase of the compiler design? a) Code generator Lexical analyzer c) Parser d) Code optimization Which of the following can detect an error if a programmer by mistake writes multiplication instead of division? a) Interpreter b) Compiler or interpreter test c) Compiler d) None of the mentioned The output of the lexical and syntax analyzer can stated as: a) parse stream, parse tree b) token tree, parse tree c) token stream, parse tree d) all of the mentioned O.2. ATTEMPT ANY TWO OUT OF FOUR Draw the DFA for the regular expression (a b)*abb using set construction method only.	c) Gr	frammatical errors only	
a) Code generator Lexical analyzer c) Parser d) Code optimization Which of the following can detect an error if a programmer by mistake writes multiplication instead of division? a) Interpreter b) Compiler or interpreter test c) Compiler d) None of the mentioned f) The output of the lexical and syntax analyzer can stated as: a) parse stream, parse tree b) token tree, parse tree c) token stream, parse tree d) all of the mentioned Q.2. ATTEMPT ANY TWO OUT OF FOUR Draw the DFA for the regular expression (a b)*abb using set construction method only.	1		_
a) Code generator Lexical analyzer c) Parser d) Code optimization Which of the following can detect an error if a programmer by mistake writes multiplication instead of division? a) Interpreter b) Compiler or interpreter test c) Compiler d) None of the mentioned f) The output of the lexical and syntax analyzer can stated as: a) parse stream, parse tree b) token tree, parse tree c) token stream, parse tree d) all of the mentioned Q.2. ATTEMPT ANY TWO OUT OF FOUR Draw the DFA for the regular expression (a b)*abb using set construction method only.	Chara	racters are grouped into tokens in which of the following phase of the compiler design:	
c) Parser d) Code optimization Which of the following can detect an error if a programmer by mistake writes multiplication instead of division? a) Interpreter b) Compiler or interpreter test c) Compiler d) None of the mentioned f) The output of the lexical and syntax analyzer can stated as: a) parse stream, parse tree b) token tree, parse tree c) token stream, parse tree d) all of the mentioned O.2. ATTEMPT ANY TWO OUT OF FOUR Draw the DFA for the regular expression (a b)*abb using set construction method only.	a) Co	ode generator	
d) Code optimization Which of the following can detect an error if a programmer by mistake writes multiplication instead of division? a) Interpreter b) Compiler or interpreter test c) Compiler d) None of the mentioned f) The output of the lexical and syntax analyzer can stated as: a) parse stream, parse tree b) token tree, parse tree c) token stream, parse tree d) all of the mentioned Q.2. ATTEMPT ANY TWO OUT OF FOUR Draw the DFA for the regular expression (a b)*abb using set construction method only.			
Which of the following can detect an error if a programmer by mistake writes multiplication instead of division? a) Interpreter b) Compiler or interpreter test c) Compiler d) None of the mentioned (f) The output of the lexical and syntax analyzer can stated as: a) parse stream, parse tree b) token tree, parse tree c) token stream, parse tree d) all of the mentioned Q.2. ATTEMPT ANY TWO OUT OF FOUR Draw the DFA for the regular expression (a b)*abb using set construction method only.	c) Par	arser	
instead of division? a) Interpreter b) Compiler or interpreter test c) Compiler d) None of the mentioned (f) The output of the lexical and syntax analyzer can stated as: a) parse stream, parse tree b) token tree, parse tree c) token stream, parse tree d) all of the mentioned O.2. ATTEMPT ANY TWO OUT OF FOUR Draw the DFA for the regular expression (a b)*abb using set construction method only.			+
instead of division? a) Interpreter b) Compiler or interpreter test c) Compiler d) None of the mentioned (f) The output of the lexical and syntax analyzer can stated as: a) parse stream, parse tree b) token tree, parse tree c) token stream, parse tree d) all of the mentioned O.2. ATTEMPT ANY TWO OUT OF FOUR Draw the DFA for the regular expression (a b)*abb using set construction method only.	Whic	ch of the following can detect an error if a programmer by mistake writes materproduction	
b) Compiler c) Compiler d) None of the mentioned The output of the lexical and syntax analyzer can stated as: a) parse stream, parse tree b) token tree, parse tree c) token stream, parse tree d) all of the mentioned Q.2. ATTEMPT ANY TWO OUT OF FOUR Draw the DFA for the regular expression (a b)*abb using set construction method only.	instea	ead of division?	
c) Compiler d) None of the mentioned The output of the lexical and syntax analyzer can stated as: a) parse stream, parse tree b) token tree, parse tree c) token stream, parse tree d) all of the mentioned Q.2. ATTEMPT ANY TWO OUT OF FOUR Draw the DFA for the regular expression (a b)*abb using set construction method only.	a) Inte	iterpreter	
d) None of the mentioned The output of the lexical and syntax analyzer can stated as: a) parse stream, parse tree b) token tree, parse tree c) token stream, parse tree d) all of the mentioned Q.2. ATTEMPT ANY TWO OUT OF FOUR Draw the DFA for the regular expression (a b)*abb using set construction method only.			
The output of the lexical and syntax analyzer can stated as: a) parse stream, parse tree b) token tree, parse tree c) token stream, parse tree d) all of the mentioned Q.2. ATTEMPT ANY TWO OUT OF FOUR Draw the DFA for the regular expression (a b)*abb using set construction method only.	c) Con	ompiler	
a) parse stream, parse tree b) token tree, parse tree c) token stream, parse tree d) all of the mentioned Q.2. ATTEMPT ANY TWO OUT OF FOUR Draw the DFA for the regular expression (a b)*abb using set construction method only.			
a) parse stream, parse tree b) token tree, parse tree c) token stream, parse tree d) all of the mentioned Q.2. ATTEMPT ANY TWO OUT OF FOUR Draw the DFA for the regular expression (a b)*abb using set construction method only.	The o	output of the lexical and syntax analyzer can stated as:	
b) token tree, parse tree c) token stream, parse tree d) all of the mentioned Q.2. ATTEMPT ANY TWO OUT OF FOUR Draw the DFA for the regular expression (a b)*abb using set construction method only.	a) par	arse stream, parse tree	
Q.2. ATTEMPT ANY TWO OUT OF FOUR Draw the DFA for the regular expression (a b)*abb using set construction method only.			
d) all of the mentioned Q.2. ATTEMPT ANY TWO OUT OF FOUR Draw the DFA for the regular expression (a b)*abb using set construction method only.	c) tok	ken stream, parse tree	
Draw the DFA for the regular expression (a b)*abb using set construction include only.	d) all	l of the mentioned	
Draw the DFA for the regular expression (a b)*abb using set construction include only.		THE ANY TWO OUT OF FOUR	[06
	ATT	y the DEA for the regular expression (a b)*abb using set construction method only.	
(b) How to convert regular expression to automata? Explain with example.			
(6)	How	v to convert regular expression to automata: Explain with example.	

(e)	Write down pseudo code for simulating DFA. e.g. (a b)*abb	
(d)	How can we represent NFA in transition table?	
Q.3.	ATTEMPT ANY TWO OUT OF FOUR	+-
(a)	Draw NFA from regular expression using Thomson's construction and convert it into DFA. (a b)* a b*	[06
(b)	Explain symbol table. For what purpose, compiler uses symbol table? Explain with C program instructions.	
(c)	What are conflicts in LR Parser? What are their types? Explain with an example.	
(d)	Differentiate between Context-Free Grammars and Regular Expressions.	-
Q.4.	ATTEMPT ANY ONE OUT OF TWO	
(a)	Write down the Algorithm for eliminating left recursion.	[06]
(b)	How can we use Reductions techniques for "bottom-up parsing"?	
Q.5.	ATTEMPT ANY TWO out of FOUR	50.61
(a)	Differentiate between top down parser and bottom up parser.	[06]
8)	Draw the "Annotated parse tree" for the expression: 3 * 5 + 4 n.	
	Draw the "Annotated parse tree and three address code for c + a[i] [j]".	
