


Pooja Borade – Tableau Assignment 1


1. Linechart

The line chart shows the count of login actions over time, separated by status (success vs. failed). Both successful and failed attempts occur consistently, but failures appear at regular intervals, suggesting possible repeated incorrect attempts or automated login attempts. This insight can help identify potential brute-force attack patterns or authentication issues.




2. BarChart

This stacked bar chart compares the count of cybersecurity actions (Download, File Access, Login, Upload) across different usernames. Judy and Charlie show the highest total activity, indicating they are the most active users, while Frank and David have the lowest counts, suggesting minimal engagement. The significant number of downloads logins for some users may warrant further investigation to ensure these actions are legitimate and not signs of unusual behavior.




3. Heatmap

This heat map visualizes login activity by mapping usernames against source IP addresses, with darker squares representing higher login counts. Most interactions occur only once per username–IP pair, but a few IPs show multiple logins (highlighted in blue), which may indicate repeated access attempts. Identifying these repeated login sources can help detect suspicious IP addresses and potential security risks.



4. Histogram

This histogram illustrates the distribution of system response times (in milliseconds) across recorded events. Most responses cluster within mid-range bins (around 100–250 ms), though there are notable frequencies even at higher ranges up to nearly 470 ms. The relatively even spread with occasional peaks suggests generally consistent performance, but the presence of higher response times may indicate sporadic network delays or potential system inefficiencies that warrant further monitoring.




5. Treemap

The treemap visualization shows the distribution of different actions within a cybersecurity log dataset. The size of each rectangle corresponds to the count of each action, while the color represents the average response time.

From the visualization, it's clear that File_Access and Download are the most frequent actions, as their rectangles are the largest. Conversely, Login and Upload occur less frequently. The color gradient indicates that Upload has the highest average response time, while Login has the lowest.


This could suggest that uploading files is a more resource-intensive operation than other actions.



6. Scatterplot

The scatter plot shows the relationship between 'Response Time ms' and 'Status' for different actions, with each dot representing a single data point. The visualization is segmented by the 'Status' dimension, showing two distinct columns for 'Failed' and 'Success' actions.

The plot reveals that 'Success' events occur across a wide range of response times, from very low to high, as evidenced by the vertical spread of dots in the 'Success' column. In contrast, 'Failed' events seem to be concentrated at the lower end of the response time spectrum, indicating that a large proportion of failures happen quickly. This could be an important insight for troubleshooting, suggesting that many quick-failing events might be caused by similar issues, such as immediate connection errors or invalid credentials.



[illegible]