

EVENT FORCE MANAGEMENT SYSTEM

Salesforce Implementation

PROJECT DOCUMENTATION

College Name: Alpha College of Engineering

College Code: 2101

University Name: Anna University

Team ID: SWTID-2026-4589

Team Leader:

Pooja S (poojasaravanan@gmail.com)

Team Member:

Pooja S (poojasaravanan@gmail.com)

EVENTFORCE MANAGEMENT SYSTEM- SALESFORCE IMPLEMENTATION

Business Name: "EventForce Management System"

Objectives:

EventForce is a Salesforce-based CRM built for Event Planner Solutions. It moves day-to-day event work (taking client bookings, reserving venues, coordinating vendors and gathering feedback) out of spreadsheets and inboxes and into one connected, automated platform. Everyone involved sees the same up-to-date information, and coordinators can follow the status of every event as it happens.

The project is expected to deliver clear business value: roughly 60% less manual administrative effort, about 40% faster booking turnaround, better client satisfaction through timely and consistent communication, and decisions backed by live reports and dashboards rather than guesswork.

Phase 1: Requirement Analysis & Planning

This phase defines what the EventForce Management System must do before anything is configured. The goal is a single Salesforce application in which planners handle client bookings, vendor coordination, venue reservations and feedback collection together. Scheduling, cancellation approvals and client reminders are automated, while reports and dashboards give management a real-time view of operations.

Functional Scope :

- Custom objects: Event, Client, Vendor, Venue, Feedback and the Event Vendor junction object.
- Data relationships using Lookup, Master-Detail and a Many-to-Many link between Event and Vendor.
- Flows that send event reminders, feedback notifications and approval outcomes automatically.
- Validation rules and formula fields that protect data quality and derive the event budget.
- An approval process for event cancellations, with email alerts to coordinators and clients.
- Profiles, roles and permission sets that control what each user can see and do.
- Reports and dashboards covering event summaries, vendor performance and upcoming events.

Stakeholder Mapping :

- **Clients** request event services, follow event updates and submit feedback.
- **Event Coordinators** schedule events, talk to clients and run the approval workflow.
- **Vendors** deliver the assigned services such as catering, decor and logistics.
- **Venue Managers** keep venue availability and reservations up to date.
- **Event Administrators** look after system operations, security and data quality.

Execution Roadmap :

1. Object & Field Setup – build the Event, Client, Vendor, Venue, Feedback and Event Vendor objects.
2. Automation Flows – add record-triggered flows for reminders and approval updates.
3. Validation Rules & Formula Fields – enforce clean data and calculate the budget.
4. Profiles, Roles and Permission Sets – set up access and record visibility.
5. Approval Process – route cancellation requests with notifications at each outcome.
6. Apex Classes & Triggers – keep venue availability current and block double bookings.
7. Reports & Dashboards – publish analytics on upcoming events and overall performance.

Phase 2 : Backend Development & Configurations

The backend phase builds the working engine of EventForce. Flows, Apex code and security settings are combined so that events, clients, vendors, venues and feedback are handled with as little manual effort as possible.

Declarative tools (record-triggered flows, validation rules, formula fields and approval processes) do most of the heavy lifting for booking confirmations, reminders and cancellation approvals. Apex classes and triggers cover the rules that point-and-click tools cannot, such as updating venue availability and preventing two events from taking the same venue on the same day.

Profiles, roles, permission sets and sharing rules are configured alongside, so every user only reaches the data they need. By the end of this phase the application has changed from a bare data structure into a dynamic, automated and secure CRM that can support real event-management workflows.

Milestone 1 : Salesforce Account

What Is Salesforce ?

Salesforce is a cloud customer-success platform for selling, servicing, marketing, analysing and staying connected with customers. Teams use its standard products and features to manage prospects and customers, collaborate with colleagues and partners, and keep business data safely in the cloud, accessible from anywhere.


Activity 1: Creating Developer Account

A free Developer Edition org gives you a personal Salesforce environment in which to build and test the whole project.

1. Open <https://developer.salesforce.com/signup> in your browser.
2. Complete the sign-up form with these details:
 - First name and Last name
 - Email address (use one you can open, since a verification mail is sent to it)

- Role: Developer
- Company: your college or organisation name
- Country: India
- Postal Code: your PIN code
- Username: a unique value built from your name and organisation


The username only has to look like an email address (for example, username@organization.com); it does not need to be a real mailbox. Click **Sign me up** when the form is complete.




The screenshot shows the Salesforce Developer Edition sign-up page. On the left, a blue sidebar contains the text: "Build enterprise-quality apps fast to bring your ideas to life". Below this, it lists benefits: "Build apps fast with drag and drop tools", "Customize your data model with clicks", "Go further with Apex code", "Integrate with anything using powerful APIs", "Stay protected with enterprise-grade security", and "Customize UI with clicks or any leading-edge web framework". On the right, the main form area has the Salesforce logo and the heading "Sign up for your Salesforce Developer Edition". Below the heading, it says "A full-featured copy of the Platform, for free". A note states: "Complete the form to start your free trial. Our team will be in touch to help you make the most of your trial." The form fields include: "First Name*" (with placeholder "Your first name"), "Last Name*" (with placeholder "Your last name"), "Email*" (with placeholder "Your email address"), "Role*" (a dropdown menu with "Your job role" selected), "Company*" (with placeholder "Company Name"), "Country/Region*" (a dropdown menu), "Postal Code*" (with placeholder "Your postal code"), and "Username*" (with placeholder "jane@company.sandbox"). Below the username field, there is a note: "Your username must be in the form of an email address (it does not have to be real). It must be unique and cannot be associated with another Salesforce login credential. Read more about username recommendations." At the bottom of the form, there is a checkbox labeled "I agree to the Main Services Agreement – Developer Services and Salesforce Program Agreement." and a blue "Sign me Up" button.

Activity 2: Account Activation

1. Open the inbox of the email address used at sign-up and select **Verify Account**. The message can take five to ten minutes to arrive.



2. Choose a password, answer the security question and click **Change Password**.
3. You are then taken to the Salesforce Setup home page, and the org is ready to use.



Data Architecture :

Created Custom objects:

1. **Event__c** – stores each booked event. Fields: Event Name, Event Date, Event Type, Event Status, Event Budget.
2. **Client__c** – stores customer details. Fields: Client Name, Email, Phone, Address, Country, City.
3. **Vendor__c** – stores service providers. Fields: Vendor Name, Email, Phone, Service Type, Status.
4. **Venue__c** – stores bookable locations. Fields: Venue Name, Address, Location (URL), Capacity, Availability Status.
5. **Feedback__c** – stores client reviews. Fields: Feedback ID (Auto Number), Rating, Comments.
6. **EventVendor__c** (junction object) – connects Event and Vendor to form the Many-to-Many relationship.

Relationships:

Relationship	Type
Event → Client	Lookup
Event → Venue	Lookup
Feedback → Event	Lookup
Feedback → Client	Lookup
EventVendor → Event	Master-Detail
EventVendor → Vendor	Master-Detail

Steps to Implement :

Milestone 2- Object:

What is an object?

An object works like a database table that holds data specific to your organisation. Its fields behave as columns and its records as rows.



In This Application We Use 5 Custom Objects:

1. Event
2. Client
3. Vendor
4. Venue
5. Feedback


Activity 1: Create Event Object

To create a custom object, follow these steps:

1. Open Setup and go to **Object Manager**.
2. Click **Create** and choose **Custom Object**.



3. On the definition page set the Label to "Event" and the Plural Label to "Events".
4. Set the Record Name to "Event Name".



Custom Object Definition Edit [Save] [Save & New] [Cancel]

Custom Object Information ⓘ Required Information

The singular and plural labels are used in tabs, page layouts, and reports.

Label Example: Account

Plural Label Example: Accounts

Starts with vowel sound ☐

The Object Name is used when referencing the object via the API.

Object Name Example: Account

Description

Context-Sensitive Help Setting ☒ Open the standard Salesforce.com Help & Training window ☐ Open a window using a Visualforce page

Content Name

Enter Record Name Label and Format

The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name for Account is "Account Name" and for Case it is "Case Number". Note that the Record Name field is always called "Name" when referenced via the API.

Record Name Example: Account Name

Data Type Warning: If you plan to insert a high volume of records in this object, via the API for example, use the Text data type.

5. Choose the record name data type **Text**.


SETUP

New Custom Object

☒ Allow Reports
☒ Allow Activities
☒ Track Field History
☐ Allow in Chatter Groups
☐ Enable Licensing [i](#)

Object Classification

When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. [Learn more.](#)

☒ Allow Sharing
☒ Allow Bulk API Access
☒ Allow Streaming API Access

Deployment Status

☐ In Development
☒ Deployed

Search Status

When this setting is enabled, your users can find records of this object type when they search. [Learn more.](#)

☒ Allow Search

Object Creation Options (Available only when custom object is first created)

☒ Add Notes and Attachments related list to default page layout
☐ Launch New Custom Tab Wizard after saving this custom object

Save
 Save & New
 Cancel

- Under Optional Features, tick **Allow Reports**, **Allow Activities** and **Track Field History**.
- Under Deployment Status, make sure **Deployed** is selected.
- Under Search Status, tick **Allow Search**.
- Under Object Creation Options, tick **Add Notes and Attachments related list to default page layout**.
- Leave all other settings unchanged and click **Save**.

Activity 2: Create Client Object

- Click the gear icon and choose **Setup**.
- Open the **Object Manager** tab beside Home.
- Use the **Create** drop-down at the far right and choose **Custom Object**.
- On the Custom Object Definition page enter the Label "Client", the Plural Label "Clients" and the Record Name "Client Name".
- Set the record name data type to **Text**.
- Tick **Allow Reports** and **Allow Search**.
- Under Object Creation Options, tick **Add Notes and Attachments related list to default page layout**.
- Click **Save**.

Activity 3: Create Vendor Object

1. Click the gear icon and choose **Setup**.
2. Open the **Object Manager** tab beside Home.
3. Use the **Create** drop-down at the far right and choose **Custom Object**.
4. On the Custom Object Definition page enter the Label "Vendor", the Plural Label "Vendors" and the Record Name "Vendor Name".
5. Set the record name data type to **Text**.
6. Tick **Allow Reports** and **Allow Search**.
7. Under Object Creation Options, tick **Add Notes and Attachments related list to default page layout**.
8. Click **Save**.

Activity 4: Create Venue Object

1. Click the gear icon and choose **Setup**.
2. Open the **Object Manager** tab beside Home.
3. Use the **Create** drop-down at the far right and choose **Custom Object**.
4. On the Custom Object Definition page enter the Label "Venue", the Plural Label "Venues" and the Record Name "Venue Name".
5. Set the record name data type to **Text**.
6. Tick **Allow Reports** and **Allow Search**.
7. Under Object Creation Options, tick **Add Notes and Attachments related list to default page layout**.
8. Click **Save**.

Activity 5: Create Feedback Object

1. Click the gear icon and choose **Setup**.
2. Open the **Object Manager** tab beside Home.
3. Use the **Create** drop-down at the far right and choose **Custom Object**.
4. On the Custom Object Definition page enter the Label "Feedback", the Plural Label "Feedbacks" and the Record Name "Feedback".
5. Set the record name data type to **Auto Number**.
6. Enter the display format F-{0000} and a starting number of 0.
7. Tick **Allow Reports** and **Allow Search**.
8. Under Object Creation Options, tick **Add Notes and Attachments related list to default page layout**.
9. Click **Save**.

Milestone 3 - Tabs

Tab:

Tabs give users a quick, at-a-glance view of an object's data or of other web content inside the application.

Standard Object Tabs:


These tabs present records of Salesforce's built-in standard objects.

Custom Object Tabs:

These tabs present records of objects you created yourself. They look and behave exactly like standard tabs.

Activity 1: Creating a Custom Tab(Event)

1. Click the Home tab, type **Tabs** in Quick Find and open it.



Search Setup

Setup Home Object Manager

Q tabs

User Interface

Rename Tabs and Labels

Tabs

Didn't find what you're looking for? Try using Global Search.


Custom Tabs

You can create new custom tabs to extend Salesforce functionality or to build new application functionality.

Custom Object tabs look and behave like the standard tabs provided with Salesforce. Web tabs allow you to embed external web applications and content within the Salesforce window. Visualforce tabs allow you to embed Visualforce pages. Lightning Component tabs allow you to add Lightning components to the navigation menu in Lightning Experience and the mobile app. Lightning Page tabs allow you to add Lightning Pages to Lightning Experience and the mobile app.

Action	Label	Tab Style	Description
Edit Del	Amount Infos	Computer	
Edit Del	Buyers	Form	
Edit Del	Candidates	Books	
Edit Del	Cases.co	Laptop	
Edit Del	Coachings	Computer	
Edit Del	Crops	Leaf	
Edit Del	Customer Infos	Cell phone	
Edit Del	Customers.co	Presenter	
Edit Del	Custom Permissions	Bank	
Edit Del	Farmers	Laptop	
Edit Del	Farms	Leaf	
Edit Del	Job Applications	Form	

2. In the Custom Object Tabs section click **New**.



3. For Object, choose **Event**.
4. For Tab Style, pick any icon you like.
5. Keep the defaults and click **Next, Next**, then **Save**.

Activity 2: Creating a Custom Tab(Client)

1. Click the Home tab, type **Tabs** in Quick Find and open it.
2. In the Custom Object Tabs section click **New**.
3. For Object, choose **Client**.
4. For Tab Style, pick any icon you like.
5. Keep the defaults and click **Next, Next**, then **Save**.

Activity 3: Creating a Custom Tab(Vendor)

1. Click the Home tab, type **Tabs** in Quick Find and open it.
2. In the Custom Object Tabs section click **New**.
3. For Object, choose **Vendor**.
4. For Tab Style, pick any icon you like.
5. Keep the defaults and click **Next, Next**, then **Save**.

Activity 4: Creating a Custom Tab(Venue)

1. Click the Home tab, type **Tabs** in Quick Find and open it.
2. In the Custom Object Tabs section click **New**.
3. For Object, choose **Venue**.
4. For Tab Style, pick any icon you like.

5. Keep the defaults and click **Next**, **Next**, then **Save**.

Activity 5: Creating a Custom Tab(Feedback)

1. Click the Home tab, type **Tabs** in Quick Find and open it.
2. In the Custom Object Tabs section click **New**.
3. For Object, choose **Feedback**.
4. For Tab Style, pick any icon you like.
5. Keep the defaults and click **Next**, **Next**, then **Save**.

Milestone 4 – Fields and Relationship:

What are fields ?


A field is the Salesforce counterpart of a column in a relational database. Each field holds one kind of value for every record of an object.

There are 2 types of fields in salesforce:

- **Standard fields** come with an object automatically. Every custom object receives Created By, Last Modified By, Owner and the name field defined at creation. They cannot be deleted or edited and are always present. On standard objects, the fields supplied by default are likewise standard fields.
- **Custom fields** are added by an administrator or developer to meet a specific business need. Depending on the requirement they can be mandatory or optional.

Activity 1: Creation of fields for the Event object:

1. Click the gear icon and choose **Setup**; Setup opens in a new browser tab.
2. Switch to the **Object Manager** tab next to Home.
3. Open the **Event** object.
4. In the left navigation choose **Fields & Relationships**, then click **New**.
5. The list already shows several entries; these are the standard fields.



SETUP > OBJECT MANAGER

Event

Details

Fields & Relationships
4 Items, Sorted by Field Label


Quick Find [New](#) [Deleted Fields](#) [Field Dependencies](#) [Set History Tracking](#)

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedById	Lookup(User)		
Event Name	Name	Text(80)		✓
Last Modified By	LastModifiedById	Lookup(User)		
Owner	OwnerId	Lookup(User,Group)		✓

Left sidebar menu: Details, **Fields & Relationships**, Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, Related Lookup Filters

Tip: before adding a field, search the list to make sure a similar one is not already there.

1. Pick **Picklist** as the data type and click Next.



SETUP > OBJECT MANAGER

Event

Details

Fields & Relationships

Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout
Restriction Rules
Scoping Rules

☐ Date/Time
☐ Email
☐ Geolocation
☐ Number
☐ Percent
☐ Phone
☒ **Picklist**
☐ Picklist (Multi-Select)
☐ Text
☐ Text Area
☐ Text Area (Long)
☐ Text Area (Rich)
☐ Text (Encrypted) [i](#)
☐ Time
☐ URL
☐ Address

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

Allows users to enter any number. Leading zeros are removed.

Allows users to enter a percentage number, for example, "10" and automatically adds the percent sign to the number.

Allows users to enter any phone number. Automatically formats it as a phone number.

Allows users to select a value from a list you define.

Allows users to select multiple values from a list you define.

Allows users to enter any combination of letters and numbers.

Allows users to enter up to 255 characters on separate lines.

Allows users to enter up to 131,072 characters on separate lines.

Allows users to enter formatted text, add images and links. Up to 131,072 characters on separate lines.

Allows users to enter any combination of letters and numbers and store them in encrypted form.

Allows users to enter a local time. For example, "2:40 PM", "14:40", "14:40:00", and "14:40:50.000" are all valid times for this field.

Allows users to enter any valid website address. When users click on the field, the URL will open in a separate browser window.

Allows users to enter a street, city, state/province, zip/postal code, and country, or to search for an address with an external tool. When a user selects an address using the tool, the street, city, state/province, zip/postal code, and country are populated.

[Next](#) [Cancel](#)

2. Enter "Event Type" as the Field Label.
3. Choose "Enter values, with each value separated by a new line" and type these values:
 - Wedding
 - Corporate
 - Birthday
 - Anniversary
 - Festival
 - Concert
 - Other

Event
New Custom Field

Step 2. Enter the details Step 2 of 4

Field Label

Values

☐ Use global picklist value set

☒ Enter values, with each value separated by a new line

☐ Display values alphabetically, not in the order entered

☐ Use first value as default value

☒ Restrict picklist to the values defined in the value set

Field Name

Description

Previous **Next** Cancel

Click Next, Next and Save. The remaining Event fields follow the same pattern; just be careful to pick the right data type for each one.

1. **Event Date:** choose the **Date** data type, label it "Event Date", then click Next, Next and **Save & New**.
2. **Event Status:** choose **Picklist**, label it "Event Status" and enter these values, one per line: Planned, Confirmed, Completed, Pending Cancellation, Canceled, Rejected.

Create Formula Field For Event Budget in a Event object:

1. Choose **Formula** as the data type and click Next.

SETUP > OBJECT MANAGER

Event

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

Event
New Custom Field

Step 1. Choose the field type Step 1

Specify the type of information that the custom field will contain.

Data Type

☐ None Selected

☐ Auto Number

☒ **Formula**

☐ Roll-Up Summary

☐ Lookup Relationship

Select one of the data types below.

A system-generated sequence number that uses a display format you define. The number is automatically incremented for each new record.

A read-only field that derives its value from a formula expression you define. The formula field is updated when any of the source fields change.

A read-only field that displays the sum, minimum, or maximum value of a field in a related list or the record count of all records listed in a related list.

Creates a relationship that links this object to another object. The relationship field allows users to click on a lookup icon to select a value from a popup list. The other object is the source of the values in the list.

Next Cancel

2. Name the field "Event Budget".
3. Set the formula return type to **Currency** and click Next.

Event
New Custom Field

Step 2. Choose output type Step 2 of 5

Field Label: **Event Budget** Field Name: **Event_Budget**

Auto add to custom report type ☒ Add this field to existing custom report types that contain this entity

Formula Return Type

☐ None Selected Select one of the data types below.

☐ Checkbox

☒ **Currency**

☐ Date

☐ Date/Time

☐ Number

Calculate a boolean value
Example: `{ TODAY() > CloseDate }`

Calculate a dollar or other currency amount and automatically format the field as a currency amount.
Example: `{ Gross Margin = Amount - Cost__c }`

Calculate a date, for example, by adding or subtracting days to other dates.
Example: `{ Reminder Date = CloseDate - 7 }`

Calculate a date/time, for example, by adding a number of hours or days to another date/time.
Example: `{ Next = NOW() + 1 }`

Calculate a numeric value.
Example: `{ Fahrenheit = 1.8 * Celsius__c + 32 }`

4. Paste the following formula, which assigns a default budget according to the event type:

```
CASE(
  TEXT(Event_Type__c),
  "Wedding", 50000,
  "Corporate", 30000,
  "Birthday", 10000,
  "Anniversary", 20000,
  "Festival", 60000,
  "Concert", 40000,
  "Other", 15000,
  0
)
```

1. Click **Check Syntax** to make sure the formula compiles.

Simple Formula Advanced Formula

Insert Field Use Formula Assistant Insert Operator

Event Budget (Currency)=

```
CASE (
  TEXT ( Event_Type__c ),
  "Wedding", 50000,
  "Corporate", 30000,
  "Birthday", 10000,
  "Anniversary", 20000,
  "Festival", 60000,
  "Concert", 40000,
  "Other", 15000,
  0
)
```

Check Syntax No syntax errors in merge fields or functions. (Compiled size: 478 characters)

Functions
-- All Function Categories --
ABS
ACOS
ADDMONTHS
AND
ASCII
ASIN
Insert Selected Function

2. Click Next, Next and **Save**.

Activity 2: Creation of fields for the Client object:

1. **Email:** choose the **Email** data type, label it "Email", then Next, Next and Save & New.
2. **Phone:** choose the **Phone** data type, label it "Phone", then Next, Next and Save.
3. **Address:** choose **Text Area**, label it "Address", then Next, Next and Save.
4. **Country:** choose **Picklist**, label it "Country" and enter the values listed below, then Save.
 - India
 - Philippines
 - Saudi Arabia
 - USA
 - Switzerland
 - Thailand
 - Maldives
 - Dubai
 - Sri Lanka
 - Bangkok
 - Singapore
 - Myanmar
 - France
 - Nepal
1. **City:** choose **Picklist**, label it "City" and enter the values listed below, then Save.
 - Hyderabad
 - Mumbai
 - Delhi
 - Bangalore
 - Chennai
 - Alaminos
 - Angeles City
 - Palayan
 - Quezon City
 - San Juan
 - Riyadh
 - Jeddah
 - Tayma
 - Dammam
 - Medina

- New York
- Los Angeles
- Chicago
- Houston
- Columbus
- Geneva
- Basel
- Lausanne
- Bern
- Lucerne

Activity 3: Creation of fields for the Vendor object:

1. **Service Type:** choose **Multi-Select Picklist**, label it "Service Type" and enter the values below.
 - Catering
 - Decor
 - Photography
 - Videography
 - Lighting
 - Stage Setup
 - Makeup Artist
 - DJ/Music
 - Transportation
 - Hosting/Anchor
1. **Email:** choose the **Email** type, label it "Email", then Next, Next and Save & New.
2. **Phone:** choose the **Phone** type, label it "Phone", then Next, Next and Save.
3. **Status:** choose **Picklist**, label it "Status" and enter the values below.
 - Available
 - Booked
 - Cancelled

Activity 4: Creation of fields for the Venue object:

1. **Address:** choose **Text Area**, label it "Address", then Next, Next and Save.
2. **Location:** choose **URL**, label it "Location", then Next, Next and Save.
3. **Capacity:** choose **Number**, label it "Capacity", then Next, Next and Save.
4. **Availability Status:** choose **Picklist**, label it "Availability Status" and enter the values below.

- Available
- Reserved
- Not Available

Activity 5: Creation of fields for the Feedback object:

1. **Rating:** choose **Picklist**, label it "Rating" and enter the values 1, 2, 3, 4 and 5, one per line.
2. **Comments:** choose **Long Text Area**, label it "Comments", then Next, Next and Save.

Relationships:


Activity 1:

Creation lookup relationship for the Event objects:

Let's create lookup relationship on Event object

First lookup relationship

1. In Setup open **Object Manager** and select the Event object.
2. Choose **Fields & Relationships** in the sidebar.
3. Click New, select **Lookup Relationship** and click Next.



The screenshot shows the Salesforce Setup interface. In the left sidebar, 'Fields & Relationships' is highlighted. The main content area is titled 'Event' and 'New Custom Field'. Under 'Step 1. Choose the field type', there is a section for 'Data Type' with several radio button options: 'None Selected', 'Auto Number', 'Formula', 'Roll-Up Summary', 'Lookup Relationship' (which is selected), 'Master-Detail Relationship', and 'External Lookup Relationship'. The 'Next' button is visible in the top right corner of the step.

4. Set the related object to **Venue** and click Next.

Event
New Relationship

Help for this Page ?

Step 2. Choose the related object Step 2

Previous **Next** Cancel

Select the other object to which this object is related.

Related To **Venue**

Previous **Next** Cancel

5. Label the field "Venue", click Next three times and then **Save**.

Event
New Relationship

Help for this Page ?

Step 3. Enter the label and name for the lookup field Step 3 of 6

Previous **Next** Cancel

Field Label **Venue**

Field Name **Venue**

Description

Help Text

Child Relationship Name **Events**

Required ☐ Always require a value in this field in order to save a record.

What to do if the lookup record is deleted? ☒ Clear the value of this field. You can't choose this option if you make this field required.


☐ Don't allow deletion of the lookup record that's part of a lookup relationship.

Auto add to custom report type ☒ Add this field to existing custom report types that contain this entity

Create Many-to-Many Relationship (Event ↔ Vendor)


Salesforce has no direct many-to-many field, so a junction object (EventVendor__c) is used. Each junction record points to exactly one Event and one Vendor, which lets an event have many vendors and a vendor serve many events.

1. Go to Object Manager and create a new custom object.
2. Use "Event Vendor" as the Label and EventVendor__c as the Object Name.



The screenshot shows the 'New Custom Object' page in Salesforce Setup. The 'Custom Object Definition Edit' section is active. Under 'Custom Object Information', the 'Label' is 'Event Vendor' (highlighted with a red box), 'Plural Label' is 'Event Vendors', and 'Object Name' is 'Event_Vendor'. The 'Description' field is empty. The 'Context Sensitive Help Setting' is set to 'Open the standard Salesforce.com Help & Training window'. The 'Content Name' is set to 'None'.

3. Open the Event Vendor object in Object Manager and go to Fields & Relationships.
4. Add a **Master-Detail Relationship** and click Next.



The screenshot shows the 'Event Vendor' object in the 'Fields & Relationships' section. The 'New Custom Field' wizard is open, and 'Step 1: Choose the field type' is displayed. The 'Data Type' section shows 'Master-Detail Relationship' selected (highlighted with a red box). The 'Next' button is visible.

5. Select **Event** as the related object and click Next.
6. Label the field "Event", click Next three times and choose **Save & New**.
7. Add a second **Master-Detail Relationship**, this time to **Vendor**.
8. Label it "Vendor", click Next three times and click **Save**.

Add Lookup Relationship (Event → Client) :

1. In Object Manager open the Event object and go to Fields & Relationships.
2. Select **Lookup Relationship** and click Next.
3. Choose **Client** as the related object and click Next.
4. Label the field "Client", click Next three times and then Save.

Activity 2:

Creation lookup relationship for the Feedback object:

1. In Object Manager open the Feedback object and go to Fields & Relationships.
2. Select **Lookup Relationship** and click Next.
3. Choose **Event** as the related object and click Next.
4. Label the field "Event", click Next three times and then Save.


Add Lookup Relationship (Feedback → Client) :

1. Open the Feedback object in Object Manager and go to Fields & Relationships.
2. Select **Lookup Relationship** and click Next.
3. Choose **Client** as the related object and click Next.
4. Label the field "Client", click Next three times and then Save.

Activity 3: Lookup Filters

Scenario: every Event belongs to a Client. When someone enters Feedback and picks a Client, the Event lookup should list only that client's events. If Ramesh is selected, for instance, only Ramesh's events are offered and nobody else's.

1. Click the gear icon and choose Setup.
2. Type Object Manager in Quick Find and open it.
3. Open the Feedback object (Feedback__c).
4. Select Fields & Relationships in the left menu.
5. Open the Event lookup field (Event__c).



The screenshot shows the Salesforce Setup interface. The breadcrumb trail is: SETUP > OBJECT MANAGER > Feedback. The left sidebar shows the 'Fields & Relationships' menu item selected. The main content area displays the 'Event__c' field definition for the 'Feedback' object. The 'Field Information' section shows the following details:

Field Label	Event__c	Object Name	Feedback
Field Name	Event__c	Data Type	Lookup
API Name	Event__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	Sushanth Sush	Modified By	Sushanth Sush
	9/23/2025, 11:59 PM		9/24/2025, 4:25 AM

The 'Edit' button is highlighted with a red box. The 'Validation Rules' section is also visible.

6. Click **Edit**.
7. Scroll to the Lookup Filter section and click **Show Filter Settings**.

Lookup Filter

Optionally, create a filter to limit the records available to users in the lookup field. [Tell me more!](#)

[Show Filter Settings](#)

[Change Field Type](#) [Save](#) [Cancel](#)

8. Build the filter: on the left choose the Event object's client field (Event: Client__c).
9. Set the operator to **equals**.
10. On the right choose the **Field** option and select the Client field of the Feedback record (Feedback: Client__c).
11. Tick **Enable this filter**.
12. Click **Save**.

Lookup Filter

Optionally, create a filter to limit the records available to users in the lookup field. [Tell me more!](#)

▼ [Hide Filter Settings](#)

Filter Criteria [Insert Suggested Criteria](#) [Clear Filter Criteria](#)

Field	Operator	Value / Field
Feedback: Client	equals	Field Event.: Client
AND [Begin typing to search for a field...]	--None--	Value []

[Add Filter Logic...](#)

Filter Type

☒ **Required.** The user-entered value must match filter criteria.
If it doesn't, display this error message on save:
Value does not exist or does not match filter criteria.
[Reset to default message](#)

☐ **Optional.** The user can remove the filter or enter values that don't match criteria.

Lookup Window Text Add this informational message to the lookup window.
[]

Active ☒ **Enable this filter.**

[Change Field Type](#) [Save](#) [Cancel](#)

Milestone 5 -Validation Rules :

Validation rules run when a user tries to save a record. They test the entered data against criteria you define; if the test fails, an error message is shown and the record is not saved until the problem is corrected.

Activity 1: Create Validation Rules on Client__c :

1. From Setup open **Object Manager**, type "Client" in Quick Find and open the Client object.
2. Select **Validation Rules** and click **New**.
3. Name the rule "Email_Valid_Address" and tick **Active**.
4. Enter this error condition formula, which fires when a value is present but is not a well-formed address:

```
AND(
  NOT(ISBLANK(Email__c)),
  NOT(REGEX(Email__c, "[a-zA-Z0-9._%+-]+@[a-zA-Z0-9.-]+\.[a-zA-Z]{2,}$"))
)
```

1. Set the error message to "Please Enter Valid Email Address", place it at **Field** level on the **Email** field and click **Save**.


Milestone 6 : APPROVAL PROCESS

Activity 1: Create an Approval Process for Event Cancellation Approval

Note: the approval process refers to roles and users, so finish the Profiles, Roles and Users milestones first and then return here.

1.Create Classic Email Template

1. Click the gear icon and open Setup.
2. Type "Email Templates" in Quick Find and choose **Classic Email Templates**.
3. Click **New Template**.



4. Select the template type **Text** (plain text, no formatting) and click **Next**.
5. Fill in the template information as shown below.

Setting	Value
Folder	Unfiled Public Email Templates (a public folder is fine for now)
Email Template Name	Event Cancellation Request Notification
Template Unique Name	Auto-filled; edit it only if needed (no spaces)
Encoding	Keep the default (UTF-8)
Subject	Approval Request: Cancel Event {!Event__c.Name}

Email Body	Hello! An approval request has been submitted to cancel the event: - Event Name: {!Event__c.Name} - Event Date: {!Event__c.Event_Date__c} Thank you, EventForce Management System
------------	--

Email Template Information

Folder Unfiled Public Classic Email Templates

Available For Use ☒

Email Template Name Event Cancellation Reques

Template Unique Name Event_Cancellation_Reque

Encoding Unicode (UTF-8)

Description

Subject Approval Request: Cancel Event {!Event__c.Name}

Email Body

Hello,

 An approval request has been submitted to cancel the event:

 - Event Name: {!Event__c.Name}

 - Event Date: {!Event__c.Event_Date__c}

 Please review and take action:

 Thank you,
 EventForce Management System

Save Save & New Cancel

2.Create Another Email Template to Send Customer Email. If Cancellation Approved.

Template Name: Email to Client After Cancellation

Subject: Event Cancellation Notice – {!Event__c.Name}

Body:

Hello!

We regret to inform you that the following event has been canceled.

Event Name: {!Event__c.Name}

Date: {!Event__c.Event_Date__c}

If you have any questions or need further help, please get in touch with us.

Thank you for your understanding,
Event Management Team

3. Create Another Email Template to Send Owner Email. If Cancellation Approved.

Template Name: Approval Notification to Event Owner

Subject: Event Cancellation Approved: {!Event__c.Name}

Body:

Hello {!Event__c.OwnerFullName},

Good news: your request to cancel the event {!Event__c.Name} has been approved.

Event Date: {!Event__c.Event_Date__c}

The event status has now been set to Canceled.

Thank you,
EventForce Management System

4. Create Another Email Template to Send Owner Email. If Cancellation Rejected.

Template Name: Rejection Notification to Event Owner

Subject: Event Cancellation Rejected: {!Event__c.Name}

Body:

Hello {!Event__c.OwnerFullName},

Your request to cancel the event {!Event__c.Name} has been rejected.


Event Date: {!Event__c.Event_Date__c}

The event status has been returned to Confirmed.

Thank you,
EventForce Management System

5. Create the Approval Process

1. Type "Approval Processes" in Quick Find and open it under Process Automation.
2. Choose the **Event** object from the list.
3. Click **Create New Approval Process** and pick **Use Standard Setup Wizard**.



Setup Home Object Manager

Q: approva

▼ Data
Mass Transfer Approval Requests

▼ Feature Settings
Approval Settings

▼ Process Automation
Approval Processes

Didn't find what you're looking for?
Try using Global Search.

Approval Processes

Open Approvals App

Approvals are complex business processes that require information gathering and planning before implementing. It is recommended that you follow the instructions below before getting started.

1. Read the help topic
2. View the checklist
3. Create a custom user hierarchical relationship field
4. Create email templates
5. Create an approval process using either the Jump Start or Standard Wizard
6. Add Approval History Related List to all page layouts
7. Activate the process to deploy to your users

Manage Approval Processes For: **Event**


A listing of both active and inactive approval processes for **Events** is displayed below. To create a new approval process, click Create New Approval Process then select Use Jump Start Wizard to set up your approval process in a few short steps. Or, select Use Standard Wizard to configure all approval options.

Create New Approval Process
Use Jump Start Wizard
Use Standard Setup Wizard
Active Approval Processes

No approval processes available

Step 1: Basic Settings

1. Enter the name "Event_Cancellation_Process"; the unique name fills in automatically and can stay as is.
2. Click Next.



Approval Processes

Approval Process Edit
Event_Cancellation_Process

Help for this Page

Step 1. Enter Name and Description Step 1 of 6

Save **Next** Cancel

Enter a name and description for your new approval process.

Enter Name and Description ⓘ Required Information

Process Name

Unique Name

Description

Save Next Cancel

Specify Entry Criteria:

Entry criteria decide when a record is sent into the approval process.

1. Select **Criteria are met**.
2. Use Field: Event → Event Status, Operator: Equals, Value: Pending Cancellation.
3. Click Next.

Approval Process Edit
Event_Cancellation_Process

Step 2. Specify Entry Criteria Step 2 of 6

Previous Save **Next** Cancel

If only certain types of records should enter this approval process, enter that criteria below. For example, only expense reports from employees at headquarters should use this approval process.

Specify Entry Criteria

Use this approval process if the following **criteria are met** ▼

Field	Operator	Value
Event: Event Status	equals	Pending Cancellation
--None--	--None--	
--None--	--None--	
--None--	--None--	
--None--	--None--	

AND
AND
AND
AND

Add Filter Logic...

Previous Save Next Cancel

Step 2: Select Approver

- **Option 1 – a specific user:** choose "Automatically assign using user or queue" and pick a particular user (the manager).
- **Option 2 – the submitter's manager:** choose "Automatically assign to the manager of the user who submitted the record". Every user must have a manager set on their User record for this to work.

Click Next to continue.

Approval Process Edit
Event_Cancellation_Process

Step 3. Specify Approver Field and Record Editability Properties Step 3 of 6

Previous Save **Next** Cancel

When you define approval steps, you can assign approval requests to different users. One of your options is to use a user field to automatically route these requests. If you want to use this option for any of your approval steps, select a field from the picklist below. Also, when a record is in the approval process, it will always be locked-- only an administrator will be able to edit it. However, you may choose to also allow the currently assigned approver to edit the record.

Select Field Used for Automated Approval Routing

Next Automated Approver Determined By **Manager** ▼

Use Approver Field of Event: Owner ☐

Record Editability Properties

☐ Administrators **ONLY** can edit records during the approval process.

☒ Administrators **OR** the currently assigned approver can edit records during the approval process.

Previous Save Next Cancel

Step 3: Email Template

For the Approval Assignment Email Template, select **Event Cancellation Request Notification**.

Approval Process Edit
Event_Cancellation_Process

Step 4. Select Notification Templates Step 4 of 6

Previous Save **Next** Cancel

Select the email template that will be used to notify approvers that an approval request has been assigned to them. Note that this template will be used for all steps for this process. [Create a new email template](#)

Email Template

Approval Assignment Email Template **Event Cancellation Request**

Previous Save **Next** Cancel

Step 4: Select Fields to Display on Approval Page Layout

A two-column picker appears, with Available Fields on the left and Selected Fields on the right. Choose the fields approvers need to see in order to decide. Suggested fields for Event:

- Event Name
- Owner
- Client
- Last Modified By
- Created By
- Event Budget
- Event Date
- Event Status
- Event Type
- Venue

Use the Add button to move fields across, use the Up and Down arrows to set their order, and click Next.

SETUP
Approval Processes

Approval Process Edit
Event_Cancellation_Process

Step 5. Select Fields to Display on Approval Page Layout Step 5 of 6

Previous Save **Next** Cancel

The approval page is where an approver will actually approve or reject a request. Using the options below, choose the fields to display on this page.

Available Fields

--None--

Add

Remove

Selected Fields

Event Name

Owner

Client

Last Modified By

Created By

Event Budget

Event Date

Event Status

Event Type

Venue


Up

Down

[Click here to view an example](#)

Step 5: Specify Initial Submitters


Select **Event Owner** as the initial submitter and click **Save**.



The screenshot shows the 'Step 6. Specify Initial Submitters' interface for the 'Event_Cancellation_Process'. It includes a search bar with 'Owner' entered, and two columns: 'Available Submitters' (containing '--None--') and 'Allowed Submitters' (containing 'Event Owner'). A red box highlights 'Event Owner' in the 'Allowed Submitters' column. Navigation buttons 'Previous', 'Save', and 'Cancel' are at the top right.

Step 6: Initial Submission Actions

These actions fire at the moment a record is submitted for approval. Click **Add New** → **Email Alert** and complete the details:



The screenshot shows the 'Initial Submission Actions' section. A table lists existing actions, with 'Record Lock' highlighted. A dropdown menu is open, showing options: 'Task', 'Email Alert' (highlighted with a red box), 'Field Update', 'Outbound Message', and 'Flow'. The 'Add Existing' and 'Add New' buttons are visible above the table.

1. Description: Alert - Event Cancellation Request.
2. Unique Name: leave the auto-filled value.
3. Object: Event__c.
4. Email Template: Event Cancellation Request Notification.

5. Recipients: add the role **Event Coordinator**.
6. Additional Emails: enter any extra addresses if needed.
7. From Email Address: the current user's email address.
8. Click **Save**.

New Email Alert

Create an email alert to associate with one or more workflow rules, approval processes, or entitlement processes. When changing an email alert, any modifications will apply to all rules, approvals, or entitlement processes associated with it.

Email Alert Edit Save Save & New Cancel

Edit Email Alert

Description: **Alert - Event Cancellation Request**

Unique Name: **Alert_Event_Cancellation_Re**

Object: Event

Email Template: **Event Cancellation Request?**

Protected Component: ☐

Recipient Type: Search **Role** for: Find

Recipients

Available Recipients

- Role: Director, Channel Sales
- Role: Director, Direct Sales
- Role: Eastern Sales Team
- Role: Event Admin
- Role: Installation & Repair Services
- Role: Marketing Team
- Role: SVP, Customer Service & Support
- Role: SVP, Human Resources
- Role: SVP, Sales & Marketing
- Role: VP, International Sales
- Role: VP, Marketing
- Role: VP, North American Sales
- Role: Vendor Manager
- Role: Western Sales Team

Selected Recipients

- Role: Event Coordinator

You can enter up to five (5) email addresses to be notified.

Additional Emails:

From Email Address: **Current User's email address**

☐ Make this address the default From email address for this object's email alerts.

Save Save & New Cancel

Step 7: Final Approval Actions

First add a field update that sets the status once the request is approved.

1. Click **Add New** → **Field Update**.

Final Approval Actions +

Add Existing Add New

Action	Type	Description
Edit	Record Lock	Lock the record
		Field Update

2. Name it "Event Status Update", pick the field Event Status and set the new value to **Canceled**.
3. Click **Save**.

Edit Field Update
Event Status Update

Define the field update, including the object associated with the workflow rule, approval process, or entitlement process, the field to update, and the value to apply. Note that the field to update may be on a related object. Fields are shown only for the type that you select.

Field Update Edit Save Save & New Cancel

Identification Required Information

Name: **Event Status Update**
 Unique Name: **Event_Status_Update**
 Description:
 Object: Event
 Field to Update: **Event Status**
 Field Data Type: Picklist
 Re-evaluate Workflow Rules after Field Change: ☐

Specify New Field Value

Picklist Options

☐ The value above the current one
☐ The value below the current one
☒ A specific value: **Canceled**

4. Click **Add New** → **Email Alert**.

Final Approval Actions Add Existing Add New

Action	Type	Description
Edit	Record Lock	Lock the record
Edit Remove	Field Update	Field Update
Approve	Outbound Message	Outbound Message

Email Alert

- Description: Alert - Cancellation Approved; template: Approval Notification to Event Owner.
- Recipient Type: Event Owner; From Email Address: the current user's email.
- Click Save.

Edit Email Alert

Description: **Alert - Cancellation Approved**
 Unique Name: **Alert_Cancellation_Approved**
 Object: Event
 Email Template: **Approval Notification to Event Owner**
 Protected Component: ☐

Recipient Type: Search: **Owner** for: Find

Recipients

Available Recipients: **--None--**
 Selected Recipients: **Event Owner**
 Add


You can enter up to five (5) email addresses to be notified.
 Additional Emails:

From Email Address: **Current User's email address**
☐ Make this address the default From email address for this object's email alerts.

Save Save & New Cancel

Step 8: Final Rejection Actions

1. Click **Add New** → **Email Alert**.
2. Description: Alert - Cancellation Rejected; template: Rejection Notification to Event Owner.
3. Recipient Type: Event Owner; From Email Address: the current user's email.
4. Click Save.



Edit Email Alert

Description: Alert - Cancellation Rejected

Unique Name: Alert_Cancellation_Rejected

Object: Event

Email Template: Rejection Notification to Event Owner

Protected Component: ☐

Recipient Type: Search: Owner for: Find

Recipients:

Available Recipients	Selected Recipients
--None--	Event. Owner

Add
Remove

You can enter up to five (5) email addresses to be notified.

Additional Emails

From Email Address: Current User's email address

☐ Make this address the default From email address for this object's email alerts.

Save Save & New Cancel

5. Click **Add New** → **Field Update**.
6. Name it "Event Status To Rejected", choose the field Event Status and set the new value to **Rejected**.
7. Click Save.

Field Update Edit

Save Save & New Cancel

Identification

Name

Event Status To Rejected

Unique Name

Event_Status_To_Rejected

Description

Object

Event

Field to Update

Event Status

Field Data Type

Picklist

Re-evaluate Workflow Rules after Field Change

☐

Specify New Field Value

Picklist Options

☐ The value above the current one

☐ The value below the current one

☒ A specific value Rejected

Save Save & New Cancel

Step 9: Approval Steps

1. Click Add New Step.

Approval Steps

New Approval Step

You have not yet defined any approval steps

2. Give the step the name "Manager Review". Keep the auto-filled unique name and, if you like, set a step number to control ordering.
3. Click Next.

SETUP

Approval Processes

New Approval Step

Help for this Page

Assistant

1. Enter Name and Description

Step 1 of 3

Next

Cancel

Enter a name, description, and step number for your new approval step.

Enter Name and Description

Required Information

Approval Process Name

Event_Cancellation_Process

Name

Manager Review

Unique Name

Manager_Review

Description

Step Number

2

Next

Cancel

1. Specify Step Criteria

- Choose "All records should enter this step".
- Click Next.

Step 2. Specify Step Criteria Step 2 of 3

Previous Save **Next** Cancel

Specify whether a record must meet certain criteria before entering this approval step. If these criteria are not met, the approval process can skip to the next step, if one exists. [Learn more](#)

Specify Step Criteria

☒ All records should enter this step.

☐ Enter this step if the following criteria are met else reject record :

2. Select Assigned Approver

- Decide who approves at this step.
- Select "Automatically assign to approver(s)" and then "A specific user", or use a related user (for example, Michael Jackson).
- Click Save.

Step 3. Select Assigned Approver Step 3 of 3

Previous **Save** Cancel

Specify the user who should approve records that enter this step. Optionally, choose whether the approver's delegate is also allowed to approve these requests.

Select Approver

☐ Let the submitter choose the approver manually.

☐ Automatically assign using the user field selected earlier. **(Manager)**

☐ Automatically assign to queue.

☒ Automatically assign to approver(s).

User Michael Jackson 🔍

[Add Row](#) [Remove Row](#)

When multiple approvers are selected:

☒ Approve or reject based on the **FIRST** response.

☐ Require **UNANIMOUS** approval from all selected approvers.

☐ The approver's delegate may also approve this request. ?

Step 10: Activate the Approval Process

1. Click **View Approval Process Detail Page**.
2. Press the **Activate** button at the top of the page.

SETUP Approval Processes

Approval Processes
Event.: Event_Cancellation_Process Help for this Page ?

[« Back to Approval Process List](#)

Process Definition Detail Edit Clone Delete **Activate**

Process Name	Event_Cancellation_Process	Active	☐
Unique Name	Event_Cancellation_Process	Next Automated Approver Determined By	Manager of Record Submitter
Description			
Entry Criteria	Event.: Event Status EQUALS Pending Cancellation		
Record Editability	Administrator OR Current Approver	Allow Submitters to Recall Approval Requests	☐
Approval Assignment Email Template	Event_Cancellation_Request_Notification		
Initial Submitters	Event_Owner		
Created By	Sushanth Sush 9/22/2025, 11:12 PM	Modified By	Sushanth Sush 9/23/2025, 9:47 AM


Milestone 7 - Flows

A flow is a Salesforce automation tool that can run business processes, collect and update data, and walk users through screens or steps. Flows are assembled on a visual canvas, so no programming is required.


Activity 1 : Create Flow to Send 3-Day Reminder Email to Client

Scenario: whenever an Event is created or updated with Status = Confirmed and has a Client with an email address, the system should automatically email the client a reminder three days before the Event Date.

1. In Setup type **Flow** in Quick Find, open Flows and click **New Flow**.



2. Choose **Record-Triggered Flow** and click Create.



3. For Object, choose **Event**.
4. Set the trigger to **A record is created or updated**.

Configure Start

Select Object
Select the object whose records trigger the flow when they're created, updated, or deleted.

* Object
Event.

Configure Trigger
Trigger the Flow When:

☐ A record is created
☐ A record is updated
☒ A record is created or updated
☐ A record is deleted

Set Entry Conditions
Specify entry conditions to reduce the number of records that trigger the flow and the number of times the flow is executed. Minimizing unnecessary flow executions helps to conserve your org's resources.

If you create a flow that's triggered when a record is updated, we recommend first defining entry conditions. Then select the **Only when a record is updated to meet the condition requirements** option for When to Run the Flow for Updated Records.

Condition Requirements
All Conditions Are Met (AND)

- Add the entry condition: Field = Event Status, Operator = Equals, Value = Confirmed.
- Under "Optimize the Flow for" select **Actions and Related Records** and click Done.

Configure Start

If you create a flow that's triggered when a record is updated, we recommend first defining entry conditions. Then select the **Only when a record is updated to meet the condition requirements** option for When to Run the Flow for Updated Records.

Condition Requirements
All Conditions Are Met (AND)

Field	Operator	Value
Event Status	Equals	Confirmed

+ Add Condition

When to Run the Flow for Updated Records


☒ Every time a record is updated and meets the condition requirements
☐ Only when a record is updated to meet the condition requirements

Optimize Flow
Optimize the Flow for:

Fast Field Updates
Update fields on the record that triggers the flow to run. This high-performance flow runs **before the record is saved** to the database.

Actions and Related Records
Update any record and perform actions, like send an email. This more flexible flow runs **after the record is saved** to the database.

7. Click the **Start** element and then **Add Scheduled Path**.



8. Name the path "3_Days_Before"; the API name fills in automatically.
9. Set the Time Source to **Event__c: Event Date**.
10. Set the Offset Number to 3.
11. Set the Offset Option to **Days Before** and close the dialog with the × icon.

12. Open the **Toolbox** at the top left and click **New Resource**.

13. Choose the resource type **Text Template**.

New Resource

*** Resource Type**

Select...

- Variable
Store a value that can be used and changed throughout the flow.
- Constant
Store a value that can be used but not changed throughout the flow.
- Formula
Calculate a value when the formula is used in the flow.
- Text Template**
Store text that can be used and changed throughout the flow.
- Stage
Identify different phases in the flow to track user progress.

14. Give it the API Name "Subject", enter the text below in the Body, view it as Plain Text and click Done.

Reminder: Your Event {!\$Record.Name} is in 3 days

Edit Text Template

*** API Name** ⓘ

Subject

Description

*** Body** ⓘ

Insert a resource... 🔍

View as Plain Text ▼

Reminder: Your Event {!\$Record.Name} is in 3 days

Cancel Done

Create one more Text Template for the email body:

1. New Resource → **Text Template**.
2. API Name: "Body".
3. Enter the following text in the Body box:

Hello {!\$Record.Client__r.Name},

This is a friendly reminder that your event "{!\$Record.Name}" takes place on {!\$Record.Event_Date__c}.


Venue: {!\$Record.Venue__r.Name}

Type: {!\$Record.Event_Type__c}

We look forward to seeing you there!

- EventForce Team

1. View it as Plain Text and click Done.



Edit Text Template

* API Name ⓘ

Body

Description

* Body ⓘ

Insert a resource... 🔍 View as Plain Text ▼

Hello {!\$Record.Client__r.Name},

This is a reminder that your event "{!\$Record.Name}" will take place on {!\$Record.Event_Date__c}.

Venue: {!\$Record.Venue__r.Name}

Type: {!\$Record.Event_Type__c}


We look forward to seeing you!

- EventForce Team


Cancel Done

Now add the email action to the scheduled path:

1. Under the 3_Days_Before path click the + symbol and pick **Action** from the list.



2. Search for "Send Email" and select the **Send Email** action.



3. Label the action "Alert_Client_3Day_Reminder".


Send Email
×

* Label

* API Name ⓘ

Description

4. Set the Recipient Address List to the client's email address.
5. Set the CC Recipient Address List to the event owner.


Send Email
×

later in the flow, store them in variables.

Set Input Values

✓ Configure Recipient Details

A_a Recipient Address List ⓘ

A_a Triggering Event_c > Client > Email
×

A_a Recipient Address Collection ⓘ

Q

A_a CC Recipient Address List ⓘ

A_a ...ggering Event_c > Owner ID (User) > Email
×

A_a CC Recipient Address Collection ⓘ

Q

6. Under Configure Email Content choose **Compose Email Content**.
7. Select the Subject resource for the subject and the Body resource for the body.

 Send Email

Configure Email Content

Compose Email Content
 Set email details and compose message.

Use Email Template
 Select an existing email template.

Subject

Body

Rich-Text-Formatted Body

8. Click Save.

9. Enter the Flow Label "Client Reminder - 3 Days Before", then click **Save** and **Activate**.

Save as

Save As
 A New Flow

* Flow Label
 Client Reminder - 3 Days Before.


* Flow API Name
 Client_Reminder_3_Days_Before

Description

[Show Advanced](#)

Cancel

Save




Milestone 8 – Apex Classes

Activity1:


Scenario: when an Event is created with a Venue, set that venue's Availability Status to "Reserved". When the event is canceled, set it back to "Available".

Create Apex Class:


1. Click the gear icon and open the **Developer Console**.



2. Choose File → New → **Apex Class**.



3. Name the class "VenueStatusHelper" and click OK.



4. Enter the code below.

Source Code:

```
public with sharing class VenueStatusHelper {

    // Reserves a venue when its event is Confirmed and frees it when the event is Canceled.
    public static void updateVenueStatus(List<Event__c> events) {
        // A map keeps one entry per venue, which avoids "duplicate id in list" DML errors.
        Map<Id, Venue__c> venuesToUpdate = new Map<Id, Venue__c>();

        for (Event__c ev : events) {
            if (ev.Venue__c == null) {
                continue;
            }
        }
    }
}
```


```

    }
    if (ev.Event_Status__c == 'Confirmed') {
        venuesToUpdate.put(ev.Venue__c,
            new Venue__c(Id = ev.Venue__c, Availability_Status__c = 'Reserved'));
    } else if (ev.Event_Status__c == 'Canceled') {
        venuesToUpdate.put(ev.Venue__c,
            new Venue__c(Id = ev.Venue__c, Availability_Status__c = 'Available'));
    }
}

if (!venuesToUpdate.isEmpty()) {
    update venuesToUpdate.values();
}
}
}


```

1. Save the class with CTRL+S.



Now Create Trigger For this Class :

1. Choose File → New → Apex Trigger.




2. Name it "EventTrigger13" and pick the object **Event__c**.
3. Click Submit.

The screenshot shows the 'New Apex Trigger' dialog box. The 'Name' field contains 'EventTrigger13' and the 'sObject' dropdown menu is set to 'Event__c'. The 'Submit' button is highlighted at the bottom right of the dialog box.

4. Enter the trigger code below.

Source Code:

```
trigger EventTrigger13 on Event__c (after insert, after update) {
    // Hand the changed events to the helper so the trigger itself stays thin.
    VenueStatusHelper.updateVenueStatus(trigger.new);
}
```




Milestone 9 – Apex Trigger

Activity1:

Scenario: the system must refuse a second event at the same Venue on the same Date.

Create an Apex Trigger:

1. Choose File → New → **Apex Trigger**.



2. Name it "PreventDoubleBooking" and pick the object **Event__c**.
3. Click Submit.
4. Enter the trigger code below.

Source Code :


```
trigger PreventDoubleBooking on Event__c (before insert, before update) {

    // 1. Gather the venues touched by this save.
    Set<Id> venueIds = new Set<Id>();
    for (Event__c ev : Trigger.new) {
        if (ev.Venue__c != null && ev.Event_Date__c != null) {
            venueIds.add(ev.Venue__c);
        }
    }
    if (venueIds.isEmpty()) {
        return;
    }

    // 2. Record every venue + date slot that is already taken (one query for the whole batch).
    Set<String> takenSlots = new Set<String>();
    for (Event__c existing : [SELECT Id, Venue__c, Event_Date__c
                              FROM Event__c
                              WHERE Venue__c IN :venueIds
                              AND Event_Status__c != 'Canceled']) {
        Boolean beingSaved = Trigger.newMap != null && Trigger.newMap.containsKey(existing.Id);
        if (!beingSaved) {
            takenSlots.add(existing.Venue__c + '|' + String.valueOf(existing.Event_Date__c));
        }
    }

    // 3. Reject any event that lands on a taken slot, or clashes with another event in the same save.
    for (Event__c ev : Trigger.new) {
        if (ev.Venue__c == null || ev.Event_Date__c == null) {
            continue;
        }
        String slot = ev.Venue__c + '|' + String.valueOf(ev.Event_Date__c);
        if (takenSlots.contains(slot)) {
            ev.addError('This Venue is already booked on this date.');
        } else {
            takenSlots.add(slot);
        }
    }
}
```

1. Save the trigger with CTRL+S.



```

1  trigger PreventDoubleBooking on Event__c (before insert, before update) {
2      Set<Id> venueIds = new Set<Id>();
3      for(Event__c ev : Trigger.new){
4          if(ev.Venue__c != null) venueIds.add(ev.Venue__c);
5      }
6
7      Map<Id, List<Event__c>> venueEventMap = new Map<Id, List<Event__c>>();
8      for(Event__c e : [SELECT Id, Venue__c, Event_Date__c
9                          FROM Event__c WHERE Venue__c IN :venueIds]){
10         if(!venueEventMap.containsKey(e.Venue__c)){
11             venueEventMap.put(e.Venue__c, new List<Event__c>());
12         }
13         venueEventMap.get(e.Venue__c).add(e);
14     }
15
16     for(Event__c ev : Trigger.new){
17         if(ev.Venue__c != null && venueEventMap.containsKey(ev.Venue__c)){
18             for(Event__c existing : venueEventMap.get(ev.Venue__c)){
19                 if(existing.Event_Date__c == ev.Event_Date__c && existing.Id != ev.Id){
20                     ev.addError('This Venue is already booked on this date.');

```

Milestone 10: Batchable and Schedulable Asynchronous Apex

Scenario: every night, mark all events whose date has passed as Completed.

Step 1: Create Batch Apex Class:

1. Click the gear icon and open the Developer Console.
2. Choose File → New → Apex Class.
3. Name the class "BatchCompleteEvents" and click OK.
4. Enter the code below.

Source Code:

```

global class BatchCompleteEvents implements Database.Batchable<sObject> {

    // Select past events that are still open (canceled or rejected ones are left alone).
    global Database.QueryLocator start(Database.BatchableContext bc) {
        return Database.getQueryLocator(
            'SELECT Id, Event_Date__c, Event_Status__c FROM Event__c ' +
            'WHERE Event_Date__c < TODAY ' +
            'AND Event_Status__c NOT IN (\'Completed\', \'Canceled\', \'Rejected\')'
        );
    }

    global void execute(Database.BatchableContext bc, List<Event__c> scope) {
        for (Event__c ev : scope) {
            ev.Event_Status__c = 'Completed';
        }
        update scope;
    }

    global void finish(Database.BatchableContext bc) {
    }
}
  
```

```

        System.debug('Past events have been marked as Completed.');
```

1. Save the class with CTRL+S.

Step 2: Schedulable class Implementation:

1. Open the Developer Console from the gear icon.
2. Choose File → New → Apex Class.
3. Name the class "ScheduleCompleteEvents" and click OK.
4. Enter the code below.


Source Code:

```

global class ScheduleCompleteEvents implements Schedulable {
    global void execute(SchedulableContext sc) {
        // Process the events in chunks of 200 records.
        Database.executeBatch(new BatchCompleteEvents(), 200);
    }
}
```

Step 3: Schedule Batch Apex from Salesforce Setup

1. Click the gear icon and choose **Setup**.
2. Type "Apex Classes" in Quick Find and open it.




3. Click the **Schedule Apex** button at the top of the list.


Apex Classes

Apex Classes

Apex Code is an object oriented programming language that allows developers to develop on-demand business applications on the Lightning Platform.



Percent of Apex Used: 0.04%
You are currently using 2,625 characters of Apex Code (excluding comments and @isTest annotated classes) in your organization, out of an allowed limit of 6,000,000 characters. Note that the amount in use includes both Apex Classes and Triggers defined in your organization.

Estimate your organization's code coverage [i](#)

[Compile all classes](#) [i](#)

View: [All](#) [Create New View](#)

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z Other All

Action	Name	Namespace Prefix	Api Version	Status	Size Without Comments	Last Modified By	Has Trace Flags
Edit Del Security	BatchCompleteEvents		64.0	Active	651	Sushanth Sush 9/26/2025, 6:23 AM	☐
Edit Del Security	ClientEventCountHelper		64.0	Active	40	Sushanth Sush 9/26/2025, 5:30 AM	☐
Edit Del Security	ScheduleCompleteEvents		64.0	Active	180	Sushanth Sush 9/26/2025, 6:24 AM	☐
Edit Del Security	VenueStatusHelper		64.0	Active	643	Sushanth Sush 9/26/2025, 5:45 AM	☐

- Enter the job details: Job Name "Daily Event Completion" and Apex Class **ScheduleCompleteEvents**.
- Set the frequency to **Weekly** and tick every day of the week.
- Set the Preferred Start Time to 8:00 PM.
- Click **Save**; the job is now scheduled.


Apex Classes

Save Cancel

Job Name

Apex Class

Schedule Using ☒ Schedule Builder ☐ Cron Expression

Schedule Apex Execution

Frequency ☒ Weekly ☐ Monthly

Recurs every week on

☒ Sunday
☒ Monday
☒ Tuesday
☒ Wednesday
☒ Thursday
☒ Friday
☒ Saturday

Start

End

Preferred Start Time

From now on Salesforce runs BatchCompleteEvents every day at 8 PM and marks finished events as Completed. The same schedule can also be created from the Developer Console with `System.schedule('Daily Event Completion', '0 0 20 * * ?', new ScheduleCompleteEvents());`

EventForce Management System – Salesforce Implementation | Page 51

Phase 3: UI/UX Development & Customization

This phase gives EventForce a simple, friendly face. A custom Lightning App collects Events, Clients, Vendors, Venues and Feedback in a single workspace, so users no longer have to hunt for the right tab.

Reports and dashboards are added on top to show event schedules, vendor performance and client feedback. The "Upcoming Events by Month" report supports analysis, and the EventForce Operations Dashboard turns key figures into an easy visual summary. The result is a responsive, data-driven Lightning experience for running and monitoring event operations.

Milestone 11 - The Lightning App:


What is an App ?

A Salesforce app is a set of tabs that work together as one unit, with its own name, logo and navigation. The simplest app needs only two tabs.

Activity 1: Create a Lightning App

Create the Event Planner Management System app.

1. In Setup type **App Manager** in Quick Find and open it.



2. Click **New Lightning App** and enter "Event Planner" as the App Name.
3. Upload an image for the app logo and click Next.

New Lightning App

App Details & Branding

Give your Lightning app a name and description. Upload an image and choose the highlight color for its navigation bar.

App Details

* App Name ¹

* Developer Name ¹

Description ¹

App Branding

Image ¹



Primary Color Hex Value ¹

Org Theme Options

☐ Use the app's image and color instead of the org's custom theme

Next

- On App Options keep the defaults and click Next.
- On Utility Items keep the defaults and click Next.
- From Available Items choose Event, Client, Vendor, Venue, Feedback, Reports and Dashboards and move them to Selected Items. Click Next.

New Lightning App

Navigation Items

Choose the items to include in the app, and arrange the order in which they appear. Users can personalize the navigation to add or move items, but users can't remove or rename the items that you add. Some navigation items are available only for phone or only for desktop. These items are dropped from the navigation bar when the app is viewed in a format that the item doesn't support.

Available Items

Type to filter list...

- Accounts
- ACME LOCATIONS
- Activation Targets
- Activations
- All Sites
- Alternative Payment Methods

Selected Items

- Events
- Clients
- Vendors
- Venues
- Feedbacks
- Reports
- Dashboards

Back Next

- From Available Profiles choose System Administrator and move it to Selected Profiles.
- Click **Save & Finish**.

New Lightning App

User Profiles

Choose the user profiles that can access this app.

Available Profiles

- Analytics Cloud Integration User
- Analytics Cloud Security User
- Anypoint Integration
- Authenticated Website
- Authenticated Website
- B2B Reordering Portal Buyer Profile

Selected Profiles

System Administrator

Back

●

●

●

●

●

Save & Finish

To check the result, open the App Launcher, type "Event Planner" and select the app.

Note:

1. **App Launcher** lists the apps available to you.
2. **App Name** shows which app is currently open.
3. **Navigation menu** lists the tabs inside the open app.

Milestone 12 : Reports

Activity 1: Create a Report folder

1. Open the App Launcher and search for Reports.
2. On the Reports tab click **New Folder**.
3. Enter "EventForce Report" as the folder label; the unique name fills itself in.
4. Click Save.

Activity 2: Sharing a Report folder

1. In the app, open the Reports tab.
2. Click the All Folders view, open the drop-down arrow beside the EventForce Report folder and choose **Share**.
3. Share with **Roles**, search for "Event Coordinator" and "Vendor Manager", and give each **Viewer** access.
4. Click Share, then Done.

Share folder

These sharing settings apply to all subfolders in this folder.

Share With

Roles

Names

Search Roles...

Search Roles...

Access

View

Share

▼ Who Can Access

Q

	Sushanth Sush Users	Manage	×
	Event Coordinator Roles	View	×
	Vendor Manager	View	×

Done

Activity 3: Create Report


Note: before building a report, add at least 10 records to every object and fill in all of their fields so the report has meaningful data to show.

Report 1 : Upcoming Events — Summary by Month

Purpose: list upcoming events and count them by month.

1. Open the App Launcher and go to the Reports tab.
2. Click **New Report**.
3. Set Category to All, search for "Events" (or "Events with Client & Venue"), select it and click **Start Report**.
4. In the outline pane add these columns: Event Name, Event Date, Event Type, Client__r.Name, Venue__r.Name and Event_Budget__c.
5. Remove any columns you do not need.
6. Turn on **Update Preview Automatically**.
7. Open Filters and apply: Show Me = All Events; Event Date on or after TODAY (or Next 30 Days); Event Status not equal to Canceled.
8. In Group Rows choose Event Date and group it by **Calendar Month**.
9. Add summaries: Row Count (automatic) and the SUM of Event_Budget__c, which gives the total budget per month.

10. Click Add Chart: choose a Column or Line chart with Event Date (Calendar Month) on the X-axis and Row Count or SUM(Event_Budget__c) on the Y-axis.
11. Click Save and name the report "Upcoming Events by Month"; the unique name fills in automatically.
12. Pick the EventForce Report folder, then click Save and Run.




Milestone 13 - Dashboards

Activity 1: - Create Dashboard

Create the EventForce dashboard.

1. In the EventForce Management System app, open the Dashboards tab.
2. Click **New Dashboard**.
3. Name it "EventForce Operations Dashboard".
4. Click Create.
5. Click + **Widget**.
6. Choose the Upcoming Events by Month report and configure the widget: chart type **Donut**, Max Values Displayed 6, Subtitle "Upcoming Events Overview", Widget Theme Light. Click Save.



Phase 4 : Data Migration, Testing & Security

This phase prepares EventForce for release. Validated data is loaded into Salesforce, user accounts are created, and role-based access control is put in place so that every person sees only what they should.

Records for Events, Clients, Vendors, Venues and Feedback are imported with the Data Import Wizard, after pre-checks that remove duplicates and keep the data consistent. Accounts are then created for the Event Admin, Event Coordinator, Vendor Manager and Client, each with a Profile and Role that match their level of access.

Security is layered: profiles, the role hierarchy, permission sets and sharing rules work together. Organization-Wide Defaults are set to Private, and access is then opened up deliberately through rules such as Event_Sharing_For_Vendors. Testing confirms that the data is accurate, the automations behave correctly and every permission works as intended, leaving EventForce secure, reliable and ready for day-to-day use.

Milestone 14- Profile:

What is a profile?


A profile is a bundle of settings and permissions that defines what a user can do in Salesforce. It governs object permissions, field permissions, user permissions, tab settings, app settings, Apex class and Visualforce page access, page layouts, record types, login hours and login IP ranges.

One profile can be shared by many users, but each user can have only one profile at a time.

Activity 1:


Create a custom profile:

1. In Setup type "Profiles" in Quick Find and open it.
2. Click **New Profile**.



The screenshot shows the Salesforce Setup interface. In the left sidebar, the 'Profiles' link is highlighted. The main content area shows the 'Profiles' page with a table of existing profiles. The 'New Profile' button is highlighted with a red box.

Action	Profile Name	User License
Edit Clone	Analytics Cloud Integration User	Analytics Cloud Integration User
Edit Clone	Analytics Cloud Security User	Analytics Cloud Integration User
Edit Clone	Anypoint Integration	Identity



The screenshot shows the 'Clone Profile' dialog box. The 'Existing Profile' dropdown is set to 'System Administrator' and the 'Profile Name' field is 'Event Admin'. The 'Save' button is highlighted with a red box.

You must select an existing profile to clone from.

Existing Profile	System Administrator
User License	Salesforce
Profile Name	Event Admin

Save Cancel

3. For Existing Profile choose **System Administrator**.


4. Enter the Profile Name "Event Admin".
5. Click Save.

Why use System Administrator as the base? It already carries Modify All Data, Customize Application and full create/read/edit/delete access to every object. Cloning it means Event Admin starts with full access, and you can remove anything unnecessary afterwards (although an Event Admin normally keeps full access).

Activity 2:

Create a Custom profile:

1. In Setup type "Profiles" in Quick Find.
2. Click **New Profile**.
3. For Existing Profile choose **Standard Platform User**.
4. Enter the Profile Name "Event Coordinator".
5. Click Save, then click **Edit**.



SETUP Profiles

Profile: **Event Coordinator**

Users with this profile have the permissions and page layouts listed below. Administrators can change a user's profile by editing that user's personal information.

If your organization uses Record Types, use the Edit links in the Record Type Settings section below to make one or more record types available to users with this profile.

[Login IP Ranges \(0\)](#) |
 [Enabled Apex Class Access \(0\)](#) |
 [Enabled Visualforce Page Access \(0\)](#) |
 [Enabled External Data Source Access \(0\)](#) |
 [Enabled Named Credential Access \(0\)](#) |
 [Enabled External Credential Principal Access \(0\)](#) |
 [Enabled Custom Metadata Type Access \(0\)](#) |
 [Enabled Custom Setting Definitions Access \(0\)](#) |
 [Enabled Flow Access \(0\)](#) |
 [Enabled Service Presence Status Access \(0\)](#) |
 [Enabled Custom Permissions \(0\)](#)

Profile Detail Edit [Clone](#) [Delete](#) [View Users](#)

Name	Event Coordinator		
User License	Salesforce Platform	Custom Profile	☒
Description			
Created By	Sushanth Sush	9/14/2025, 11:49 PM	Modified By: Sushanth Sush, 9/14/2025, 11:49 PM

6. Set the Custom App setting so that Event Planner is the default app.



	Visible	Default		Visible	Default
Analytics Studio (standard__Insights)	☐	☐	Platform (standard__Platform)	☒	☐
App Launcher (standard__AppLauncher)	☐	☐	WDC (standard__Work)	☐	☐
Event Planner (Event_Planner)	☒	☒			

7. Scroll to Custom Object Permissions and grant the following access:
 - Event: Create, Read, Edit, Delete
 - Client: Read / Edit
 - Vendor: Read
 - Venue: Read
 - Feedback: Create / Read

Custom Object Permissions							
	Basic Access				Data Administration		
	Read	Create	Edit	Delete	View All Records	Modify All Records	View All Fields
ACME LOCATIONS	☐	☐	☐	☐	☐	☐	☐
Clients	☒	☐	☒	☐	☐	☐	☐
Events	☒	☒	☒	☒	☐	☐	☐
Event Vendors	☐	☐	☐	☐	☐	☐	☐

1. Set "Session times out after" to **2 hours of inactivity**.
2. Update the password policies as follows:
3. Set "User passwords expire in" to **Never expires**.
4. Set "Minimum password length" to **8** and click Save.

Session Settings

Session Times Out After

2 hours of inactivity

Session Security Level Required at Login

--None--

Password Policies

User passwords expire in

Never expires

Enforce password history

3 passwords remembered

Minimum password length

8

Password complexity requirement

Must include alpha and numeric characters

Password question requirement

Cannot contain password

Maximum invalid login attempts

10

Lockout effective period

15 minutes

Obscure secret answer for password resets

☐

Require a minimum 1 day password lifetime

☐

Don't immediately expire links in forgot password emails

☐

Save

Save & New

Cancel

Note: passwords that never expire and a minimum length of 8 keep this training org simple. In a production org use a stricter policy, such as regular expiry and a longer minimum length.

Activity 3:

Create a Custom profile:

1. In Setup type "Profiles" in Quick Find.
2. Click **New Profile**.
3. For Existing Profile choose **Standard Platform User**.
4. Enter the Profile Name "Vendor Manager".
5. Click Save, then click **Edit**.
6. Set Event Planner as the default Custom App.
7. Scroll to Custom Object Permissions and grant the following access:
 - Vendor: Create, Read, Edit, Delete
 - Event: Read only
 - Venue: Read only

- Client: Read only
- Feedback: Read only

Custom Object Permissions								
	Basic Access				Data Administration			
	Read	Create	Edit	Delete	View All Records	Modify All Records	View All Fields	
ACME LOCATIONS	☐	☐	☐	☐	☐	☐	☐	
Clients	☒	☐	☐	☐	☐	☐	☐	
Events	☒	☐	☐	☐	☐	☐	☐	
Event Vendors	☒	☐	☐	☐	☐	☐	☐	

1. Set "Session times out after" to **2 hours of inactivity**.
2. Update the password policies as follows:
3. Set "User passwords expire in" to **Never expires**.
4. Set "Minimum password length" to **8** and click Save.

Activity 4:

Create a Custom profile:

1. In Setup type "Profiles" in Quick Find.
2. Click **New Profile**.
3. For Existing Profile choose **Standard Platform User**.
4. Enter the Profile Name "Client Profile".
5. Click Save, then click **Edit**.
6. Set Event Planner as the default Custom App.
7. Scroll to Custom Object Permissions and grant the following access:
 - Event: Read only (their own events)
 - Feedback: Create / Read (so they can leave feedback)
 - Vendor and Venue: No access

Custom Object Permissions								
	Basic Access				Data Administration			
	Read	Create	Edit	Delete	View All Records	Modify All Records	View All Fields	
ACME LOCATIONS	☐	☐	☐	☐	☐	☐	☐	
Clients	☐	☐	☐	☐	☐	☐	☐	
Events	☒	☐	☐	☐	☐	☐	☐	
Event Vendors	☐	☐	☐	☐	☐	☐	☐	

1. Set "Session times out after" to **2 hours of inactivity**.
2. Update the password policies as follows:
3. Set "User passwords expire in" to **Never expires**.
4. Set "Minimum password length" to **8** and click Save.


Milestone 15 - Role:

Roles decide which records a user can reach and also describe the reporting hierarchy of the organisation. People higher in the hierarchy see more data and have wider control over the system.

Activity 1: Creation of Event Admin Role

Creation of role :

1. Type "Roles" in Quick Find and open the Roles option.
2. Select the Set Up Roles option.



The screenshot shows the Salesforce Setup interface with the 'Roles' option highlighted in the left sidebar. The main content area is titled 'Understanding Roles' and includes a 'Sample Role Hierarchy' section. The hierarchy is a tree structure starting with 'Executive Staff' (CEO, President, CFO, VP, Sales) at the top. Below this are three regional directors: 'Western Sales Director', 'Eastern Sales Director', and 'International Sales Director'. Each director has associated sales representatives (e.g., 'CA Sales Rep', 'NY Sales Rep', 'Asian Sales Rep'). To the right of the hierarchy, there are three text boxes explaining the permissions for each level: Executive Staff can view/edit data and roll up forecasts for all users below; Directors can view/edit data and roll up forecasts for all users directly below; Sales Reps can view/edit data and roll up forecasts only for their own data. At the bottom right, there is a 'Set Up Roles' button and a checkbox for 'Don't show this page again'.

3. Click **Expand All**, then click **Add Role** beneath CEO.

SETUP Roles

Creating the Role Hierarchy

You can build on the existing role hierarchy shown on this page. To insert a new role, click **Add Role**.

Your Organization's Role Hierarchy

[Collapse All](#) [Expand All](#)

- Salesforce
 - Add Role
 - CEO [Edit](#) | [Del](#) | [Assign](#)
 - Add Role**
 - CFO [Edit](#) | [Del](#) | [Assign](#)
 - Add Role
 - COO [Edit](#) | [Del](#) | [Assign](#)
 - Add Role
 - SVP, Customer Service & Support [Edit](#) | [Del](#) | [Assign](#)
 - Add Role
 - Customer Support, International [Edit](#) | [Del](#) | [Assign](#)
 - Add Role
 - Customer Support, North America [Edit](#) | [Del](#) | [Assign](#)
 - Add Role
 - Installation & Repair Services [Edit](#) | [Del](#) | [Assign](#)
 - Add Role
 - SVP, Human Resources [Edit](#) | [Del](#) | [Assign](#)
 - Add Role
 - SVP, Sales & Marketing [Edit](#) | [Del](#) | [Assign](#)
 - Add Role
 - VP, International Sales [Edit](#) | [Del](#) | [Assign](#)

- Enter "Event Admin" as the label; the role name is filled in for you. Click Save.

SETUP Roles

Role Edit

New Role

Role Edit

Label

Role Name [i](#)

This role reports to [i](#)

Role Name as displayed on reports

[Save](#) [Save & New](#) [Cancel](#)

Activity 2: Creating other Role Under Event Admin Role

- Create another role named "Event Coordinator".
- Under Event Admin click **Add Role**, type "Event Coordinator" as the label (the role name fills in by itself) and click Save.
- Follow the same steps as in the previous activity.

Activity 3: Creating other Role Under Event Admin Role

1. Create another role named "Vendor Manager".
2. Under Event Admin click **Add Role**, type "Vendor Manager" as the label (the role name fills in by itself) and click Save.
3. Follow the same steps as in the previous activity.

Activity 4: Creating other Role Under Event Admin Role

1. Create another role named "Client".
2. Under Event Admin click **Add Role**, type "Client" as the label (the role name fills in by itself) and click Save.
3. Follow the same steps as in the previous activity.

Milestone 16 -User:


What is a user?

A user is anyone who signs in to Salesforce, typically employees such as sales reps, managers and IT specialists who need to work with company records. Each user has an account, and the account settings decide which features and records that person can reach.

NOTE: a Developer Edition org includes only two Salesforce licenses. If no Salesforce license is available, deactivate a user who holds one or switch that user to another license type.

Activity 1: To Create a User :

1. In Setup type "Users" in Quick Find and open Users.
2. Click **New User**.




The screenshot shows the Salesforce Setup interface for the 'Users' section. The left sidebar contains a 'Users' link, which is highlighted with a red box. The main content area displays the 'All Users' table, which lists existing users. The 'New User' button is located at the top right of the table and is also highlighted with a red box. The table contains the following data:

Action	Full Name	Alias	Username	Role	Active	Profile
☐ Edit	Chatter Expert	Chatter	chatter.00d9k000006mwtuau.uwve0uvge5a@chatter.salesforce.com		✓	Chatter Free User
☐ Edit	EPIC_OrgFarm	QEPIC	epic.5988c21a1157@orgfarm.salesforce.com		✓	System Administrator
☐ Edit	Sush_Sushanth	sus	sushanth2805652@agentforce.com		✓	System Administrator
☐ Edit	User_Integration	integ	integration@00d9k000006mwtuau.com		✓	Analytics Cloud Integration User
☐ Edit	User_Security	sec	insightssecurity@00d9k000006mwtuau.com		✓	Analytics Cloud Security User

3. Fill in the form:
 - First Name: Sizzler

- Last Name: Jaligam
- Alias: choose any short alias
- Email: your personal email address
- Username: must look like an email (text@text.text) and be unique across Salesforce
- Nickname: choose any nickname
- Role: Event Admin
- User License: Salesforce
- Profile: Event Admin

1. Click Save.



SETUP Users

New User [Help for this Page](#)

User Edit [Save](#) [Save & New](#) [Cancel](#)

General Information * Required Information

First Name	Sizzler	Role	None Specified
Last Name	Jaligam	User License	Salesforce
Alias	sjali	Profile	Event Admin
Email	sushanthj2805@gmail.com	Active	☒
Username	sizzler.admin@eventplanne	Marketing User	☐
Nickname	Sizzu	Offline User	☐
Title		Knowledge User	☐
Company		Flow User	☐
Department		Service Cloud User	☐
Division		Site.com Contributor User	☐
		Site.com Publisher User	☐
		WDC User	☐
		Data.com User Type	None
		Data.com Monthly Addition Limit	Default Limit (300)
		Accessibility Mode (Classic Only)	☐
		High-Contrast Palette on Charts	☐

Activity 2: Creating Other Users

Repeat the same steps for the remaining users, using these settings:


- Role: Event Coordinator, Vendor Manager and Client (one user for each)
- User License: Salesforce Platform
- Profile: Event Coordinator, Vendor Manager and Client Profile to match the role

Milestone 17 : Permission Set

A permission set is a collection of settings and permissions that adds access to tools, features and objects without changing the user's profile.

Activity 1: Creating New Permission Set

1. In Setup type "Permission Set" in Quick Find, open it and click **New**.
2. Use "Feedback Manager" as the Label.
3. Click Save.



The screenshot shows the Salesforce Setup interface. In the left sidebar, the 'Setup' menu is open, and 'Permission Sets' is highlighted under the 'Users' section. The main content area displays the 'Create' form for a new Permission Set. The form has a title bar with 'SETUP' and 'Permission Sets'. Below the title bar, there's a 'Create' button and a 'Help for this Page' link. The form is divided into two main sections: 'Enter permission set information' and 'Select the type of users who will use this permission set'. In the 'Enter permission set information' section, the 'Label' field is filled with 'Feedback Manager' and the 'API Name' field is filled with 'Feedback_Manager'. The 'Description' field is empty. There is a 'Session Activation Required' checkbox which is unchecked. In the 'Select the type of users who will use this permission set' section, there's a question 'Who will use this permission set?' followed by three bullet points: '-Choose --None-- if you plan to assign this permission set to multiple users with different user and permission set licenses.', '-Choose a specific user license if you want users with only one license type to use this permission set.', and '-Choose a specific permission set license if you want this permission set license auto-assigned with the permission set.' Below this, there's a dropdown menu for 'License' which is currently set to '--None--'. At the bottom of the form, there are 'Save' and 'Cancel' buttons.

4. Add the extra permissions for the Feedback Manager set: open **Object Settings**.
5. Search for the Feedback object and open it.
6. Click Edit and go to Object Permissions.
7. Enable Read, Create, Edit and Delete.
8. Click Save.

SETUP
Permission Sets

Permission Set
Feedback Manager

Find Settings... | Clone Delete Edit Properties Manage Assignments View Summary

Permission Set Overview > Object Settings ▾ **Feedbacks** ▾

Feedbacks Save Cancel

Tab Settings

Available	Visible
☐	☐ ⓘ

Object Permissions

Permission Name	Enabled
Read	☒
Create	☒
Edit	☒
Delete	☒
View All Records	☐
Modify All Records	☐
View All Fields	☐

9. Click **Manage Assignments**.

SETUP
Permission Sets

Permission Set
Feedback Manager

Find Settings... | Clone Delete Edit Properties **Manage Assignments** View Summary

10. Click **Add Assignment**.

... > SETUP > PERMISSION SET 'FEEDBACK MANAGER'
Feedback Manager

Current Assignments ✎ 🗑 Add Assignment

11. Select the user who holds the Event Coordinator role.

12. Click Next and then Assign.

... > PERMISSION SET 'FEEDBACK MANAGER' > MANAGE ASSIGNMENT EXPIRATION

Feedback Manager

Select Users to Assign

All Users

1 item selected

Search this list...

	Full Name ↑	Alias	Username	Role	Active	Profile
☐	Ananya Pandey	apand	ananya.client@eventplanner.com	Client	☒	Client Profile
☐	Chatter Expert	Chatter	chatty.00dggk000006nwjfuau.uwve0uvghessa@chatter.salesforce.com		☒	Chatter Free User
☐	Integration User	integ	integration@00dggk000006nwjfuau.com		☒	Analytics Cloud Integration User
☒	Michael Jackson	mjack	michael.coordinator@eventplanner.com	Event Coordinator	☒	Event Coordinator
☐	OrgFarm EPIC	OEPIK	epic.5988c21a1157@orgfarm.salesforce.com		☒	System Administrator

Cancel
Next

Milestone 18 : Sharing Settings

Sharing settings control how records are opened up to other users, which is essential for protecting data and privacy. Salesforce provides several mechanisms for this, beginning with Organization-Wide Defaults.

Organization-Wide Default (OWD) Settings:


The OWD is the baseline level of access every user gets to an object's records. Other tools (role hierarchy, sharing rules, manual sharing and Apex sharing) can then widen that baseline, but never narrow it. The options are:

1. **Private** – only the record owner and people above them in the role hierarchy can see or edit the record; other users cannot see it by default.
2. **Public Read Only** – everyone can view the record, but only the owner and those above them in the hierarchy can change it.
3. **Public Read/Write** – everyone can view and edit every record regardless of owner, which suits open collaboration.
4. **Controlled by Parent** – used for child records (for example tasks under an account); access follows whatever the parent record allows.

Setting the OWD correctly lets administrators give the right people the right data while keeping sensitive information protected.

Activity 1: Configure OWD


1. Go to Setup → Sharing Settings and click Edit.



The screenshot shows the Salesforce Setup interface. In the left sidebar, under the 'Security' section, 'Sharing Settings' is highlighted with a red box. The main content area is titled 'Sharing Settings'. Below the title, there is a section for 'Default Sharing Settings' with a table of 'Organization-Wide Defaults'. The 'Edit' button for this section is highlighted with a red box. The table lists various objects and their default internal and external access levels.

Object	Default Internal Access	Default External Access	Grant Access Using Hierarchies
Lead	Public Read/Write/Transfer	Private	✓
Account and Contract	Public Read/Write	Private	✓
Contact	Controlled by Parent	Controlled by Parent	✓
Order	Controlled by Parent	Controlled by Parent	✓
Asset	Controlled by Parent	Controlled by Parent	✓
Opportunity	Public Read/Write	Private	✓
Case	Public Read/Write/Transfer	Private	✓
Campaign	Public Full Access	Private	✓
Campaign Member	Controlled by Campaign	Controlled by Campaign	✓
User	Public Read Only	Private	✓
Activity	Private	Private	✓

2. In Organization-Wide Defaults find the **Event** object.
3. Click Edit, set Default Internal Access to **Private** and Default External Access to **Private**.
4. Click Save.



The screenshot shows the 'Sharing Settings' page with the 'Event' object selected in the list. The 'Default Internal Access' and 'Default External Access' for the 'Event' object are both set to 'Private', which is highlighted with a red box. The 'Save' button at the bottom is also highlighted with a red box.

Object	Default Internal Access	Default External Access	Grant Access Using Hierarchies
Tableau Host Mapping	Public Read Only	Private	✓
User Presence	Public Read Only	Private	✓
Waitlist	Private	Private	✓
Web Cart Document	Private	Private	✓
Work Order	Private	Private	✓
Work Plan	Private	Private	✓
Work Plan Template	Private	Private	✓
Work Step Template	Private	Private	✓
Work Type	Private	Private	✓
Work Type Group	Public Read/Write	Private	✓
ACME LOCATION	Public Read/Write	Private	✓
Client	Public Read/Write	Private	✓
Event	Private	Private	✓
Feedback	Public Read/Write	Private	✓
Vendor	Public Read/Write	Private	✓
Venue	Public Read/Write	Private	✓

Other Settings

Standard Report Visibility ☒ Manual User Record Sharing ☐ Manager Groups ☐ Secure guest user record access ☐ Require permission to view record names in lookup fields ☐

Save **Cancel**

Sharing Rules:

What are Sharing Rules?

Sharing rules extend access to records based on conditions. They are meant for objects whose OWD is Private or Public Read Only, because a sharing rule can only widen access and can never restrict it.


Types of sharing rules:

- Owner-based sharing rules
- Criteria-based sharing rules

Activity 1:

Create a sharing rule:

1. Search for Sharing Settings in Quick Find and open it.
2. Scroll to the Event object's sharing rules section and click **New**.



3. Use the label "Event_Sharing_For_Vendors"; the rule name fills in automatically.
4. In step 3, "Select which records to be shared", choose members of **Roles** → **Event Coordinator**.
5. In step 4, "Share with", choose **Roles** → **Vendor Manager**.
6. In step 5 set the access level to **Read Only**.
7. Click Save.


SETUP
Sharing Settings

Note: "Roles and subordinates" includes all users in a role, and the roles below that role.

You can use sharing rules only to grant wider access to data, not to restrict access.

Step 1: Rule Name

Label
Rule Name ⓘ
Description

Step 2: Select your rule type

Rule Type ☒ Based on record owner ☐ Based on criteria

Step 3: Select which records to be shared

Event: owned by members of

Step 4: Select the users to share with

Share with

Step 5: Select the level of access for the users

Access Level

Phase 5 : Deployment, Documentation & Maintenance

Deployment :

- Every configuration, customisation and automation in the EventForce project was built and tested inside a Salesforce Developer Edition org.
- The aim of this phase is to show how a finished Salesforce CRM solution is made ready for release after configuration, testing and security setup are complete.
- A genuine production deployment is not carried out in this exercise, because Developer Edition orgs are standalone and have no connection to production instances.
- Real releases rely on sandboxes, change sets or DevOps tooling such as Salesforce DX and GitHub-based CI/CD pipelines, which belong to enterprise implementations.
- The phase therefore simulates deployment: it checks that all metadata (objects, fields, flows, Apex and dashboards) is properly organised, version-controlled and ready to migrate whenever needed.

Maintenance, Monitoring & Troubleshooting :

Maintenance keeps event, client, vendor and feedback data accurate and current. Regularly watching flows, Apex jobs and approval processes makes it possible to spot failed automations early.

Troubleshooting typically involves:

- Fixing user-access errors and permission conflicts.

- Debugging Apex triggers and flow logic.
- Adjusting validation rules or sharing settings as business needs change.

Although the project lives in a Developer Org for academic purposes, these habits mirror real CRM administration and support long-term stability, scalability and trust in the Salesforce platform.

Project Documentation :

Project documentation is the full record of the EventForce Management System: its purpose, data model, configuration, automation and testing. It shows that business requirements were mapped correctly to Salesforce features and supports future growth, training and maintenance.

The documentation covers:

- Business overview and objectives
- Phase-wise implementation (Requirement → Development → UI → Testing → Security)
- Data model and ER diagram
- Automation components: flows, the approval process, validation rules and Apex logic
- Security model: profiles, roles, permission sets and sharing rules
- Testing results and sample screenshots of every Salesforce feature used

Good documentation is a blueprint for later developers and administrators; it keeps work consistent and makes knowledge transfer smooth.

Guidelines for EventForce Salesforce Documentation Submission :

General Instructions:

1. Submit the document in a professional format, either Word or PDF.
2. Use clear headings and bullet points so it is easy to read.
3. Keep formatting consistent (for example Times New Roman, 12 pt).
4. Check grammar and alignment, and make sure the work is your own, with no plagiarism.

Mandatory Sections to Include:

1. **Project Overview:** a short summary of the EventForce CRM and why it exists.
2. **Objectives:** the main goals and the business value expected.
3. **Phase 1–4 Details:** requirement analysis, backend development, UI customisation, data migration and security.
4. **Phase 5:** the deployment strategy, maintenance approach and a documentation summary.
5. **Conclusion:** what the project taught you and what it achieved.
6. Screenshots of objects, flows, validation rules, approval processes and reports.

Guidelines for EventForce Salesforce Project Demo Video:

1. **Introduction** – say who you are, the project title and what it is for.
2. **App Overview** – open the custom app from the App Launcher and show the key objects.
3. **UI Demonstration** – create a record, trigger a validation rule and move around the app.
4. **Automation Showcase** – show the flows, the approval process and the Apex logic at work.
5. **Security Setup** – explain profiles, roles, permission sets and sharing rules.
6. **Reports & Dashboards** – present the insights and analytics.
7. **Debugging & Fixes** – describe how you found and solved problems.
8. **Conclusion** – recap the outcomes and what you learned.

Pro Tips:

- Speak in your own voice and keep the video between 5 and 10 minutes.
- Record in HD with a clear screen and little background noise.
- Follow a logical order: Introduction → UI → Automation → Security → Reports → Summary.
- Spotlight the standout automations, such as the 3-Day Reminder Flow and the Approval Process.

Conclusion:

The EventForce Management System shows how Salesforce can simplify and automate event planning through custom objects, automation and analytics.

Even though it was built in a Developer Org for academic purposes, the project reflects real CRM implementation practice: a sound data model, dependable automation logic and a thoughtful user experience.

This final phase completes the project lifecycle, leaving a system that is tested, documented and ready for enterprise-level deployment and maintenance.

Thank You!!