Cucumber Report

| Start : May 09, 3:33:28.995 pm	End : May 09, 3:42:29.083 pm	Duration : 9 m 0.088 s
Features	Scenarios	Steps
PASSED - 2 FAILED - 1 SKIPPED - 0	PASSED - 5 FAILED - 2 SKIPPED - 0	PASSED - 22 FAILED - 2 SKIPPED - 5

3

7

29

Pass %

66 %

Pass %

71 %

Pass %

75 %

#	Feature Name	T	P	F	S	Duration
1	Account page feature	3	3	0	0	1 m 39.965 s
2	Home page Feature	1	1	0	0	42.268 s
3	Login Page feature	3	1	2	0	6 m 37.830 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Account page feature	account page title	4	4	0	0	41.005 s
2	Account page feature	cart button functionalty	4	4	0	0	30.685 s
3	Account page feature	Account Menu count	4	4	0	0	28.234 s
4	Home page Feature	verify user Profile	6	6	0	0	42.268 s
5	Login Page feature	login page title	3	3	0	0	15.654 s
6	Login Page feature	forgot password link	2	1	1	0	19.232 s
7	Login Page feature	Login with correct credentials	6	0	1	5	6 m 2.904 s

Account page feature

PASSED	DURATION - 1 m 39.965 s		Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0	3	Steps Total - 12 Pass - 12 Fail - 0 Skip - 0	12
/ 3:33:28.995 pm // 3:35:08.960 pm /					

account page title

PASSED	DURATION - 41.005 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	4
/ 3:33:29.000 pm // 3:34:10.005 pm /				
Account page feature				

#	Step / Hook Details	Status	Duration
1	Given user has already logged in to application	PASSED	36.244 s
	username · password poojashilimkar14@gmail.com · Shambhu		
2	Given user is on account page	PASSED	0.017 s
3	When user gets the title of the page	PASSED	0.012 s
4	Then page title Should be "My account - My Store"	PASSED	0.007 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) _a_c_c_o_u_n_t__p_a_g_e__t_i_t_l_e_	PASSED	0.746 s

cart button functionalty

PASSED	DURATION - 30.685 s
/ 3:34:10.029 pm // 3:34:40.714 pm /	
Account page feature	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user has already logged in to application	PASSED	27.467 s
	username / password poojashilimkar14@gmail.com / Shambhu		
2	Given user is on account page	PASSED	0.012 s
3	When user click on cart button	PASSED	0.036 s
4	Then user gets the title of the page	PASSED	0.012 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.457 s
	_c_a_r_t__b_u_t_t_o_n__f_u_n_c_t_i_o_n_a_l_t_y_		

Account Menu count

PASSED	DURATION - 28.234 s
/ 3:34:40.726 pm // 3:35:08.960 pm /	
Account page feature	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user has already logged in to application	PASSED	24.749 s
	username / password		

#	Step / Hook Details	Status	Duration
	poojashilimkar14@gmail.com Shambhu		
2	Given user is on account page	PASSED	0.012 s
3	Then user gets account section	PASSED	0.234 s
	ORDER HISTORY AND DETAILS MY CREDIT SLIPS MY ADDRESSES MY PERSONAL INFORMATION MY WISHLISTS		
4	And acounts section count should be 5	PASSED	0.021 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) _A_c_c_o_u_n_t__M_e_n_u__c_o_u_n_t_	PASSED	0.427 s

Home page Feature

PASSED	DURATION - 42.268 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	6
/ 3:35:08.974 pm // 3:35:51.242 pm /					

verify user Profile

PASSED	DURATION - 42.268 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	6
/ 3:35:08.974 pm // 3:35:51.242 pm /				
Home page Feature				

#	Step / Hook Details	Status	Duration
1	Given user has already logged in to application 	username	password
poojashilimkar14@gmail.com	Shambhu		PASSED	25.094 s
2	Given user is on account page	PASSED	0.008 s
3	When user click on home button	PASSED	13.047 s
4	Then user gets the title of the page	PASSED	0.008 s
5	And page title Should be "My Store"	PASSED	0.000 s
6	And user name should dispalayed on the page as "Pooja"	PASSED	0.085 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) _ v e r i f y _ _ u s e r _ _ P r o f i l e _ 	PASSED	1.448 s

Login Page feature

FAILED	DURATION - 6 m 37.830 s	Scenarios Total - 3 Pass - 1 Fail - 2 Skip - 0		Steps Total - 11 Pass - 4 Fail - 2 Skip - 5	
/ 3:35:51.253 pm // 3:42:29.083 pm /					

login page title

PASSED	DURATION - 15.654 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:35:51.253 pm // 3:36:06.907 pm /				
Login Page feature				

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	12.634 s
2	When user gets the title of the page	PASSED	0.016 s
3	Then page title Should be "Login - My Store"	PASSED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.428 s
	_l_o_g_i_n__p_a_g_e__t_i_t_l_e_		

forgot password link

FAILED	DURATION - 19.232 s		Steps
/ 3:36:06.915 pm // 3:36:26.147 pm /			Total - 2
			Pass - 1
Login Page feature			Fail - 1
			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	16.075 s
2	Then forgot password link should be displayed	FAILED	0.071 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Forgot your password?11"} (Session info: chrome=101.0.4951.54) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'IN-IT8366', ip: '192.168.0.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fa46c728ab00ef1cb31a995ecd07833a, findElement {using=link text, value=Forgot your password?11}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 101.0.4951.54, chrome: {chromedriverVersion: 100.0.4896.60 (6a5d10861ce8..., userDataDir: C:\Users\POOJA~1.SHI\AppDat...}, goog:chromeOptions: {debuggerAddress: localhost:53172}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53172/devtoo..., se:cdpVersion: 101.0.4951.54, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: fa46c728ab00ef1cb31a995ecd07833a
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at com.pages.LoginPage.isForgotPasswordLinkExist(LoginPage.java:23) at com.stepdefination.LoginPageSteps.forgot_password_link_should_be_displayed(LoginPageSteps.java:40) at ?.forgot password link should be displayed(file:///C:/Users/pooja.shilimkar/eclipse-workspace/CucumberPractice/src/test/resources/AppFeature/loginpage.feature:10) * Not displayable characters are replaced by '?'.		
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.421 s
	_f_o_r_g_o_t__p_a_s_s_w_o_r_d__l_i_n_k_		

Login with correct credentials

FAILED	DURATION - 6 m 2.904 s		Steps	
/ 3:36:26.179 pm // 3:42:29.083 pm /			Total - 6	
Login Page feature			Pass - 0 Fail - 1 Skip - 5	

#	Step / Hook Details	Status	Duration
1	Given user is on login page	FAILED	3 m 0.022 s
	org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'IN-IT8366', ip: '192.168.0.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.		

#	Step / Hook Details	Status	Duration

	selenium.chrome.ChromeDriver Command: [bbf34cbdbef3ee09a133ea75d1b09ab5, get {url=http://automationpractice.com/index. php?controller=authentication&back=my-account}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 101.0.4951.54, chrome: {chromedriverVersion: 100.0.4896.60 (6a5d10861ce8..., userDataDir: C:\Users\POOJA~1.SHI\AppDat...}, goog:chromeOptions: {debuggerAddress: localhost:53215}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53215/devtoo..., se:cdpVersion: 101.0.4951.54, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: bbf34cbdbef3ee09a133ea75d1b09ab5
	  at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:72)
	  at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$6(RetryRequest.java:83)
	  at net.jodah.failsafe.Functions.lambdaget0(Functions.java:48)
	  at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)
	  at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)
	  at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)
	  at net.jodah.failsafe.Execution.executeSync(Execution.java:128)
	  at net.jodah.failsafe.FailsafeExecutor.call(FailsafeExecutor.java:379)
	  at net.jodah.failsafe.FailsafeExecutor.get(FailsafeExecutor.java:68)
	  at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$7(RetryRequest.java:83)
	  at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)
	  at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56)
	  at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:51)
	  at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$6(RetryRequest.java:83)
	  at net.jodah.failsafe.Functions.lambdaget0(Functions.java:48)
	  at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)
	  at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)
	  at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)
	  at net.jodah.failsafe.Execution.executeSync(Execution.java:128)
	  at net.jodah.failsafe.FailsafeExecutor.call(FailsafeExecutor.java:379)
	  at net.jodah.failsafe.FailsafeExecutor.get(FailsafeExecutor.java:68)
	  at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$7(RetryRequest.java:83)
	  at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)
	  at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56)
	  at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:110)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:312)
	  at com.stepdefination.LoginPageSteps.user_is_on_login_page(LoginPageSteps.java:22)
	  at ?.user is on login page(file:///C:/Users/pooja.shilimkar/eclipse-workspace/CucumberPractice/src/test/resources/AppFeature/loginpage. feature:13)
	Caused by: java.util.concurrent.TimeoutException
	  at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:1960)		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2095)		
	at org.asynchttpclient.netty.NettyResponseFuture.get(NettyResponseFuture.java:206)		
	at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:66)		
	at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$6(RetryRequest.java:83)		
	at net.jodah.failsafe.Functions.lambdaget0(Functions.java:48)		
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.Execution.executeSync(Execution.java:128)		
	at net.jodah.failsafe.FailsafeExecutor.call(FailsafeExecutor.java:379)		
	at net.jodah.failsafe.FailsafeExecutor.get(FailsafeExecutor.java:68)		
	at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$7(RetryRequest.java:83)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56)		
	at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:51)		
	at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$6(RetryRequest.java:83)		
	at net.jodah.failsafe.Functions.lambdaget0(Functions.java:48)		
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.Execution.executeSync(Execution.java:128)		
	at net.jodah.failsafe.FailsafeExecutor.call(FailsafeExecutor.java:379)		
	at net.jodah.failsafe.FailsafeExecutor.get(FailsafeExecutor.java:68)		
	at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$7(RetryRequest.java:83)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56)		
	at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:110)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:312)		
	at com.stepdefination.LoginPageSteps.user_is_on_login_page(LoginPageSteps.java:22)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber$RunBeforeAllHooks.evaluate(Cucumber.java:266)		
	at io.cucumber.junit.Cucumber$RunAfterAllHooks.evaluate(Cucumber.java:281)		
	at io.cucumber.junit.Cucumber$StartTestRun.evaluate(Cucumber.java:233)		
	at io.cucumber.junit.Cucumber$FinishTestRun.evaluate(Cucumber.java:248)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
* Not displayable characters are replaced by '?'.			

#	Step / Hook Details	Status	Duration
2	When user enters username "poojashilimkar14@gmail.com"	SKIPPED	0.002 s
3	And user enters password "Shambhu"	SKIPPED	0.000 s
4	And user clicks on login button	SKIPPED	0.001 s
5	Then user gets the title of the page	SKIPPED	0.000 s
6	And page title Should be "My account - My Store"	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	3 m 0.011 s

	org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'IN-IT8366', ip: '192.168.0.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [bbf34cbdbef3ee09a133ea75d1b09ab5, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 101.0.4951.54, chrome: {chromedriverVersion: 100.0.4896.60 (6a5d10861ce8..., userDataDir: C:\Users\POOJA~1.SHI\AppDat...}, goog:chromeOptions: {debuggerAddress: localhost:53215}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53215/devtoo..., se:cdpVersion: 101.0.4951.54, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: bbf34cbdbef3ee09a133ea75d1b09ab5
	  at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:72)
	  at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$6(RetryRequest.java:83)
	  at net.jodah.failsafe.Functions.lambdaget0(Functions.java:48)
	  at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)
	  at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)
	  at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)
	  at net.jodah.failsafe.Execution.executeSync(Execution.java:128)
	  at net.jodah.failsafe.FailsafeExecutor.call(FailsafeExecutor.java:379)
	  at net.jodah.failsafe.FailsafeExecutor.get(FailsafeExecutor.java:68)
	  at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$7(RetryRequest.java:83)
	  at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)
	  at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56)
	  at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:51)
	  at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$6(RetryRequest.java:83)
	  at net.jodah.failsafe.Functions.lambdaget0(Functions.java:48)
	  at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)
	  at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)
	  at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)
	  at net.jodah.failsafe.Execution.executeSync(Execution.java:128)
	  at net.jodah.failsafe.FailsafeExecutor.call(FailsafeExecutor.java:379)
	  at net.jodah.failsafe.FailsafeExecutor.get(FailsafeExecutor.java:68)
	  at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$7(RetryRequest.java:83)
	  at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)
	  at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56)
	  at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:110)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:333)		
	at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:42)		
	Caused by: java.util.concurrent.TimeoutException		
	at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:1960)		
	at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2095)		
	at org.asynchttpclient.netty.NettyResponseFuture.get(NettyResponseFuture.java:206)		
	at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:66)		
	at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$6(RetryRequest.java:83)		
	at net.jodah.failsafe.Functions.lambdaget0(Functions.java:48)		
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.Execution.executeSync(Execution.java:128)		
	at net.jodah.failsafe.FailsafeExecutor.call(FailsafeExecutor.java:379)		
	at net.jodah.failsafe.FailsafeExecutor.get(FailsafeExecutor.java:68)		
	at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$7(RetryRequest.java:83)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56)		
	at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:51)		
	at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$6(RetryRequest.java:83)		
	at net.jodah.failsafe.Functions.lambdaget0(Functions.java:48)		
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.Execution.executeSync(Execution.java:128)		
	at net.jodah.failsafe.FailsafeExecutor.call(FailsafeExecutor.java:379)		
	at net.jodah.failsafe.FailsafeExecutor.get(FailsafeExecutor.java:68)		
	at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$7(RetryRequest.java:83)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56)		
	at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:110)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:333)		

#	Step / Hook Details	Status	Duration
	at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:42)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:90)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber$RunBeforeAllHooks.evaluate(Cucumber.java:266)		
	at io.cucumber.junit.Cucumber$RunAfterAllHooks.evaluate(Cucumber.java:281)		
	at io.cucumber.junit.Cucumber$StartTestRun.evaluate(Cucumber.java:233)		
	at io.cucumber.junit.Cucumber$FinishTestRun.evaluate(Cucumber.java:248)		

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		