


QUERY PROCESSING FOR DATA SCIENCE

INTRODUCTION TO PYTHON

DATATYPES

1.DATATYPE(STR)




The screenshot shows a Python IDE interface. At the top, there is a toolbar with icons for home, menu, save, and a 'Run' button. To the right of the toolbar, it says 'Result Size: 361 x 575' and 'Get your server'. The main area is split into two panes. The left pane contains the following code:

```
x = "Pooja"
print(x)
print(type(x))
```

The right pane shows the output of the code:

```
Pooja
<class 'str'>
```

2.DATATYPE(INT)




The screenshot shows a Python IDE interface. At the top, there is a toolbar with icons for home, menu, save, and a 'Run' button. To the right of the toolbar, it says 'Result Size: 361 x 575' and 'Get your server'. The main area is split into two panes. The left pane contains the following code:

```
x = 9000
print(x)
print(type(x))
```

The right pane shows the output of the code:

```
9000
<class 'int'>
```

3.DATATYPE(FLOAT)



The screenshot shows a Python IDE interface. At the top, there is a toolbar with icons for home, menu, save, and a 'Run' button. To the right of the toolbar, it says 'Result Size: 361 x 575' and 'Get your server'. The main area is split into two panes. The left pane contains the following code:

```
x = 20.5
print(x)
print(type(x))
```

The right pane shows the output of the code:

```
20.5
<class 'float'>
```

4.DATATYPE(COMPLEX)




The screenshot shows a Python IDE interface. On the left, a code editor contains the following code: `x = 1j`, `print(x)`, and `print(type(x))`. On the right, a terminal window displays the output: `1j` and `<class 'complex'>`. The IDE's top bar includes a 'Run' button and a 'Get your server' button. The status bar indicates 'Result Size: 361 x 575'.

```
x = 1j
print(x)
print(type(x))
```

```
1j
<class 'complex'>
```

5.DATATYPE(LIST)




The screenshot shows a Python IDE interface. On the left, a code editor contains the following code: `x = ["apple", "banana", "cherry"]`, `print(x)`, and `print(type(x))`. On the right, a terminal window displays the output: `['apple', 'banana', 'cherry']` and `<class 'list'>`. The IDE's top bar includes a 'Run' button and a 'Get your server' button. The status bar indicates 'Result Size: 361 x 575'.

```
x = ["apple", "banana", "cherry"]
print(x)
print(type(x))
```

```
['apple', 'banana', 'cherry']
<class 'list'>
```

6.DATATYPES(TUPLE)




The screenshot shows a Python IDE interface. On the left, a code editor contains the following code: `x = ("apple", "banana", "cherry")`, `print(x)`, and `print(type(x))`. On the right, a terminal window displays the output: `('apple', 'banana', 'cherry')` and `<class 'tuple'>`. The IDE's top bar includes a 'Run' button and a 'Get your server' button. The status bar indicates 'Result Size: 361 x 575'.

```
x = ("apple", "banana", "cherry")
print(x)
print(type(x))
```

```
('apple', 'banana', 'cherry')
<class 'tuple'>
```

7.DATATYPES(RANGE)




The screenshot shows a Python IDE interface. On the left, a code editor contains the following code: `x = range(10)`, `print(x)`, and `print(list(x))`. On the right, a terminal window displays the output: `range(0, 10)` and `[0, 1, 2, 3, 4, 5, 6, 7, 8, 9]`. The IDE's top bar includes a 'Run' button and a 'Get your server' button. The status bar indicates 'Result Size: 361 x 575'.

```
x = range(10)
print(x)
print(list(x))
```

```
range(0, 10)
[0, 1, 2, 3, 4, 5, 6, 7, 8, 9]
```

8.DATATYPE(DICT)



The screenshot shows a Python IDE interface. On the left, the code editor contains the following code:


```
x = {"name" : "POOJA", "age" : 20}  
print(x)  
print(type(x))
```

On the right, the output console displays the result of running the code:

```
{'name': 'POOJA', 'age': 20}  
<class 'dict'>
```

The interface includes a top bar with icons for home, menu, search, and a 'Run' button. The output console also shows 'Result Size: 361 x 575' and a 'Get your server' button.

9.DATATYPE(SET)



The screenshot shows a Python IDE interface. On the left, the code editor contains the following code:


```
x = {"apple", "banana", "cherry"}  
print(x)  
print(type(x))
```

On the right, the output console displays the result of running the code:

```
{'banana', 'cherry', 'apple'}  
<class 'set'>
```

The interface includes a top bar with icons for home, menu, search, and a 'Run' button. The output console also shows 'Result Size: 361 x 575' and a 'Get your server' button.

10.DATATYPE(FROZENSET)



The screenshot shows a Python IDE interface. On the left, the code editor contains the following code:


```
x = frozenset({"apple", "banana",  
"cherry"})  
print(x)  
print(type(x))
```

On the right, the output console displays the result of running the code:

```
frozenset({'apple', 'cherry', 'banana'})  
<class 'frozenset'>
```

The interface includes a top bar with icons for home, menu, search, and a 'Run' button. The output console also shows 'Result Size: 361 x 575' and a 'Get your server' button.

11.DATATYPE(BOOL)



The screenshot shows a Python IDE interface. On the left, the code editor contains the following code:


```
x = True  
print(x)  
print(type(x))
```

On the right, the output console displays the result of running the code:

```
True  
<class 'bool'>
```

The interface includes a top bar with icons for home, menu, search, and a 'Run' button. The output console also shows 'Result Size: 361 x 575' and a 'Get your server' button.

12.DATATYPE(BYTES)



The screenshot shows a code editor with a toolbar at the top containing icons for home, menu, undo, redo, and a 'Run' button. The code in the editor is:


```
x = b"Hello"
print(x)
print(type(x))
```

The output on the right is:

```
b'Hello'
<class 'bytes'>
```

At the top right, it says 'Result Size: 361 x 575' and 'Get your server'.

13.DATATYPE(BYTEARRAY)



The screenshot shows a code editor with a toolbar at the top containing icons for home, menu, undo, redo, and a 'Run' button. The code in the editor is:


```
x = bytearray(5)
print(x)
print(type(x))
```

The output on the right is:

```
bytearray(b'\x00\x00\x00\x00\x00')
<class 'bytearray'>
```

At the top right, it says 'Result Size: 361 x 575' and 'Get your server'.

14.DATATYPE(MEMORYVIEW)



The screenshot shows a code editor with a toolbar at the top containing icons for home, menu, undo, redo, and a 'Run' button. The code in the editor is:


```
x = memoryview(bytes(5))
print(x)
print(type(x))
```

The output on the right is:

```
<memory at 0x013D8FA0>
<class 'memoryview'>
```

At the top right, it says 'Result Size: 361 x 575' and 'Get your server'.

15.DATATYPE(NONETYPE)



The screenshot shows a code editor with a toolbar at the top containing icons for home, menu, undo, redo, and a 'Run' button. The code in the editor is:

```
x = None
print(x)
print(type(x))
```

The output on the right is:

```
None
<class 'NoneType'>
```

At the top right, it says 'Result Size: 361 x 575' and 'Get your server'.