
The TCS Global Coding Contest



05 Hr **57** Min **15** Sec

Guidelines

Coding Area

Editor | Compile & Run History

Submissions

Feedback Form

Graphs

Coding Area


A B C D E F

ONLINE EDITOR (A)

Holes And Balls

+ Problem Description

A man is doing an experiment with the device that he built newly. The structure of the device is as below diagram.



B to E is a sloping surface with n holes, labelled H1, H2, ... Hn, on it. Holes are of different diameters and depths. The man is releasing m number of balls of different diameters from the point B one after the other. He needs to find the positions of each ball after the experiment.

The specialties of the device are:

- 1. A ball will fall into a hole, if its diameter is less than or equal to the diameter of the hole.
- 2. A hole Hi will become full, if i numbers of balls fall into it. For example hole labelled H3 will become full if 3 balls fall into it.
- 3. If a hole is full, then no more balls fall into it.
- 4. A ball will reach the bottom point E from B, if and only if it is not falling into any one of the holes.

Please help him in finding the eventual position of the balls. If a ball is in hole Pi, then take its position as i. If a ball reached the bottom point E, then take its position as 0.

+ Constraints

0 < N <= 50

0 < Diameter of holes <= 10^9

0 < M <= 1000

0 < Diameter of balls <=10^9

+ Input Format

Line 1: total number of holes, N

Line 2: N space separated integers denoting the diameters of N holes, from bottom to top

Line 3: total number of balls, M

Line 4: M space separated integers denoting the diameters of balls in the order of release.

+ Output

Line 1: Positions of each ball in the order of ball release separated by space

+ Test Case

+ Explanation

Example 1

Input

20 15 5 7 10 4 2 1 3 6 8

Output

10300332200

Explanation


3 holes are there labelled H1, H2, and H3 of diameters 21, 3, and 6 respectively. 11 balls are released from the point B in the order provided in the input i.e. { 20, 15, 5, 7 ..., 5}. Ball of diameter 20 will fall into the hole H1 and the hole H1 will become full. Balls 15, 7 and 10 will reach bottom since hole H1 is full and diameters of holes H2 and H3 are less than balls diameter. Balls 5, 4, and 2 will fall into the hole H3. Ball 1 will fall into the hole H2 since the hole H3 is already full. Ball 3 will fall into hole H2. Balls 6, and 8 will reach at the bottom point E. The position of ball 20 is 1 because it is in hole H1. Positions of ball 15, 7, 10, 3, 6, and 8 are 0 because they reached bottom point E. Positions of 5, 4, and 2 are 3 because they are in hole H3. Position of Ball 1 and Ball 3 is 2.

Upload Solution [Question : A]

I, **abha tripathi** confirm that the answer submitted is my own.

Took help from online sources (attributions)

Choose a



CodeVita FAQs About CodeVita Privacy Policy Careers











© 2019 Tata Consultancy Services Limited. All Rights Reserved.