ASSIGNMENT-2

Q-1

⊕ Assignment_two_Qone_Pooja

```
1  ⊟using System;
2   using System.Collections.Generic;
3   using System.Linq;
4   using System.Web;
5   using System.Web.Mvc;
6
7  ⊟namespace Assignment_two_Qone_Pooja.Controllers
8   {
       0 references
9  ⊟    public class OneController : Controller
10      {
11          // GET: One
            0 references
12 ⊟        public ActionResult Index()
13          {
14              return View();
15          }
            0 references
16 ⊟        public ActionResult Test()
17          {
18              return View();
19          }
            0 references
20 ⊟        public String Contant()
21          {
22              return "<b>hello</b>"~
23          }
24      }
25  }
```

hello

Q-2

Assignment_two_Qtwo_Pooja

```csharp
1    using System;
2    using System.Collections.Generic;
3    using System.Linq;
4    using System.Web;
5    using System.Web.Mvc;
6
7    namespace Assignment_two_Qtwo_Pooja.Controllers
8    {
         0 references
9        public class TwoController : Controller
10       {
11           // GET: Two
             0 references
12           public ActionResult Index()
13           {
14               return View();
15           }
             0 references
16           public ActionResult Add()
17           {
18               return View();
19           }
             0 references
20           public string Addone()
21           {
22               return "<i>hello world</i>";
23           }
24       }
25   }
```

Solution Explorer

Search Solution Explorer (Ctrl+;)

Solution 'Assignment_two_Qtwo_Pooja' (1 of 1 pr

Assignment_two_Qtwo_Pooja
   Connected Services
   Properties
   References
   App_Data
   App_Start
   Content
   Controllers
      HomeController.cs
      TwoController.cs
   fonts
   Models
   Scripts
   Views
      Home
      Shared
      Two
         Add.cshtml
      _ViewStart.cshtml
      Web.config
   favicon.ico
   Global.asax
   packages.config
   Web.config

hello world

Q-3

Assignment_Two_Qthreee_Pooja

```csharp
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.Mvc;

namespace Assignment_Two_Qthreee_Pooja.Controllers
{
    public class ThreeController : Controller
    {
        // GET: Three
        public ActionResult Index()
        {
            return View();
        }
        public ActionResult Code()
        {
            return View();
        }
        public string Codeone()
        {
            return "<u>Atmiya University</u>";
        }
    }
}
```

Atmiya University

Q-4

```
Assignment_Two_Qfour_Pooja
1    using System;
2    using System.Collections.Generic;
3    using System.Linq;
4    using System.Web;
5    using System.Web.Mvc;
6
7    namespace Assignment_Two_Qfour_Pooja.Controllers
8    {
         0 references
9        public class FourController : Controller
10       {
11           // GET: Four
             0 references
12           public ActionResult Index()
13           {
14               return View();
15           }
             0 references
16           public ActionResult Best()
17           {
18               return View();
19           }
             0 references
20           public string Bestone()
21           {
22               return "<b>Rajkot</b>";
23           }
24       }
25   }
```

Rajkot

Q-5

```
Assignment_two_Qfive_Pooja
   1     using System;
   2      using System.Collections.Generic;
   3      using System.Linq;
   4      using System.Web;
   5      using System.Web.Mvc;
   6
   7     namespace Assignment_two_Qfive_Pooja.Controllers
   8      {
              0 references
   9          public class FiveController : Controller
  10          {
  11              // GET: Five
                  0 references
  12              public ActionResult Index()
  13              {
  14                  return View();
  15              }
                  0 references
  16              public ActionResult New()
  17              {
  18                  return View();
  19              }
                  0 references
  20              public string Newone()
  21              {
  22                  return "<H1>POOJA</H1>";
  23              }
  24
  25          }
  26      }
```

# POOJA

Q-6

```
Assignment_two_Qsix_Pooja
1    using System;
2    using System.Collections.Generic;
3    using System.Linq;
4    using System.Web;
5    using System.Web.Mvc;
6
7    namespace Assignment_two_Qsix_Pooja.Controllers
8    {
         0 references
9        public class SixController : Controller
10       {
11           // GET: Six
             0 references
12           public ActionResult Index()
13           {
14               return View();
15           }
             0 references
16           public ActionResult Even()
17           {
18               return View();
19           }
             0 references
20           public string Evenone()
21           {
22               return "<p>Welcome</p>";
23           }
24       }
25   }
```

Solution Explorer

Search Solution Explorer (Ctrl+;)

Solution 'Assignment_two_Qsix_Pooja' (1 of 1 pro
Assignment_two_Qsix_Pooja
  Connected Services
  Properties
  References
  App_Data
  App_Start
  Content
  Controllers
    C# HomeController.cs
    C# SixController.cs
  fonts
  Models
  Scripts
  Views
    Home
    Shared
    Six
      [@] Even.cshtml
    [@] _ViewStart.cshtml
    Web.config
  favicon.ico
  Global.asax
  packages.config
  Web.config

Solution Explorer   Git Changes

Welcome

Q-7

```
Assignment_Two_Qseven_Pooja
1    using System;
2    using System.Collections.Generic;
3    using System.Linq;
4    using System.Web;
5    using System.Web.Mvc;
6
7    namespace Assignment_Two_Qseven_Pooja.Controllers
8    {
         0 references
9        public class SevenController : Controller
10       {
11           // GET: Seven
             0 references
12           public ActionResult Index()
13           {
14               return View();
15           }
             0 references
16           public ActionResult Day()
17           {
18               return View();
19           }
             0 references
20           public string Dayone()
21           {
22               return "<h2>HOW ARE YOU?</h2>";
23           }
24       }
25    }
```

HOW ARE YOU?

Q-8

```
Assignment_two_Qeight_Pooja
1    using System;
2    using System.Collections.Generic;
3    using System.Linq;
4    using System.Web;
5    using System.Web.Mvc;
6
7    namespace Assignment_two_Qeight_Pooja.Controllers
8    {
         0 references
9        public class EightController : Controller
10       {
11           // GET: Eight
             0 references
12           public ActionResult Index()
13           {
14               return View();
15           }
             0 references
16           public ActionResult Result()
17           {
18               return View();
19           }
             0 references
20           public string Resultone()
21           {
22               return "<i>good morning</i>";
23           }
24       }
25   }
```

good morning

Q-9

Assignment_two_Qnine_Pooja

```
1    using System;
2    using System.Collections.Generic;
3    using System.Linq;
4    using System.Web;
5    using System.Web.Mvc;
6
7    namespace Assignment_two_Qnine_Pooja.Controllers
8    {
         0 references
9        public class NineController : Controller
10       {
11           // GET: Nine
             0 references
12           public ActionResult Index()
13           {
14               return View();
15           }
             0 references
16           public ActionResult Result()
17           {
18               return View();
19           }
             0 references
20           public string Resultone()
21           {
22               return "<u>solanki pooja</u>";
23           }
24       }
25   }
```

Solution Explorer

Search Solution Explorer (Ctrl+;)

Solution 'Assignment_two_Qnine_Pooja' (1 of 1 p
Assignment_two_Qnine_Pooja
  Connected Services
  Properties
  References
  App_Data
  App_Start
  Content
  Controllers
    HomeController.cs
    NineController.cs
  fonts
  Models
  Scripts
  Views
    Home
    Nine
      Result.cshtml
    Shared
    _ViewStart.cshtml
    Web.config
  favicon.ico
  Global.asax
  packages.config
  Web.config

solanki pooja

Q-10

```csharp
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.Mvc;

namespace Assignment_two_Qten_Pooja.Controllers
{
    0 references
    public class TenController : Controller
    {
        // GET: Ten
        0 references
        public ActionResult Index()
        {
            return View();
        }
        0 references
        public ActionResult Program()
        {
            return View();
        }
        0 references
        public string Programone()
        {
            return "<P>ASP.NET</P>";
        }
    }
}
```

ASP.NET