

STYLECART FASHION E-COMMERCE DATABASE

1.Database Design:

1.1 Seller Table:


Seller_ID	Seller_Name	Contact_Number	Email	Address
101	Trendy Fashions	9876543210	trendy@gmail.com	Chennai
102	Fashion Hub	9876543211	fashionhub@gmail.com	Bangalore
103	Style World	9876543212	styleworld@gmail.com	Coimbatore
104	Urban Wear	9876543213	urbanwear@gmail.com	Hyderabad
105	Classic Styles	9876543214	classic@gmail.com	Mumbai

1.2 Inventory Table:

Inventory_ID	Product_ID	Seller_ID	Stock_Quantity	Stock_Status
1	1	101	50	Available
2	2	102	30	Available
3	3	103	0	Unavailable
4	4	104	25	Available

Inventory_ID	Product_ID	Seller_ID	Stock_Quantity	Stock_Status
5	5	105	0	Unavailable

2.Table Relationships:



3.Table Creation:

3.1 Create Seller Table:

```
SQL> CREATE TABLE Seller (  
2     Seller_ID NUMBER PRIMARY KEY,  
3     Seller_Name VARCHAR2(50) NOT NULL,  
4     Contact_Number VARCHAR2(15) UNIQUE,  
5     Email VARCHAR2(100) UNIQUE,  
6     Address VARCHAR2(100)  
7 );  
  
Table created.
```

3.2 Create Inventory Table:

```
SQL> CREATE TABLE Inventory (  
2     Inventory_ID NUMBER PRIMARY KEY,  
3     Product_ID NUMBER,  
4     Seller_ID NUMBER,  
5     Stock_Quantity NUMBER NOT NULL,  
6     Stock_Status VARCHAR2(20),  
7     FOREIGN KEY (Product_ID) REFERENCES Product(Product_ID),  
8     FOREIGN KEY (Seller_ID) REFERENCES Seller(Seller_ID)  
9 );
```

Table created.

4.Seller Data Insertion:

```
SQL> INSERT INTO Seller
  2  VALUES (101, 'Trendy Fashions', '9876543210',
  3          'trendy@gmail.com', 'Chennai');

1 row created.

SQL>
SQL> INSERT INTO Seller
  2  VALUES (102, 'Fashion Hub', '9876543211',
  3          'fashionhub@gmail.com', 'Bangalore');

1 row created.

SQL>
SQL> INSERT INTO Seller
  2  VALUES (103, 'Style World', '9876543212',
  3          'styleworld@gmail.com', 'Coimbatore');

1 row created.

SQL>
SQL> INSERT INTO Seller
  2  VALUES (104, 'Urban Wear', '9876543213',
  3          'urbanwear@gmail.com', 'Hyderabad');

1 row created.

SQL>
SQL> INSERT INTO Seller
  2  VALUES (105, 'Classic Styles', '9876543214',
  3          'classic@gmail.com', 'Mumbai');

1 row created.
```

5.Inventory Data Insertion:

```
SQL> INSERT INTO Inventory
  2 VALUES (1, 1, 101, 50, 'Available');

1 row created.

SQL>
SQL> INSERT INTO Inventory
  2 VALUES (2, 2, 102, 30, 'Available');

1 row created.

SQL>
SQL> INSERT INTO Inventory
  2 VALUES (3, 3, 103, 0, 'Unavailable');

1 row created.

SQL>
SQL> INSERT INTO Inventory
  2 VALUES (4, 4, 104, 25, 'Available');

1 row created.

SQL>
SQL> INSERT INTO Inventory
  2 VALUES (5, 5, 105, 0, 'Unavailable');

1 row created.
```

6.Seller Product Information:

6.1 Display Seller And Product Details:

```
SQL> SELECT
  2      i.Inventory_ID,
  3      p.Product_Name,
  4      s.Seller_Name,
  5      i.Stock_Quantity,
  6      i.Stock_Status
  7 FROM Inventory i
  8 JOIN Product p
  9 ON i.Product_ID = p.Product_ID
 10 JOIN Seller s
 11 ON i.Seller_ID = s.Seller_ID;
```

INVENTORY_ID	

PRODUCT_NAME	

SELLER_NAME	STOCK_QUANTITY

STOCK_STATUS	

1	
Lakme Foundation	
Trendy Fashions	50
Available	

INVENTORY_ID	

PRODUCT_NAME	

SELLER_NAME	STOCK_QUANTITY

STOCK_STATUS	

7.Inventory Status:

7.1 Display Available Products:

```
SQL> SELECT
  2     i.Inventory_ID,
  3     p.Product_Name,
  4     i.Stock_Quantity,
  5     i.Stock_Status
  6 FROM Inventory i
  7 JOIN Product p
  8 ON i.Product_ID = p.Product_ID
  9 WHERE i.Stock_Status = 'Available';
```

INVENTORY_ID

PRODUCT_NAME

STOCK_QUANTITY STOCK_STATUS

1

Lakme Foundation

50 Available

2

Maybelline Mascara

30 Available

INVENTORY_ID

PRODUCT_NAME

STOCK_QUANTITY STOCK_STATUS

4

Mamaearth Face Wash

25 Available

7.2 Display Unavailable Products:

```
SQL> SELECT
  2     i.Inventory_ID,
  3     p.Product_Name,
  4     i.Stock_Quantity,
  5     i.Stock_Status
  6 FROM Inventory i
  7 JOIN Product p
  8 ON i.Product_ID = p.Product_ID
  9 WHERE i.Stock_Status = 'Unavailable';
```

```
INVENTORY_ID
```

```
-----
```

```
PRODUCT_NAME
```

```
-----
```

```
STOCK_QUANTITY STOCK_STATUS
```

```
-----
```

```
          3
Sugar Lipstick
          0 Unavailable
```

```
          5
Nykaa Nail Polish
          0 Unavailable
```

```
INVENTORY_ID
```

```
-----
```

```
PRODUCT_NAME
```

```
-----
```

```
STOCK_QUANTITY STOCK_STATUS
```

```
-----
```

8.Inventory Update:

```
INVENTORY_ID
```

```
-----
```

```
PRODUCT_NAME
```

```
-----
```

```
STOCK_QUANTITY STOCK_STATUS
```

```
-----
```

```
SQL> UPDATE Inventory
  2 SET Stock_Quantity = 20,
  3     Stock_Status = 'Available'
  4 WHERE Inventory_ID = 3;
```

```
1 row updated.
```

```
SQL> COMMIT;
```

```
Commit complete.
```

```
SQL> SELECT *
  2 FROM Inventory
  3 WHERE Inventory_ID = 3;
```

```
INVENTORY_ID PRODUCT_ID SELLER_ID STOCK_QUANTITY STOCK_STATUS
```

```
-----
```

```
          3          3         103          20 Available
```