STYLECART FASHION E-COMMERCE DATABASE

SQL QUERY IMPLEMENTATION

1. Perform SELECT, WHERE, ORDER BY, and DISTINCT queries.

1.1 Display all customers (select)

```
SQL> SELECT *
  2  FROM Customer;

CUSTOMER_ID
-----------
CUSTOMER_NAME
--------------------------------------------------------------------------------
       AGE
----------
EMAIL
--------------------------------------------------------------------------------
PHONE           CITY                                               SALARY
--------------- -------------------------------------------------- ----------
         1
Arun


CUSTOMER_ID
-----------
CUSTOMER_NAME
--------------------------------------------------------------------------------
       AGE
----------
EMAIL
--------------------------------------------------------------------------------
PHONE           CITY                                               SALARY
--------------- -------------------------------------------------- ----------




CUSTOMER_ID
-----------
CUSTOMER_NAME
```

1.2 display customer aged above 19(where)

```
SQL> SELECT *
  2  FROM Customer
  3  WHERE Age > 19;

CUSTOMER_ID
-----------
CUSTOMER_NAME
--------------------------------------------------------------------------------
       AGE
----------
EMAIL
--------------------------------------------------------------------------------
PHONE           CITY                                               SALARY
--------------- -------------------------------------------------- ----------
        101
Arun
        22

CUSTOMER_ID
-----------
CUSTOMER_NAME
--------------------------------------------------------------------------------
       AGE
----------
EMAIL
--------------------------------------------------------------------------------
PHONE           CITY                                               SALARY
--------------- -------------------------------------------------- ----------
arun@gmail.com
9876543210      Chennai                                            25000


CUSTOMER_ID
-----------
```

1.3 display customer in alphabetical order(order by)

```
SQL> SELECT *
  2  FROM Customer
  3  ORDER BY Customer_Name ASC;

CUSTOMER_ID
-----------
CUSTOMER_NAME
--------------------------------------------------------------------------------
       AGE
----------
EMAIL
--------------------------------------------------------------------------------
PHONE           CITY                                               SALARY
--------------- -------------------------------------------------- ----------
         1
Arun


CUSTOMER_ID
-----------
CUSTOMER_NAME
--------------------------------------------------------------------------------
       AGE
----------
EMAIL
--------------------------------------------------------------------------------
PHONE           CITY                                               SALARY
--------------- -------------------------------------------------- ----------




CUSTOMER_ID
```

1.4 display unique customer addressess(distinct)

```
SQL> SELECT DISTINCT City
  2  FROM Customer;

CITY
--------------------------------------------------

Chennai
Madurai
Coimbatore
```

2. Search products based on price, category, and availability.

2.1 search product by price

```
SQL> SELECT Product_ID, Product_Name, Price
  2  FROM Product
  3  WHERE Price > 1000;

no rows selected
```

2.2 search product by category

```
SQL> SELECT Product_ID, Product_Name, Category_ID
  2  FROM Product
  3  WHERE Category_ID = 1;

PRODUCT_ID
----------
PRODUCT_NAME
--------------------------------------------------------------------------------
CATEGORY_ID
-----------
         1
Lakme Foundation
          1
```

2.3 search available product

```
SQL> SELECT Product_ID, Product_Name, Price, Stock_Quantity
  2  FROM Product
  3  WHERE Stock_Quantity > 0;

PRODUCT_ID
----------
PRODUCT_NAME
--------------------------------------------------------------------------------
     PRICE STOCK_QUANTITY
---------- --------------
         1
Lakme Foundation
       599             50

         2
Maybelline Mascara
       499             30

PRODUCT_ID
----------
PRODUCT_NAME
--------------------------------------------------------------------------------
     PRICE STOCK_QUANTITY
---------- --------------

         4
Mamaearth Face Wash
       349             25
```

3. Retrieve customer and product information.

3.1 display customer information

```
SQL> SELECT Customer_ID, Customer_Name
  2  FROM Customer;

CUSTOMER_ID
-----------
CUSTOMER_NAME
--------------------------------------------------------------------------------
          1
Arun

          2
Priya

          3
Karthik


CUSTOMER_ID
-----------
CUSTOMER_NAME
--------------------------------------------------------------------------------
          4
Divya

        101
Arun

        102
Priya


CUSTOMER_ID
```

3.2 display product information

```
SQL> SELECT Product_ID, Product_Name, Category_ID, Price,
  2         Stock_Quantity
  3  FROM Product;

PRODUCT_ID
----------
PRODUCT_NAME
--------------------------------------------------------------------------------
CATEGORY_ID      PRICE STOCK_QUANTITY
----------- ---------- --------------
         1
Lakme Foundation
          1        599             50

         2
Maybelline Mascara
          2        499             30

PRODUCT_ID
----------
PRODUCT_NAME
--------------------------------------------------------------------------------
CATEGORY_ID      PRICE STOCK_QUANTITY
----------- ---------- --------------


         3
Sugar Lipstick
          3        799              0

         4
Mamaearth Face Wash

PRODUCT_ID
----------
```

3.3 table structure

```
SQL> DESC Customer;
 Name                                      Null?    Type
 ----------------------------------------- -------- ----------------------------
 CUSTOMER_ID                               NOT NULL NUMBER
 CUSTOMER_NAME                             NOT NULL VARCHAR2(100)
 AGE                                                NUMBER
 EMAIL                                              VARCHAR2(100)
 PHONE                                              VARCHAR2(15)
 CITY                                               VARCHAR2(50)
 SALARY                                             NUMBER(10,2)
```

```
SQL> DESC Product;
 Name                                      Null?    Type
 ----------------------------------------- -------- ----------------------------
 PRODUCT_ID                                NOT NULL NUMBER(38)
 PRODUCT_NAME                              NOT NULL VARCHAR2(100)
 CATEGORY_ID                                        NUMBER(38)
 PRICE                                     NOT NULL NUMBER(10,2)
 STOCK_QUANTITY                            NOT NULL NUMBER(38)
 STOCK                                              NUMBER
 PRODUCT_SIZE                                       VARCHAR2(20)
```

4. Apply filtering conditions.

4.1 product within a price range

```
SQL> SELECT Product_ID, Product_Name, Price
  2  FROM Product
  3  WHERE Price BETWEEN 500 AND 2000;

PRODUCT_ID
----------
PRODUCT_NAME
--------------------------------------------------------------------------------
     PRICE
----------
         1
Lakme Foundation
       599

         3
Sugar Lipstick
       799

PRODUCT_ID
----------
PRODUCT_NAME
--------------------------------------------------------------------------------
     PRICE
----------
```

4.2 product marketing multiple condition

```
SQL> SELECT Product_ID, Product_Name, Price, Stock_Quantity
  2  FROM Product
  3  WHERE Price < 1500
  4  AND Stock_Quantity > 0;

PRODUCT_ID
----------
PRODUCT_NAME
--------------------------------------------------------------------------------
     PRICE STOCK_QUANTITY
---------- --------------
         1
Lakme Foundation
       599             50

         2
Maybelline Mascara
       499             30

PRODUCT_ID
----------
PRODUCT_NAME
--------------------------------------------------------------------------------
     PRICE STOCK_QUANTITY
---------- --------------

         4
Mamaearth Face Wash
       349             25
```

4.3 customer from Chennai

```
SQL> SELECT *
  2  FROM Customer
  3  WHERE Customer_Name = 'Arun';

CUSTOMER_ID
-----------
CUSTOMER_NAME
--------------------------------------------------------------------------------
       AGE
----------
EMAIL
--------------------------------------------------------------------------------
PHONE           CITY                                               SALARY
--------------- -------------------------------------------------- ----------
         1
Arun


CUSTOMER_ID
-----------
CUSTOMER_NAME
--------------------------------------------------------------------------------
       AGE
----------
EMAIL
--------------------------------------------------------------------------------
PHONE           CITY                                               SALARY
--------------- -------------------------------------------------- ----------
```

5. Generate basic business reports.

5.1 total number of customers

```
SQL> SELECT COUNT(*) AS Total_Customers
  2  FROM Customer;

TOTAL_CUSTOMERS
---------------
              8
```

5.2 average customer salary

```
SQL> SELECT ROUND(AVG(Salary), 2) AS Average_Customer_Salary
  2  FROM Customer;

AVERAGE_CUSTOMER_SALARY
-----------------------
                  27000
```

5.3 max return the highest product price

```
SQL> SELECT MAX(Price) AS Highest_Product_Price
  2  FROM Product;

HIGHEST_PRODUCT_PRICE
---------------------
                  799
```

5.4 total number of product

```
SQL> SELECT COUNT(*) AS Total_Products
  2  FROM Product;

TOTAL_PRODUCTS
--------------
             5
```