ASSIGNMENT 14.3

2303A51356
POOJITHA EDDE
Batch 20

Task 1: AI-Assisted Personal Portfolio Website
Scenario
A student wants to showcase academic projects, technical skills, and contact information through a personal portfolio website. AI tools are used to speed up development while maintaining quality and customization.
Tasks
1. Use GitHub Copilot to generate a semantic HTML structure with sections:
o Home
o About
o Projects
o Contact
2. Ask Copilot to suggest responsive CSS using Flexbox or Grid.
3. Customize AI-generated CSS to add:
o Hover effects on project cards
o Smooth scrolling navigation
Expected Outcome
• Clean and well-structured portfolio website
• Responsive layout for desktop and mobile screens
• Interactive project cards

PROMPT:

Create a clean and well-structured semantic HTML layout that includes the following sections: Home, About, Projects, and Contact. Use appropriate tags such as header, nav, section, and footer to organize the content properly.
Then, design responsive CSS using Flexbox or Grid to ensure the layout adapts well across different screen sizes. Enhance the UI by adding hover effects on project cards (like slight scaling and shadow) and enable smooth scrolling for navigation between sections.

CODE:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>My Portfolio</title>
  <style>
```

```
/* Basic Reset */
* {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
}

body {
  font-family: Arial, sans-serif;
  line-height: 1.6;
}

header {
  background-color: #333;
  color: #fff;
  padding: 1rem 0;
  text-align: center;
}

nav {
  display: flex;
  justify-content: center;
  background-color: #444;
}

nav a {
  color: #fff;
  padding: 1rem 2rem;
  text-decoration: none;
  transition: background-color 0.3s ease;
}

nav a:hover {
  background-color: #555;
}

section {
  padding: 2rem;
  max-width: 1200px;
  margin: auto;
}

.projects {
  display: grid;
  grid-template-columns: repeat(auto-fit, minmax(300px, 1fr));
```

```
        gap: 1rem;
      }

      .project-card {
        background-color: #f4f4f4;
        padding: 1rem;
        border-radius: 5px;
        transition: transform 0.3s ease, box-shadow 0.3s ease;
      }

      .project-card:hover {
        transform: scale(1.05);
        box-shadow: 0 4px 8px rgba(0,0,0,0.2);
      }

      footer {
        background-color: #333;
        color: #fff;
        text-align: center;
        padding: 1rem 0;
      }
    </style>
  </head>
  <body>
    <header>
      <h1>Welcome to edde poojitha</h1>
    </header>
    <nav>
      <a href="#home">Home</a>
      <a href="#about">About</a>
      <a href="#projects">Projects</a>
      <a href="#contact">Contact</a>
    </nav>
    <section id="home">
      <h2>Home</h2>
      <p>Welcome to my portfolio website. Here you can find information about me, my projects, and
how to contact me.</p>
    </section>
    <section id="about">
      <h2>About Me</h2>
      <p>I am a passionate developer with experience in web development, design, and project
management. I enjoy creating innovative solutions and learning new technologies.</p>
    </section>
    <section id="projects">
      <h2>Projects</h2>
```

```
    <div class="projects">
      <div class="project-card">
        <h3>Project One</h3>
        <p>A web application that helps users manage their tasks efficiently.</p>
      </div>
      <div class="project-card">
        <h3>Project Two</h3>
        <p>A mobile app that tracks fitness activities and provides insights.</p>
      </div>
      <div class="project-card">
        <h3>Project Three</h3>
        <p>A machine learning model that predicts housing prices based on various features.</p>
      </div>
    </div>
  </section>
  <section id="contact">
    <h2>Contact Me</h2>
    <p>You can reach me via email at <a
href="mailto:poojitha@edde.com">poojitha@edde.com</a></p>
  </section>
  <footer>
    <p>&copy; 2023 edde poojitha. All rights reserved.</p>
  </footer>
</body>
</html>
```

OUTPUT:



Task 2: AI-Generated Restaurant Landing Page

Scenario

A local restaurant requires a simple yet attractive landing page to display its offerings. The developer uses AI assistance to rapidly generate UI components.

Tasks

1. Use Copilot to create a navigation bar with links:

o Home

o Menu

o Gallery

o Contact

2. Generate a menu section styled with CSS cards.

3. Implement a JavaScript-based image slider for the gallery using Copilot suggestions.

4. Customize animations or transitions for better user experience.

Expected Outcome

• Fully functional restaurant landing page

• Responsive navigation bar

• Working image slider with smooth transitions

PROMPT:

Create a visually stunning and modern restaurant landing page using HTML5 with a strong focus on clean UI and smooth user experience. Structure the page using semantic elements like header, nav, section, and footer. Include sections such as a fixed navigation bar, an attractive hero banner with a

call-to-action button, a grid-based featured menu with images, an elegant about section, stylish customer reviews, and a well-designed contact form.
Enhance the UI with responsive CSS using Flexbox or Grid, add hover effects on menu cards (scale and shadow), smooth scrolling navigation, and subtle animations for a premium feel. Keep the design minimal, colorful, and mobile-friendly for a professional look.

CODE:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Delicious Bites - Restaurant Landing Page</title>
  <link rel="stylesheet" href="styles.css">
  <style>
    /* Basic Reset */
    * {
      margin: 0;
      padding: 0;
      box-sizing: border-box;
    }

    body {
      font-family: 'Arial', sans-serif;
      line-height: 1.6;
      color: #333;
    }

    /* Navigation Bar */
    nav {
      position: fixed;
      width: 100%;
      background-color: #fff;
      box-shadow: 0 2px 4px rgba(0, 0, 0, 0.1);
      z-index: 1000;
    }

    nav ul {
      display: flex;
      justify-content: center;
      list-style: none;
    }
```

```
nav ul li {
   margin: 15px 20px;
}

nav ul li a {
   text-decoration: none;
   color: #333;
   font-weight: bold;
   transition: color 0.3s ease;
}

nav ul li a:hover {
   color: #ff6347; /* Tomato color on hover */
}

/* Hero Section */
.hero {
   height: 100vh;
   background-image: url('hero-banner.jpg');
   background-size: cover;
   background-position: center;
   display: flex;
   flex-direction: column;
   justify-content: center;
   align-items: center;
   text-align: center;
   color: #fff;
}

.hero h1 {
   font-size: 3rem;
   margin-bottom: 20px;
}

.hero p {
   font-size: 1.5rem;
   margin-bottom: 30px;
}

.hero .cta-button {
   padding: 10px 30px;
   background-color: #ff6347; /* Tomato color */
   color: #fff;
   border: none;
   border-radius: 5px;
```

```
  font-size: 1.2rem;
  cursor: pointer;
  transition: background-color 0.3s ease, transform 0.3s ease;
}

.hero .cta-button:hover {
  background-color: #e5533d; /* Darker tomato on hover */
  transform: scale(1.05);
}
/* Featured Menu */
.featured-menu {
  padding: 50px 20px;
  background-color: #f9f9f9;
}
.featured-menu h2 {
  text-align: center;
  margin-bottom: 40px;
  font-size: 2.5rem;
}
.menu-grid {
  display: grid;
  grid-template-columns: repeat(auto-fit, minmax(250px, 1fr));
  gap: 20px;
}
.menu-card {
  background-color: #fff;
  border-radius: 10px;
  overflow: hidden;
  box-shadow: 0 4px 8px rgba(0, 0, 0, 0.1);
  transition: transform 0.3s ease, box-shadow 0.3s ease;
}
.menu-card:hover {
  transform: scale(1.05);
  box-shadow: 0 8px 16px rgba(0, 0, 0, 0.2);
}
.menu-card img {
  width: 100%;
  height: 200px;
  object-fit: cover;
}
.menu-card h3 {
  padding: 15px;
  font-size: 1.5rem;
}
.menu-card p {
```

```
  padding: 0 15px 15px;
  color: #666;
}
/* About Section */
.about {
  padding: 50px 20px;
}
.about h2 {
  text-align: center;
  margin-bottom: 40px;
  font-size: 2.5rem;
}
.about-content {
  display: flex;
  flex-direction: column;
  align-items: center;
  text-align: center;
}
.about-content img {
  width: 300px;
  border-radius: 10px;
  margin-bottom: 20px;
}
.about-content p {
  max-width: 600px;
  color: #666;
}
/* Customer Reviews */
.reviews {
  padding: 50px 20px;
  background-color: #f9f9f9;
}
.reviews h2 {
  text-align: center;
  margin-bottom: 40px;
  font-size: 2.5rem;
}
.review-grid {
  display: grid;
  grid-template-columns: repeat(auto-fit, minmax(250px, 1fr));
  gap: 20px;
}
.review-card {
  background-color: #fff;
  border-radius: 10px;
```

```
    padding: 20px;
    box-shadow: 0 4px 8px rgba(0, 0, 0, 0.1);
}
.review-card p {
    color: #666;
    margin-bottom: 15px;
}
.review-card .reviewer {
    font-weight: bold;
    color: #333;
}
/* Contact Form */
.contact {
    padding: 50px 20px;
}
.contact h2 {
    text-align: center;
    margin-bottom: 40px;
    font-size: 2.5rem;
}
.contact-form {
    max-width: 600px;
    margin: 0 auto;
    display: flex;
    flex-direction: column;
}
.contact-form input,
.contact-form textarea {
    padding: 10px;
    margin-bottom: 20px;
    border: 1px solid #ccc;
    border-radius: 5px;
    font-size: 1rem;
}
.contact-form button {
    padding: 10px 30px;
    background-color: #ff6347; /* Tomato color */
    color: #fff;
    border: none;
    border-radius: 5px;
    font-size: 1.2rem;
    cursor: pointer;
    transition: background-color 0.3s ease, transform 0.3s ease;
}
.contact-form button:hover {
```

```
        background-color: #e5533d; /* Darker tomato on hover */
        transform: scale(1.05);
      }
      /* Responsive Design */
      @media (max-width: 768px) {
        .about-content {
          flex-direction: column;
        }
      }
    </style>
  </head>
  <body>
    <!-- Navigation Bar -->
    <nav>
      <ul>
        <li><a href="#hero">Home</a></li>
        <li><a href="#featured-menu">Menu</a></li>
        <li><a href="#about">About</a></li>
        <li><a href="#reviews">Reviews</a></li>
        <li><a href="#contact">Contact</a></li>
      </ul>
    </nav>

    <!-- Hero Section -->
    <section id="hero" class="hero">
      <h1>Welcome to Delicious Bites</h1>
      <p>Experience the best flavors in town!</p>
      <button class="cta-button">Order Now</button>
    </section>

    <!-- Featured Menu -->
    <section id="featured-menu" class="featured-menu">
      <h2>Featured Menu</h2>
      <div class="menu-grid">
        <!-- Menu Card 1 -->
        <div class="menu-card">
          <img
src="https://th.bing.com/th/id/OIP.X2XK7cuYsW3YZ5vH1nXMMQHaLH?w=204&h=306&c=7&r=0&o=7
&dpr=1.3&pid=1.7&rm=3" alt="Menu Item 1">
          <h3>Grilled Salmon</h3>
          <p>Freshly grilled salmon served with a side of vegetables.</p>
        </div>
        <!-- Menu Card 2 -->
        <div class="menu-card">
```

```
          <img
src="https://th.bing.com/th/id/OIP.dJsf8wwNzEZp1zcqznb5DwHaEK?w=315&h=180&c=7&r=0&o=7&
dpr=1.3&pid=1.7&rm=3" alt="Menu Item 2">
          <h3>Classic Burger</h3>
          <p>A juicy beef burger with all the classic toppings.</p>
        </div>
        <!-- Menu Card 3 -->
        <div class="menu-card">
          <img
src="https://th.bing.com/th/id/OIP.jevUF8toFBsTCfqvRcuIRQHaLH?w=204&h=306&c=7&r=0&o=7&dp
r=1.3&pid=1.7&rm=3" alt="Menu Item 3">
          <p>A healthy and delicious salad packed with fresh veggies.</p>
        </div>
      </div>
    </section>

    <!-- About Section -->
    <section id="about" class="about">
      <h2>About Us</h2>
      <div class="about-content">
        <img src="about-us.jpg" alt="About Us">
        <p>At Delicious Bites, we are passionate about creating unforgettable dining experiences. Our
chefs use only the freshest ingredients to craft dishes that delight the senses. Whether you're craving
a hearty meal or a light bite, we have something for everyone. Join us and discover your new favorite
dish!<//p>
      </div>
    </section>
    <!-- Customer Reviews -->
    <section id="reviews" class="reviews">
      <h2>Customer Reviews</h2>
      <div class="review-grid">
        <!-- Review Card 1 -->
        <div class="review-card">
          <p>"The food was absolutely amazing! The flavors were rich and the presentation was
beautiful. Highly recommend!"</p>
          <div class="reviewer">- Sarah M.</div>
        </div>
        <!-- Review Card 2 -->
        <div class="review-card">
          <p>"A fantastic dining experience with great service. The menu has a wonderful variety of
dishes to choose from."</p>
          <div class="reviewer">- John D.</div>
        </div>
        <!-- Review Card 3 -->
        <div class="review-card">
```

```
            <p>"Delicious Bites is my go-to restaurant for a quick and tasty meal. The staff is friendly and the atmosphere is cozy."</p>
            <div class="reviewer">- Emily R.</div>
          </div>
        </div>
      </section>
      <!-- Contact Form -->
      <section id="contact" class="contact">
        <h2>Contact Us</h2>
        <form class="contact-form">
          <input type="text" placeholder="Your Name" required>
          <input type="email" placeholder="Your Email" required>
          <textarea rows="5" placeholder="Your Message" required></textarea>
          <button type="submit">Send Message</button>
        </form>
      </section>
      <script>
        // Smooth Scrolling
        document.querySelectorAll('nav ul li a').forEach(anchor => {
          anchor.addEventListener('click', function (e) {
            e.preventDefault();
            document.querySelector(this.getAttribute('href')).scrollIntoView({
              behavior: 'smooth'
            });
          });
        });
      </script>
    </body>
    </html>
```

OUTPUT:



Task 3: AI-Powered Event Registration Form

Scenario

SR University is hosting a technical fest and requires an online registration form with real-time validation to ensure accurate user input.

Tasks

1. Ask Copilot to generate an HTML form with the following fields:
   - o Name
   - o Email
   - o Phone Number
   - o Department
   - o Event Selection
2. Use AI assistance to style the form using CSS for readability and accessibility.
3. Implement JavaScript validation using Copilot:
   - o Email format validation
   - o Phone number length validation
   - o Required field checks

Expected Outcome

- User-friendly and visually appealing form
- Real-time validation messages
- Prevention of invalid submissions’

PROMPT:

<!--Create an online registration form for SR University’s technical fest with fields for Name, Email, Phone Number, Department, and Event Selection; style the form using CSS for readability and accessibility; implement JavaScript validation for email format, phone number length, and required

field checks; ensure real-time validation messages and prevention of invalid submissions so the form is user-friendly, visually appealing, and fully functional.
-->

CODE:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>SR University Technical Fest Registration</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      background-color: #f4f4f4;
      display: flex;
      justify-content: center;
      align-items: center;
      height: 100vh;
      margin: 0;
    }
    .registration-form {
      background-color: #fff;
      padding: 20px;
      border-radius: 8px;
      box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
      width: 100%;
      max-width: 400px;
    }
    .registration-form h2 {
      margin-bottom: 20px;
      color: #333;
    }
    .form-group {
      margin-bottom: 15px;
    }
    .form-group label {
      display: block;
      margin-bottom: 5px;
      color: #555;
    }
    .form-group input,
    .form-group select {
      width: 100%;
```

```
        padding: 10px;
        border: 1px solid #ccc;
        border-radius: 4px;
        transition: border-color 0.3s ease;
      }
      .form-group input:focus,
      .form-group select:focus {
        border-color: #007BFF;
        outline: none;
      }
      .error-message {
        color: red;
        font-size: 0.9em;
      }
      .submit-btn {
        background-color: #007BFF;
        color: #fff;
        padding: 10px 15px;
        border: none;
        border-radius: 4px;
        cursor: pointer;
        transition: background-color 0.3s ease;
      }
      .submit-btn:hover {
        background-color: #0056b3;
      }
    </style>
  </head>
  <body>
    <form class="registration-form" id="registrationForm">
      <h2>SR University Technical Fest Registration</h2>
      <div class="form-group">
        <label for="name">Name</label>
        <input type="text" id="name" name="name" required>
        <div class="error-message" id="nameError"></div>
      </div>
      <div class="form-group">
        <label for="email">Email</label>
        <input type="email" id="email" name="email" required>
        <div class="error-message" id="emailError"></div>
      </div>
      <div class="form-group">
        <label for="phone">Phone Number</label>
        <input type="text" id="phone" name="phone" required>
        <div class="error-message" id="phoneError"></div>
```

```
  </div>
  <div class="form-group">
    <label for="department">Department</label>
    <select id="department" name="department" required>
      <option value="">Select Department</option>
      <option value="Computer Science">Computer Science</option>
      <option value="Electrical Engineering">Electrical Engineering</option>
      <option value="Mechanical Engineering">Mechanical Engineering</option>
      <!-- Add more departments as needed -->
    </select>
    <div class="error-message" id="departmentError"></div>
  </div>
  <div class="form-group">
    <label>Event Selection</label>
    <input type="checkbox" id="event1" name="events" value="Coding Competition">
    <label for="event1">Coding Competition</label><br>
    <input type="checkbox" id="event2" name="events" value="Robotics Challenge">
    <label for="event2">Robotics Challenge</label><br>
    <!-- Add more events as needed -->
    <div class="error-message" id="eventsError"></div>
  </div>
  <button type="submit" class="submit-btn">Register</button>
</form>

<script>
  document.getElementById('registrationForm').addEventListener('submit', function(event) {
    event.preventDefault();

    // Clear previous error messages
    document.getElementById('nameError').textContent = '';
    document.getElementById('emailError').textContent = '';
    document.getElementById('phoneError').textContent = '';
    document.getElementById('departmentError').textContent = '';
    document.getElementById('eventsError').textContent = '';
    let isValid = true;
    // Validate Name
    const name = document.getElementById('name').value.trim();
    if (name === '') {
      document.getElementById('nameError').textContent = 'Name is required.';
      isValid = false;
    }
    // Validate Email
    const email = document.getElementById('email').value.trim();
    const emailPattern = /^[^\s@]+@[^\s@]+\.[^\s@]+$/;
    if (!emailPattern.test(email)) {
```

```
        document.getElementById('emailError').textContent = 'Please enter a valid email address.';
        isValid = false;
      }
      // Validate Phone Number
      const phone = document.getElementById('phone').value.trim();
      if (phone.length < 10 || phone.length > 15) {
        document.getElementById('phoneError').textContent = 'Please enter a valid phone number.';
        isValid = false;
      }
      // Validate Department
      const department = document.getElementById('department').value;
      if (department === '') {
        document.getElementById('departmentError').textContent = 'Please select a department.';
        isValid = false;
      }
      // Validate Event Selection
      const events = document.querySelectorAll('input[name="events"]:checked');
      if (events.length === 0) {
        document.getElementById('eventsError').textContent = 'Please select at least one event.';
        isValid = false;
      }
      // If all validations pass, submit the form (you can replace this with actual form submission
logic)
      if (isValid) {
        alert('Registration successful!');
        // You can add code here to submit the form data to the server
      }
    });
  </script>
</body>
</html>
```

OUTPUT:



Task 4: AI-Assisted E-Commerce Product Page

Scenario

A startup is developing a basic e-commerce product page to showcase products and manage simple cart functionality.

Tasks

1. Use Copilot to generate a grid-based product catalog using HTML and CSS.
2. Implement an “Add to Cart” feature using JavaScript.
3. Modify AI-generated code to include:

o Cart item counter at the top-right corner

o Visual feedback when a product is added

Expected Outcome

• Functional product catalog

• Working cart counter

• Interactive user experience

PROMPT:

<!--Design a modern and engaging e-commerce product page with a clean and intuitive UI. Create a grid-based product catalog using HTML and CSS, featuring product cards with images, titles, prices, and stylish “Add to Cart” buttons.

Enhance the interface with responsive design using Flexbox or Grid, smooth hover effects on product cards (scale, shadow), and visually appealing layouts for all screen sizes. Add a dynamic cart icon at the top-right with a real-time item counter.

Use JavaScript to implement the “Add to Cart” functionality, update the cart count instantly, and provide interactive feedback such as button animations or toast notifications when items are added. Ensure the overall experience is smooth, responsive, and user-friendly.-->

CODE:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>E-commerce Product Page</title>
  <link rel="stylesheet" href="styles.css">
  <style>
    body {
      font-family: Arial, sans-serif;
      margin: 0;
      padding: 0;
      background-color: #f4f4f4;
    }
    .header {
      display: flex;
      justify-content: space-between;
      align-items: center;
      padding: 20px;
      background-color: #333;
      color: white;
    }
    .cart {
      position: relative;
      cursor: pointer;
    }
    .cart-count {
      position: absolute;
      top: -10px;
      right: -10px;
      background-color: red;
      color: white;
      border-radius: 50%;
      padding: 5px 10px;
      font-size: 12px;
    }
    .product-grid {
```

```
  display: grid;
  grid-template-columns: repeat(auto-fill, minmax(200px, 1fr));
  gap: 20px;
  padding: 20px;
}
.product-card {
  background-color: white;
  border-radius: 5px;
  box-shadow: 0 2px 5px rgba(0,0,0,0.1);
  transition: transform 0.3s, box-shadow 0.3s;
}
.product-card:hover {
  transform: scale(1.05);
  box-shadow: 0 4px 10px rgba(0,0,0,0.2);
}
.product-image {
  width: 100%;
  height: auto;
}
.product-info {
  padding: 15px;
}
.product-title {
  font-size: 18px;
  margin-bottom: 10px;
}
.product-price {
  color: green;
  font-size: 16px;
  margin-bottom: 15px;
}
.add-to-cart {
  background-color: #28a745;
  color: white;
  border: none;
  padding: 10px 15px;
  cursor: pointer;
  border-radius: 5px;
}
.add-to-cart:hover {
  background-color: #218838;
}
.toast {
  position: fixed;
  bottom: 20px;
```

```
        right: 20px;
        background-color: #333;
        color: white;
        padding: 10px 20px;
        border-radius: 5px;
        opacity: 0;
        transition: opacity 0.5s;
      }
      .toast.show {
        opacity: 1;
      }
    </style>
</head>
<body>
    <div class="header">
      <h1>My E-commerce Store</h1>
      <div class="cart">
        <span>Cart</span>
        <div class="cart-count">0</div>
      </div>
    </div>
    <div class="product-grid">
      <div class="product-card">
        <img src="https://th.bing.com/th/id/OIP.iP-
_ZUS7D8cOgmVPDzDmEQHaIB?w=208&h=225&c=7&r=0&o=7&dpr=1.3&pid=1.7&rm=3"
alt="Product 1" class="product-image">
        <div class="product-info">
          <h2 class="product-top">Product 1</h2>
          <p class="product-price">$19.99</p>
          <button class="add-to-cart">Add to Cart</button>
        </div>
      </div>
      <div class="product-card">
        <img
src="https://th.bing.com/th/id/OIP.VJd0IJ1ZQMYt4DVz7vO7DQHaJQ?w=208&h=260&c=7&r=0&o=7&d
pr=1.3&pid=1.7&rm=3" alt="Product 2" class="product-image">
        <div class="product-info">
          <h2 class="product-jeans">Product 2</h2>
          <p class="product-price">$29.99</p>
          <button class="add-to-cart">Add to Cart</button>
        </div>
      </div>
      <!-- Add more product cards as needed -->
    </div>
    <div class="toast" id="toast">Item added to cart!</div>
```

```
  <script>
    const cartCount = document.querySelector('.cart-count');
    const addToCartButtons = document.querySelectorAll('.add-to-cart');
    const toast = document.getElementById('toast');
    let count = 0;

    addToCartButtons.forEach(button => {
      button.addEventListener('click', () => {
        count++;
        cartCount.textContent = count;
        showToast();
      });
    });

    function showToast() {
      toast.classList.add('show');
      setTimeout(() => {
        toast.classList.remove('show');
      }, 3000);
    }
  </script>
</body>
</html>
```

OUTPUT:



Task 5: Create a Responsive Web Page Layout

Instructions:
• Design a basic web page layout with a header, main content area, and footer using HTML and CSS.
• Use AI to assist in generating responsive CSS for different screen sizes.
• Ensure the layout is clean and visually organized.
Expected Output:
• A responsive web page with:
• Header with navigation links
• Main section with placeholder text/images
• Footer with copyright or contact info
• Layout adapts correctly to desktop, tablet, and mobile screen sizes.
Note: Report should be submitted as a word document for all tasks in a single document with prompts, comments & code explanation, and output and if required, screenshots.

PROMPT:

<!--Design a clean and modern responsive web page layout with a strong focus on UI/UX and readability. Create a structured page using semantic HTML elements like header, nav, main, section, and footer. Include a stylish header with navigation links, a well-organized main content area with text and images, and a minimal yet elegant footer with copyright or contact details.

Enhance the design using CSS with Flexbox or Grid to ensure responsiveness across desktop, tablet, and mobile devices. Add smooth spacing, balanced typography, and subtle UI enhancements like hover effects, soft shadows, and transitions for a polished look. Ensure accessibility, proper alignment, and a visually appealing layout that adapts seamlessly to different screen sizes.-->

CODE:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Modern Responsive Web Page</title>
  <style>
    /* Reset some default styles */
    * {
      margin: 0;
      padding: 0;
      box-sizing: border-box;
    }

    body {
```

```
  font-family: 'Arial', sans-serif;
  line-height: 1.6;
  color: #333;
  background-color: #f4f4f4;
}

header {
  background-color: #333;
  color: #fff;
  padding: 20px 0;
}

nav {
  display: flex;
  justify-content: center;
}

nav a {
  color: #fff;
  text-decoration: none;
  margin: 0 15px;
  font-size: 18px;
  transition: color 0.3s ease;
}

nav a:hover {
  color: #ff6347; /* Tomato color on hover */
}

main {
  max-width: 1200px;
  margin: 20px auto;
  padding: 20px;
  background-color: #fff;
  box-shadow: 0 2px 5px rgba(0,0,0,0.1);
}

section {
  margin-bottom: 40px;
}

h1, h2 {
  margin-bottom: 20px;
}
```

```
    p {
      margin-bottom: 15px;
    }

    img {
      max-width: 100%;
      height: auto;
      display: block;
      margin-bottom: 20px;
    }

    footer {
      background-color: #333;
      color: #fff;
      text-align: center;
      padding: 10px 0;
    }

    /* Responsive Design */
    @media (max-width: 768px) {
      nav {
        flex-direction: column;
        align-items: center;
      }

      nav a {
        margin-bottom: 10px;
        font-size: 16px;
      }
    }
  </style>
</head>
<body>
  <header>
    <nav>
      <a href="#">Home</a>
      <a href="#">About</a>
      <a href="#">Services</a>
      <a href="#">Contact</a>
    </nav>
  </header>

  <main>
    <section>
      <h1>Welcome to Our Modern Web Page</h1>
```

```
        <p>Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.</p>
        <img src="https://th.bing.com/th/id/OIP.BO_rk1FA19zAm3maBodhVAHaHa?w=194&h=194&c=7&r=0&o=7&dpr=1.3&pid=1.7&rm=3" alt="Sample Image">
      </section>

      <section>
        <h2>Our Services</h2>
        <p>We offer a wide range of services to meet your needs. From web design to digital marketing, we have you covered.</p>
        <img src="https://th.bing.com/th/id/OIP.NQGBRaoqqOCqS-aDh_CgDgHaDi?w=340&h=180&c=7&r=0&o=7&dpr=1.3&pid=1.7&rm=3" alt="Sample Image">
      </section>
    </main>

    <footer>
      &copy; 2024 Your Company. All rights reserved. | Contact: info@yourcompany.com
    </footer>
  </body>
</html>
```

OUTPUT: