Run Terminal Help FODS

Lab 07.py | Lab 8.py | Lab 9.py | Lab 10.py | matrix.py | Lab 11.py | Lab 12.py

Chat

Sessions

Lab 07.py > ...

```python
import pandas as pd

order_data = pd.DataFrame({
    'customer_id': [101, 102, 101, 103, 102, 101],
    'order_date': ['2026-01-10', '2026-01-12', '2026-01-15',
                   '2026-01-18', '2026-01-20', '2026-01-22'],
    'product_name': ['Laptop', 'Phone', 'Mouse', 'Laptop', 'Phone', 'Keyboard'],
    'order_quantity': [1, 2, 3, 1, 1, 2]
})

order_data['order_date'] = pd.to_datetime(order_data['order_date'])

print("Total orders by each customer:")
print(order_data.groupby('customer_id').size())

print("\nAverage order quantity for each product:")
```

Problems Output Debug Console Terminal Ports

```
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS> & C:\Users\saran\AppData\Local\Python\pythoncore-3.14-64\python.exe "c:/Users/saran/OneDrive/Documents/Desktop/FODS/Lab 07.py"
customer_id
101    3
102    2
103    1
dtype: int64

Average order quantity for each product:
product_name
Keyboard    2.0
Laptop      1.0
Mouse       3.0
Phone       1.5
Name: order_quantity, dtype: float64

Earliest order date: 2026-01-10 00:00:00
Latest order date: 2026-01-22 00:00:00
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS>
```

Python

Python

Python

Tip: Ask the agent to dr
diagram or flow chart. It
diagrams directly in chat

Lab 07.py

Chat with Copilot

Agent Auto

Copilot

Search

ENG

Lab 07.py | Lab 8.py | Lab 9.py | Lab 10.py | matrix.py | Lab 11.py | Lab 12.py

Run Python File

Lab 8.py > ...

```python
import pandas as pd

sales_data = pd.DataFrame({
    'product': ['Laptop', 'Phone', 'Laptop', 'Mouse', 'Phone',
                'Keyboard', 'Laptop', 'Mouse'],
    'quantity': [5, 10, 3, 8, 7, 4, 6, 9]
})

top5 = sales_data.groupby('product')['quantity'].sum().sort_values(ascending=False).head(5)

print("Top 5 products sold:")
print(top5)
```

Problems | Output | Debug Console | Terminal | Ports

```
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS> & C:\Users\saran\AppData\Local\Python\pythoncore-3.14-64\python.exe "c:/Users/saran/OneDrive/Documents/Desktop/FODS/Lab 07.py"
Laptop      1.0
Mouse       3.0
Phone       1.5
Name: order_quantity, dtype: float64

Earliest order date: 2026-01-10 00:00:00
Latest order date: 2026-01-22 00:00:00
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS> & C:\Users\saran\AppData\Local\Python\pythoncore-3.14-64\python.exe "c:/Users/saran/OneDrive/Documents/Desktop/FODS/Lab 8.py"
Top 5 products sold:
product
Phone       17
Mouse       17
Laptop      14
Keyboard     4
Name: quantity, dtype: int64
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS>
```

Python | Python | Python

Tip: Ask the diagram or f diagrams dir

Lab 8.

Chat with C

Copilot

Run Terminal Help FODS

Lab 07.py | Lab 8.py | Lab 9.py | Lab 10.py | matrix.py | Lab 11.py | Lab 12.py

Lab 9.py > ...

```python
import pandas as pd

property_data = pd.DataFrame({
    'property_id': [1, 2, 3, 4, 5],
    'location': ['Chennai', 'Bangalore', 'Chennai', 'Mumbai', 'Bangalore'],
    'bedrooms': [3, 5, 4, 6, 2],
    'area': [1200, 2500, 1800, 3000, 1000],
    'price': [5000000, 9000000, 6500000, 12000000, 4000000]
})

print("Average listing price by location:")
print(property_data.groupby('location')['price'].mean())

print("\nProperties with more than 4 bedrooms:")
print((property_data['bedrooms'] > 4).sum())

```

Problems Output Debug Console Terminal Ports

Python
Python
Python

```
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS> & C:\Users\saran\AppData\Local\Python\pythoncore-3.14-64\python.exe "c:/Users/saran/OneDrive/Documents/Desktop/FODS/Lab 9.py"
location
Bangalore     6500000.0
Chennai       5750000.0
Mumbai       12000000.0
Name: price, dtype: float64

Properties with more than 4 bedrooms:
2

Property with largest area:
property_id          4
location        Mumbai
bedrooms             6
area              3000
price         12000000
Name: 3, dtype: object
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS>
```

Lab 07.py | Lab 8.py | Lab 9.py | Lab 10.py | matrix.py | Lab 11.py | Lab 12.py | Chat

Lab 10.py > ...

```python
import matplotlib.pyplot as plt

months = ['Jan', 'Feb', 'Mar', 'Apr', 'May', 'Jun']
sales = [100, 150, 130, 180, 200, 220]

# Line plot
plt.plot(months, sales, marker='o')
plt.xlabel('Month')
plt.ylabel('Sales')
plt.title('Monthly Sales')
plt.show()


# Bar plot
plt.bar(months, sales)
plt.xlabel('Month')
plt.ylabel('Sales')
```

Problems | Output | Debug Console | Terminal | Ports

```
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS> & C:\Users\saran\AppData\L
14-64\python.exe "c:/Users/saran/OneDrive/Documents/Desktop/FODS/Lab 9.py"
Chennai       5750000.0
Mumbai       12000000.0
Name: price, dtype: float64

Properties with more than 4 bedrooms:
2

Property with largest area:
property_id          4
location        Mumbai
bedrooms             6
area              3000
price         12000000
Name: 3, dtype: object
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS> & C:\Users\saran\AppData\Local\Python\pythoncore-3.
14-64\python.exe "c:/Users/saran/OneDrive/Documents/Desktop/FODS/Lab 10.py"
```



diagrams directly in chat.

Lab 10.py

Chat with Copilot

Agent | Auto

Copilot

Lab 07.py | Lab 8.py | Lab 9.py | Lab 10.py | matrix.py | Lab 11.py | Lab 12.py

Lab 11.py > ...

```python
months = ['Jan', 'Feb', 'Mar', 'Apr', 'May', 'Jun']
sales = [100, 150, 130, 180, 200, 220]

plt.plot(months, sales, marker='o')
plt.title('Monthly Sales - Line Plot')
plt.show()

plt.scatter(months, sales)
plt.title('Monthly Sales - Scatter Plot')
plt.show()

plt.bar(months, sales)
plt.title('Monthly Sales - Bar Plot')
plt.show()
```

Problems | Output | Debug Console | Terminal | Ports

```
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS> & C:\Users\saran\AppData\Local\Python\pythoncore-3.14-64\python.exe "c:/Users/saran/OneDrive/Documents/Desktop/FODS/Lab 07.py"
102    2
103    1
dtype: int64

Average order quantity for each product:
product_name
Keyboard    2.0
Laptop      1.0
Mouse       3.0
Phone       1.5
Name: order_quantity, dtype: float64

Earliest order date: 2026-01-10 00:00:00
Latest order date: 2026-01-22 00:00:00
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS> & C:\Users\saran\AppData\Local\Python\pythoncore-3.14-64\python.exe "c:/Users/saran/OneDrive/Documents/Desktop/FODS/Lab 8.py"
Top 5 products sold:
```

Python
Python
Python

Chat
Sessions

Tip: Ask the agent to
diagram or flow chart
diagrams directly in

Lab 11.py

Chat with Copilot

Agent

Copilot


Lab 07.py | Lab 8.py | Lab 9.py | Lab 10.py | matrix.py | Lab 11.py | Lab 12.py | Chat

Lab 12.py > ...

```
plt.plot(months, temperature, marker='o')
plt.xlabel('Month')
plt.ylabel('Temperature')
plt.title('Monthly Temperature')
plt.show()

plt.scatter(months, rainfall)
plt.xlabel('Month')
plt.ylabel('Rainfall')
plt.title('Monthly Rainfall')
plt.show()
```

Figure 1



Problems | Output | Debug Console | Terminal | Ports


```
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS> & C:\Users\saran\Ap
14-64\python.exe "c:/Users/saran/OneDrive/Documents/Desktop/FODS/Lab 1
  File "C:\Users\saran\AppData\Local\Python\pythoncore-3.14-64\Lib\sit
ses.py", line 3710, in show
    cls.mainloop()
  File "C:\Users\saran\AppData\Local\Python\pythoncore-3.14-64\Lib\sit
backend_tk.py", line 583, in start_main_loop
    first_manager.window.mainloop()
  File "C:\Users\saran\AppData\Local\Python\pythoncore-3.14-64\Lib\tkinter\__init__.py", line 1613, in
mainloop
    self.tk.mainloop(n)
KeyboardInterrupt
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS> & C:\Users\saran\AppData\Local\Python\pythoncore-3.
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS/Lab 12.py"
```


diagrams directly in chat.


Lab 12.py

Chat with Copilot

Agent | Auto


Lab 8.py
Lab 9.py
Lab 10.py
matrix.py
Lab 12.py
Lab 13.py
Chat
Sessions
Lab 13.py > ...
8
9 text = text.lower()
10
11 words = re.findall(r'\b\w+\b', text)
12
13 frequency = Counter(words)
14
15 print("Word Frequency:")
16
17 for word, count in frequency.items():
18 print(word, ":", count)
Problems
Output
Debug Console
Terminal
Ports
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS> & C:\Users\saran\AppData\Local\Python\pythoncore-3.14-64\python.exe "c:/Users/saran/OneDrive/Documents/Desktop/FODS/Lab 12.py"
, line 646, in show
return _get_backend_mod().show(*args, **kwargs)
File "C:\Users\saran\AppData\Local\Python\pythoncore-3.14-64\Lib\site-packages\matplotlib\backend_bases.py", line 3710, in show
cls.mainloop()
File "C:\Users\saran\AppData\Local\Python\pythoncore-3.14-64\Lib\site-packages\matplotlib\backends_backend_tk.py", line 583, in start_main_loop
first_manager.window.mainloop()
File "C:\Users\saran\AppData\Local\Python\pythoncore-3.14-64\Lib\tkinter__init__.py", line 1613, in mainloop
self.tk.mainloop(n)
KeyboardInterrupt
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS>
Python
Python
Python
Tip: Ask the agent to dr
diagram or flow chart. It
diagrams directly in cha
Lab 13.py
Chat with Copilot
Agent
Copilot
Search
ENG
IN


FODS
Lab 9.py
Lab 10.py
matrix.py
Lab 11.py
Lab 12.py
Lab 13.py
Lab 14.py
Chat
Sessions
Lab 14.py > ...
1 import pandas as pd
2
3 data = pd.DataFrame({
4 'age': [20, 25, 20, 30, 25, 30, 20, 35, 25, 30]
5 })
6
7 frequency = data['age'].value_counts().sort_index()
8
9 print("Age Frequency Distribution:")
10 print(frequency)
Problems
Output
Debug Console
Terminal
Ports
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS> & C:\Users\saran\AppData\Local\Python\pythoncore-3.14-64\python.exe "c:/Users/saran/OneDrive/Documents/Desktop/FODS/Lab 12.py"
first_manager.window.mainloop()
File "C:\Users\saran\AppData\Local\Python\pythoncore-3.14-64\Lib\tkinter__init__.py", line 1613, in mainloop
self.tk.mainloop(n)
KeyboardInterrupt
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS> & C:\Users\saran\AppData\Local\Python\pythoncore-3.14-64\python.exe "c:/Users/saran/OneDrive/Documents/Desktop/FODS/Lab 14.py"
Age Frequency Distribution:
age
20 3
25 3
30 3
35 1
Name: count, dtype: int64
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS>
Python
Python
Python
Tip: Ask the agent to draw diagram or flow chart. It c diagrams directly in chat.
Lab 14.py
Chat with Copilot
Agent
Copilot


Terminal Help
FODS
Lab 10.py
matrix.py
Lab 11.py
Lab 12.py
Lab 13.py
Lab 14.py
Lab 15.py
Chat
Sessions
Lab 15.py > ...
1 import pandas as pd
2
3 data = pd.DataFrame({
4 'likes': [10, 20, 10, 30, 20, 10, 40, 30, 20]
5 })
6
7 frequency = data['likes'].value_counts().sort_index()
8
9 print("Frequency Distribution of Likes:")
10 print(frequency)
Problems Output Debug Console Terminal Ports
Python
Python
Python
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS> & C:\Users\saran\AppData\Local\Python\pythoncore-3.14-64\python.exe "c:/Users/saran/OneDrive/Documents/Desktop/FODS/Lab 14.py"
Age Frequency Distribution:
age
20 3
25 3
30 3
35 1
Name: count, dtype: int64
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS> & C:\Users\saran\AppData\Local\Python\pythoncore-3.14-64\python.exe "c:/Users/saran/OneDrive/Documents/Desktop/FODS/Lab 15.py"
Frequency Distribution of Likes:
likes
10 3
20 3
30 2
40 1
Name: count, dtype: int64
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS>
Tip: Ask the agent to draw a diagram or flow chart. It can diagrams directly in chat.
Lab 15.py
Chat with Copilot
Agent
Auto
Copilot
Search
ENG
IN

Terminal Help FODS

matrix.py Lab 11.py Lab 12.py Lab 13.py Lab 14.py Lab 15.py Lab 16.py

Lab 16.py > ...

```
12
13  text = ' '.join(reviews['review']).lower()
14
15  words = re.findall(r'\b\w+\b', text)
16
17  frequency = Counter(words)
18
19  print("Word Frequency:")
20
21  for word, count in frequency.items():
22      print(word, ":", count)
```

Chat

Sessions

Problems Output Debug Console Terminal Ports

```
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS> & C:\Users\saran\AppData\Local\Python\pythoncore-3.14-64\python.exe "c:/Users/saran/OneDrive/Documents/Desktop/FODS/Lab 14.py"
Age Frequency Distribution:
age
20    3
25    3
30    3
35    1
Name: count, dtype: int64
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS> & C:\Users\saran\AppData\Local\Python\pythoncore-3.14-64\python.exe "c:/Users/saran/OneDrive/Documents/Desktop/FODS/Lab 15.py"
Frequency Distribution of Likes:
likes
10    3
20    3
30    2
40    1
Name: count, dtype: int64
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS>
```

Python

Python

Python

Tip: Ask the agent to d
diagram or flow chart.
diagrams directly in ch


Lab 16.py

Chat with Copilot

Agent

Copilot

ENG
IN


Terminal Help
FODS
Lab 11.py
Lab 12.py
Lab 13.py
Lab 14.py
Lab 15.py
Lab 16.py
Lab 17.py
Lab 17.py > ...
1 from collections import Counter
2 import re
3
4 with open("sample_text.txt", "r") as file:
5 text = file.read().lower()
6
7 words = re.findall(r'\b\w+\b', text)
8
9 frequency = Counter(words)
10
11 print("Word Frequency:")
12 for word, count in frequency.items():
13 print(word, ":", count)
Problems Output Debug Console Terminal Ports
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS> & C:\Users\saran\AppData\Local\Python\pythoncore-3.14-64\python.exe "c:/Users/saran/OneDrive/Documents/Desktop/FODS/Lab 14.py"
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS> & C:\Users\saran\AppData\Local\Python\pythoncore-3.14-64\python.exe "c:/Users/saran/OneDrive/Documents/Desktop/FODS/Lab 15.py"
Frequency Distribution of Likes:
likes
10 3
20 3
30 2
40 1
Name: count, dtype: int64
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS> & C:\Users\saran\AppData\Local\Python\pythoncore-3.14-64\python.exe "c:/Users/saran/OneDrive/Documents/Desktop/FODS/Lab 17.py"
Traceback (most recent call last):
File "c:\Users\saran\OneDrive\Documents\Desktop\FODS\Lab 17.py", line 4, in <module>
with open("sample_text.txt", "r") as file:
FileNotFoundError: [Errno 2] No such file or directory: 'sample_text.txt'
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS>
Python
Python
Python
Chat
Tip: Ask the agent to draw an
diagram or flow chart. It can
diagrams directly in chat.
Lab 17.py
Chat with Copilot
Agent
Copilot

Run Terminal Help FODS

Lab 12.py | Lab 13.py | Lab 14.py | Lab 15.py | Lab 16.py | Lab 17.py | Lab 18.py | Chat

Lab 18.py > ...

```
12  print("Mean:")
13  print(data.mean())
14
15  print("\nMedian:")
16  print(data.median())
17
18  print("\nStandard Deviation:")
19  print(data.std())
20
21  data.boxplot(column=['Age', 'Fat'])
22  plt.title("Boxplot")
23  plt.show()
24
25  plt.scatter(data['Age'], data['Fat'])
26  plt.xlabel("Age")
```


Problems Output Debug Console Terminal Ports

```
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS> & C:\Users\saran\AppData\Lo
14-64\python.exe "c:/Users/saran/OneDrive/Documents/Desktop/FODS/Lab 17.py"
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS> & C:\Users\saran\AppData\Lo
14-64\python.exe "c:/Users/saran/OneDrive/Documents/Desktop/FODS/Lab 18.py"
Mean:
Age    43.611111
Fat    28.666667
dtype: float64

Median:
Age    43.5
Fat    29.0
dtype: float64

Standard Deviation:
Age    13.209350
Fat     7.623493
dtype: float64
```

Figure 1



diagrams directly in chat.

Lab 18.py

Chat with Copilot

Agent Auto Balance

Copilot

08:39

Lab 13.py | Lab 14.py | Lab 15.py | Lab 16.py | Lab 17.py | Lab 18.py | Lab 19.py

Lab 19.py > ...

```
)

placebo_ci = stats.t.interval(
    0.95,
    len(placebo) - 1,
    loc=np.mean(placebo),
    scale=stats.sem(placebo)
)

print("Drug 95% CI:", drug_ci)
print("Placebo 95% CI:", placebo_ci)
```

Problems | Output | Debug Console | Terminal | Ports

```
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS> & C:\Users\saran\AppData\Local\Python\pythoncore-3.14-64\python.exe "c:/Users/saran/OneDrive/Documents/Desktop/FODS/Lab 18.py"
ses.py", line 3710, in show
    cls.mainloop()
    ~~~~~~~~~~~~~^^
  File "C:\Users\saran\AppData\Local\Python\pythoncore-3.14-64\Lib\site-packages\matplotlib\backends\_backend_tk.py", line 583, in start_main_loop
    first_manager.window.mainloop()
    ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~^^
  File "C:\Users\saran\AppData\Local\Python\pythoncore-3.14-64\Lib\tkinter\__init__.py", line 1613, in mainloop
    self.tk.mainloop(n)
    ~~~~~~~~~~~~~~~~~^^^
KeyboardInterrupt
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS> & C:\Users\saran\AppData\Local\Python\pythoncore-3.14-64\python.exe "c:/Users/saran/OneDrive/Documents/Desktop/FODS/Lab 19.py"
Drug 95% CI: (np.float64(11.817799142345423), np.float64(14.582200857654575))
Placebo 95% CI: (np.float64(5.85818886975084), np.float64(7.741811130249159))
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS>
```

Python | Python | Python

Chat | Sessions

Tip: Ask the agent to diagram or flow chart diagrams directly in c

Lab 19.py

Chat with Copilot

Agent

Copilot

Search

ENG

Terminal Help FODS

Lab 14.py | Lab 15.py | Lab 16.py | Lab 17.py | Lab 18.py | Lab 19.py | Lab 20.py

Chat

Sessions

Lab 20.py > ...

```python
import numpy as np
from scipy.stats import ttest_ind

A = np.array([0.20, 0.22, 0.19, 0.25, 0.21, 0.23])
B = np.array([0.28, 0.30, 0.27, 0.29, 0.31, 0.26])

t_stat, p_value = ttest_ind(A, B)

print("t-statistic:", t_stat)
print("p-value:", p_value)

if p_value < 0.05:
    print("There is a statistically significant difference.")
else:
    print("There is no statistically significant difference.")
```

Problems Output Debug Console Terminal Ports

Python
Python
Python

```
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS> & C:\Users\saran\AppData\Local\Python\pythoncore-3.14-64\python.exe "c:/Users/saran/OneDrive/Documents/Desktop/FODS/Lab 18.py"
    first_manager.window.mainloop()
    ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~^^
  File "C:\Users\saran\AppData\Local\Python\pythoncore-3.14-64\Lib\tkinter\__init__.py", line 1613, in mainloop
    self.tk.mainloop(n)
    ~~~~~~~~~~~~~~~~~^^^
KeyboardInterrupt
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS> & C:\Users\saran\AppData\Local\Python\pythoncore-3.14-64\python.exe "c:/Users/saran/OneDrive/Documents/Desktop/FODS/Lab 19.py"
Drug 95% CI: (np.float64(11.817799142345423), np.float64(14.582200857654575))
Placebo 95% CI: (np.float64(5.85818886975084), np.float64(7.741811130249159))
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS> & C:\Users\saran\AppData\Local\Python\pythoncore-3.14-64\python.exe "c:/Users/saran/OneDrive/Documents/Desktop/FODS/Lab 20.py"
t-statistic: -5.85714285714286
p-value: 0.00016005445201456258
There is a statistically significant difference.
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS>
```

Tip: Ask the agent to draw diagram or flow chart. It ca diagrams directly in chat.

Lab 20.py

Chat with Copilot

Agent Auto

Copilot

Search

ENG IN

Lab 15.py | Lab 16.py | Lab 17.py | Lab 18.py | Lab 19.py | Lab 20.py | Lab 21.py

Chat

Sessions

Lab 21.py > ...

```python
import numpy as np
from scipy import stats

data = np.loadtxt("rare_elements.csv", delimiter=",")

sample_size = int(input("Enter sample size: "))
confidence = float(input("Enter confidence level (e.g. 0.95): "))
precision = float(input("Enter desired precision: "))

sample = np.random.choice(data, sample_size, replace=False)

mean = np.mean(sample)
std = np.std(sample, ddof=1)

alpha = 1 - confidence
t_value = stats.t.ppf(1 - alpha / 2, sample_size - 1)
```

Problems | Output | Debug Console | Terminal | Ports

```
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS> & C:\Users\saran\AppData\Local\Python\pythoncore-3.14-64\python.exe "c:/Users/saran/OneDrive/Documents/Desktop/FODS/Lab 18.py"
KeyboardInterrupt
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS> & C:\Users\saran\AppData\Local\Python\pythoncore-3.14-64\python.exe "c:/Users/saran/OneDrive/Documents/Desktop/FODS/Lab 19.py"
Drug 95% CI: (np.float64(11.817799142345423), np.float64(14.582200857654575))
Placebo 95% CI: (np.float64(5.85818886975084), np.float64(7.741811130249159))
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS> & C:\Users\saran\AppData\Local\Python\pythoncore-3.14-64\python.exe "c:/Users/saran/OneDrive/Documents/Desktop/FODS/Lab 20.py"
t-statistic: -5.85714285714286
p-value: 0.00016005445201456258
There is a statistically significant difference.
PS C:\Users\saran\OneDrive\Documents\Desktop\FODS> & C:\Users\saran\AppData\Local\Python\pythoncore-3.14-64\python.exe "c:/Users/saran/OneDrive/Documents/Desktop/FODS/Lab 21.py"
Traceback (most recent call last):
  File "c:\Users\saran\OneDrive\Documents\Desktop\FODS\Lab 21.py", line 4, in <module>
    data = np.loadtxt("rare_elements.csv", delimiter=",")
  File "C:\Users\saran\AppData\Local\Python\pythoncore-3.14-64\Lib\site-packages\numpy\lib\_npyio_impl
```

Python
Python
Python

Tip: Ask the agent to ... diagram or flow chart ... diagrams directly in ...

Lab 21.py

Chat with Copilot

Agent

Copilot

ENG
IN