

OPERATORS

Write a simple program that accepts two numbers num1 and num2.

Assign num1 to num2 in the following scenarios:

- 1. Assign num1 to num2 by pre-incrementing num1.**
- 2. Assign num1 to num2 by post-incrementing num1.**
- 3. Swap both values.**

```
using System;
```

```
class Program
```

```
{
```

```
    static void Main()
```

```
    {
```

```
        int num1, num2, temp;
```

```
        Console.Write("Enter num1: ");
```

```
        num1 = Convert.ToInt32(Console.ReadLine());
```

```
        Console.Write("Enter num2: ");
```

```
        num2 = Convert.ToInt32(Console.ReadLine());
```

```
        Console.WriteLine("\nOriginal Values:");
```

```
        Console.WriteLine("num1 = " + num1);
```

```
        Console.WriteLine("num2 = " + num2);
```

```
        num2 = ++num1;
```

```
        Console.WriteLine("\nAfter Pre-Increment:");
```

```
        Console.WriteLine("num1 = " + num1);
```

```
        Console.WriteLine("num2 = " + num2);
```

```
        Console.Write("\nEnter num1 again: ");
```

```
        num1 = Convert.ToInt32(Console.ReadLine());
```

```
Console.Write("Enter num2 again: ");  
num2 = Convert.ToInt32(Console.ReadLine());  
num2 = num1++;  
Console.WriteLine("\nAfter Post-Increment:");  
Console.WriteLine("num1 = " + num1);  
Console.WriteLine("num2 = " + num2);  
temp = num1;  
num1 = num2;  
num2 = temp;  
Console.WriteLine("\nAfter Swapping:");  
Console.WriteLine("num1 = " + num1);  
Console.WriteLine("num2 = " + num2);  
Console.ReadKey();  
}  
}
```

OUTPUT

Enter num1: 10

Enter num2: 20

Original Values:

num1 = 10

num2 = 20

After Pre-Increment:

num1 = 11

num2 = 11

Enter num1 again: 10

Enter num2 again: 20

After Post-Increment:

num1 = 11

num2 = 10

After Swapping:

num1 = 10

num2 = 11