

Week 3: SOFTWARE DEVELOPMENT TOOLS AND ENVIRONMENTS

Review:

- So far we've learned how to create repositories, add changes to the stage, and commit them to the repository.
- We've also learned how to push and pull code back and forth from local machines to remote branches on GitHub.

Week 3

- Today it's time to learn about a critical concept in Git: **branches**.
- Branches allow us to organize a repository and split it apart so multiple people can work on it or so a solo developer can work on different aspects of a project on a separated work.

Week 3 Topics:

- Master/Main Branch and Branches
- Understanding HEAD
- Git Branch Commands:
 - git branch, git switch, git checkout
- Delete or Rename Branch
- Merging Branches and Conflicts
- Using gif diff
- Exercise and Solution

Let's get started!

Week 3 Branches

 Let's review what our current commit process looks like...

Commit Process

 As we create commits, we are linking to a parent commit, showing the log of the commit history.

commit 05a363861ef49cd35c0eef					
parent commit	NaN				
message	started project				

Commit Process

 As we create commits, we are linking to a parent commit, showing the log of the commit history.

commit 05a363861ef49cd35c0eef		\vdash	commit 70690d5da368c8f262aa6b		commit 7dc051194aeee368242051	
parent commit	NaN		parent commit	05a363861ef49c d35c0eef	parent commit	70690d5da368c 8f262aa6b
message	started project		message	added code	message	more updates

Commit Process


 As we need incorporate the workflows of others or be able to focus on new updates without breaking old code, we need **branches**.


commit 05a363861ef49cd35c0eef		commit 70690d5da368c8f262aa6b			commit 7dc051194aeee368242051	
parent commit	NaN	parent commit	05a363861ef49c d35c0eef	parent commit	70690d5da368c 8f262aa6b	
message	started project	message	added code	message	more updates	


- A branch represents an independent line of development.
- Branches serve as an abstraction for the edit/stage/commit process.
- They are a way to request a brand new working directory, staging area, and project history.


- o Branches are just pointers to commits.
- When you create a branch, all Git needs to do is create a new pointer, it doesn't change the repository in any other way.
- Let's explore why branches are useful for workflows...




























- Upon creating a new repo with git init you create a new branch called the master branch (or main branch).
- This is a branch just like any other, but it's simply the first one created.
 - Should code pushed to master branch always be in working condition?


- While organizations and developers
 often treat this master branch as the
 official branch for things like
 deployment, this is not a requirement.
- You can use any branch for code deployment or code that's actually "inuse".

- Master vs. Main
 - As we've discussed previously, GitHub has changed the nomenclature for this initial branch to be main branch while Git is still using master branch (but this may change in the future).
 - You can also rename any branch (trunk branch).

- Before we conclude, let's quickly go into more detail about what happens when first create a new branch.
- Branches are just pointers to commits.
- When you create a branch, all Git needs to do is create a new pointer, it doesn't change the repository in any other way.







- Now that we've seen how branches point to commits, we need to learn about HEAD.
- HEAD will help us understand what we are currently "viewing" or where we are "located" in regards to branches and commits.

Up Next:

 We'll explore and visualize specific actions and commands related to branches, including **HEAD**, git checkout, git branch, git switch, and more.


Week 3 Understanding HEAD

- As we work more with branches, you will probably notice a term show up during your commits: **HEAD**.
- When viewing the most recent commit using git log you may see:
 - commit 05as..3e2 (HEAD -> master)

HEAD

- In all of our examples so far, HEAD has always been pointing to the most recent commit in the master branch.
 - HEAD -> master

• Recall we have branch points (reference





Branches and Commits


- Git stores a branch as a reference to a commit.
- In this sense, a branch represents the tip of a series of commits—it's not a container for commits.
- The history for a branch is extrapolated through the commit relationships.

HEAD


- A HEAD is simply a reference to a commit object.
- We can think of HEAD as pointing to a specific commit in a branch that we are currently viewing.








- We can think of these branches as just references to a commit.
- Using HEAD tells us which branch reference we are currently "checking out".
- We can always switch back out HEAD to some other branch (which is a pointer to a commit reference).





Up Next:

 Now that we understand the theory behind branches and HEAD, let's begin to explore the actually commands that let us create branches and navigate between them.

Week 3 Git Branch Commands


Git Branch Commands

- Create a New Repo
- Add File
- Create a New Branch
 - git branch <branch_name>
- Report Branches
 - git branch
- Switch Branches
 - git switch


Git Branch Commands

- Add and Commit Changes on New Branch
- Use git log and git switch to explore differences between branches.


• git init, git add, git commit




git branch new_branch




• git add, git commit, git log




git switch new_branch



git add, git commit, git log




git switch master




Week 3 Delete and Rename Branches

- Let's quickly explore how to rename and delete branches.
- Keep in mind that we still need to learn how to merge branches together.


Previously:






- Renaming a Branch
 - git switch branch_to_rename
 - git branch -m new_name
 - You must be checked out on the branch you will rename.

git switch experimental




• git branch -m please_delete



- Deleting a Branch
 - git branch -d branch_to_delete_name
 - You can not delete a branch you are checked out at.
 - You also will get a warning if the branch is not merged.
 - You can confirm you want to do this anyways with -D




git switch master







• git branch -d please_delete




• git branch -d please_delete



git branch -D please_delete




git branch -D please_delete




Week 3 Merging Branches and Conflicts

- Now that we understand creating new branches, let's shift focus to merging branches back together.
- Let's explore a simple type of merge, where a new branch is created, but the original branch it stemmed from has no additional commits.
 - This is known as a "fast-forward" merge


"Fast Forward" Merge





"Fast Forward" Merge





"Fast Forward" Merge
















 Now let's explore what happens for a merge where we have different commits in the branches.


• Git Merge



Git Merge




• Git Merge







Git Merge





Git Merge





- Git creates the new commit for us, and will attempt the merge.
- Sometimes there are no conflicts, for example:
 - The branch only focused on files not in the receiving branch, thus the merge simply adds the new files to the receiving branch.

















- However, there will be many instances where there are conflicts, for example changes in the file on lines that are different between the branches.
- These are known as merge conflicts, and we need to resolve (fix) the conflicts between the branches in order to merge them.

- Git will warn you about files in conflict.
- Then you must edit the files in order to remove the conflicts.
 - Fortunately, Git also provides specialized markdown to indicate the differences between the files and what differences come from which branch.
 - Modern editors (e.g. VS Code) have syntax highlighting to reflect this.

Merge Conflict Example

```
$ cat merge.txt
<<<<< HEAD
Some content from the text file
Different content from the other branch
>>>>> new_branch
```

Content below this and

Merge Conflict Example

```
above the ==== means
                            that the content already
                            exists in the current
$ cat merge.txt
                            HFAD branch.
<<<<< HEAD
Some content from the text file
Different content from the other branch
>>>>> new branch
```

Merge Conflict Example

Division line between the conflicting content between the branches \$ cat merge.txt <<<<< Some content from the text file Different content from the other branch >>>>> new branch

Merge Conflict Example

```
Content between ====
                           and >>> branch is the
                           content from the branch
                           you are trying to merge
$ cat merge.txt
                           from.
<<<<<
Some content from the text file
ifferent content from the other branch
 >>>>> new_branch
```