

WTP TEST

Total points 28/40 ?

Time--45 min, 40 question

NAME *

Ashok Pate
.....

EMAIL *

ashokdpate@gmail.com
.....

CENTRE *

☒ KHARGHAR☐ JUHU

✓ The correct sequence of HTML tags for starting a webpage is -

1/1

☐ Head, Title, HTML, body☐ HTML, Body, Title, Head☒ HTML, Head, Title, Body☐ HTML,TITLE,BODY

✓ Which of the following tag is used to insert a line-break in HTML?

1/1

☒



☐ <a>

☐ <pre>

☐

✓ Which character is used to represent the closing of a tag in HTML?

1/1

☐ \

☐ !

☒ /



☐ .

✓ How to add a background color in HTML?

1/1

☐ <marquee bg color: "red">

☐ <marquee bg-color = "red">

☒ <marquee bgcolor = "red">



☐ <marquee color = "red">



✓ Which of the following attribute is used to provide a unique name to an element? 1/1

- ☐ class
- ☒ id
- ☐ type
- ☐ None of the above



✗ Which of the following HTML tag is used to display the text with scrolling effect? 0/1

- ☐ <marquee>
- ☒ <scroll>
- ☐ <div>
- ☐ None of the above



Correct answer

- ☒ <marquee>

✓ Which of the following is the correct way to send mail in HTML? 1/1

- ☒
- ☐
- ☐ <mail xy@y</mail>
- ☐ None of the above



✓ Which of the following HTML attribute is used to define inline styles? 1/1

- ☒ style
- ☐ type
- ☐ class
- ☐ None of the above



✓ A program in HTML can be rendered and read by - 1/1

- ☒ Web browser
- ☐ Server
- ☐ Interpreter
- ☐ None of the above



✓ Which of the following are the attributes of the tag? 1/1

- ☐ method
- ☐ action
- ☒ Both (a) & (b)
- ☐ None of the above



✓ Which of the following is the correct syntax to make the background-color of all paragraph elements to yellow? 1/1

- ☒ p {background-color : yellow;} ✓
- ☐ p {background-color : #yellow;}
- ☐ all {background-color : yellow;}
- ☐ all p {background-color : #yellow;}

✗ Which of the following property is used as the shorthand property for the padding properties? 0/1

- ☐ padding-left
- ☐ padding-right
- ☐ padding
- ☒ All of the above ✗

Correct answer

- ☒ padding

✓ The CSS property used to specify the transparency of an element is - 1/1

- ☒ opacity ✓
- ☐ filter
- ☐ visibility
- ☐ overlay



✗ The CSS property used to specify whether the text is written in the horizontal or vertical direction?

0/1

- ☐ writing-mode
- ☒ text-indent
- ☐ word-break
- ☐ None of the above

✗

Correct answer

- ☒ writing-mode

✓ The CSS property used to draw a line around the elements outside the border?

1/1

- ☐ border
- ☒ outline
- ☐ padding
- ☐ line

✓



✗ Which of the following class in Bootstrap is used to provide a responsive fixed width container? 0/1

- ☒ container-fixed
- ☐ container-fluid
- ☐ container
- ☐ All of the above



Correct answer

- ☒ container

✓ How many columns are allowed in a bootstrap grid system? 1/1

- ☐ 2
- ☒ 12
- ☐ 3
- ☐ 5



✓ Which of the following class in bootstrap is used to create a big box for calling extra attention? 1/1

- ☐ .box
- ☐ .container
- ☐ .container-fluid
- ☒ .jumbotron



✓ The correct syntax of creating a standard navigation bar is -

1/1

- ☐ <nav class="navigationbar navbar">
- ☐ <nav class="navbar navbar-default">
- ☒ <nav class="nav navbar">
- ☐ <nav class="navbar default">



✓ Which of the following is the correct syntax of creating a standard navigation tab?

1/1

- ☐ <ul class="navigation nav-tabs">
- ☐ <ul class="nav tab">
- ☒ <ul class="nav nav-tabs">
- ☐ <ul class="navigation tabs">



✗ Which of the following class is used to create a black navigation bar?

0/1

- ☐ .navbar-default
- ☐ .navbar-inverse
- ☐ .navbar-black
- ☒ .navbar-dark



Correct answer

- ☒ .navbar-inverse



✓ The plugin used to create a cycle through elements as a slideshow is - 1/1

- ☐ slideshow
- ☐ scrollspy
- ☒ carousel
- ☐ None of the above



✗ Which of the following class in Bootstrap is used to create a basic list group? 0/1

- ☒ .grouped-list
- ☐ .select-list
- ☐ .list-group
- ☐ Option 4



Correct answer

- ☒ .list-group

✓ Which of the following class in Bootstrap is used to add a zebra-stripe to a table? 1/1

- ☐ .tab-striped
- ☐ .zebra-strip
- ☒ .table-striped
- ☐ .table-striped



✓ Which of the following class in Bootstrap is used to create a large button? 1/1

- ☐ .btn-xl
- ☐ .btn-lrg
- ☐ .btn-large
- ☒ .btn-lg



✓ Which of the following plugin in Bootstrap is used to create a modal window? 1/1

- ☐ popup
- ☐ alert
- ☒ modal
- ☐ window



✓ The class in Bootstrap which is used to specify the collapsible elements is 1/1

- ☒ .collapse
- ☐ .carousel
- ☐ .pager
- ☐ None of the above



✓ The class used for creating the small size wells is -

1/1

- ☐ .well-small
- ☐ .well-short
- ☐ .well-lg
- ☒ .well-sm



✓ Which of the following is the correct syntax to insert search icon?

1/1

- ☐
- ☐
- ☒
- ☐



✓ Which of the following is correct method to add a success button?

1/1

- ☒ <button class = "btn btn-success"> success </button>
- ☐ <button class = "btn button-success"> success </button>
- ☐ <button class = "button btn-success"> success </button>
- ☐ <button class = "button btn-primary"> success </button>



✓ Is it true that the Bootstrap grid system works across multiple devices? 1/1

- ☒ True
- ☐ False
- ☐ Can't say
- ☐ May be



✗ The class "xs" in Bootstrap is used for -

0/1

- ☐ tablets
- ☐ phones
- ☐ desktop
- ☒ All of the above



Correct answer

- ☒ phones

✓ Which of the following class in Bootstrap is used to create an animated progress bar? 1/1

- ☒ .active
- ☐ .progress-success
- ☐ .progress-active
- ☐ None of the above



✗ The element _____ simply groups items within an enclosed dd tag, though it may associate them with a caption defined by a dt tag. 0/1

☐ object

☒ figure

✗

☐ embed

☐ collect

Correct answer

☒ object

✓ The _____ element is used to render simple graphics such as line art, graphs, and other custom graphical elements on the client side. 1/1

☐ metadata

☐ css

☒ canvas

✓

☐ art

✓ . Consider the following markup and answer the question that follow. 1/1
<source src="html_5.mp4" type="video/mp4"><source src="html_5.ogv" type="video/ogg">What is the need to add multiple file formats for the same file?

☐ To provide fallback support

☐ To address the media support problem

☒ To provide fallback support & address the media support problem

✓

☐ To provide foul back support



✗ In HTML Audio/Video DOM, _____ sets or returns whether the audio/video should be loaded when the page loads.

0/1

- ☐ preload
- ☒ autoplay
- ☐ buffered
- ☐ controller

✗

Correct answer

- ☒ preload

✗ Which of the following is not a HTML5 tag?

0/1

- ☐ <video>
- ☐ <source>
- ☒ <track>
- ☐ <slider>

✗

Correct answer

- ☒ <slider>



✗ Which of the following HTML Video – Media Type is not supported in IE? 0/1

☒ WebM

✗

☐ MP4

☐ Ogg

☐ MP4 FLAC

Correct answer

☒ Ogg

✗ In HTML Audio/Video DOM, _____ returns a TimeRanges object representing the buffered parts of the audio/video. 0/1

☐ preload

☐ networkState

☐ buffered

☒ controller

✗

Correct answer

☒ buffered

This content is neither created nor endorsed by Google. - [Terms of Service](#) - [Privacy Policy](#)

Google Forms

