







PrintNumbers1toN.javaMultiplesOf3.javaFactorial.java

FileEditView

//Question 3: Calculate the Factorial of a Number

import java.util.Scanner;
class Factorial {

 public static void NFactorial(int num){
 int fact=1;
 for(int i=1;i<=num;i++){
 fact=fact*i;
 }
 System.out.print("Factorial of "+ num +" is " + fact);
 }

 public static void main(String[] args){
 Scanner sc=new Scanner(System.in);

 System.out.print("Enter a number: ");
 int number=sc.nextInt();
 NFactorial(number);
 }
}

Ln 11, Col 4433 charactersPlain text100%Windows (CRLF)UTF-8

C:\Windows\System32\cmd.e

Microsoft Windows [Version 10.0.22631.5771]
(c) Microsoft Corporation. All rights reserved.

C:\CDACLab\LogicBuildging\Assignment4>javac Factorial.java
Factorial.java:1: error: class, interface, annotation type, enum, record, method or field expected
Question 3: Calculate the Factorial of a Number
^
1 error

C:\CDACLab\LogicBuildging\Assignment4>javac Factorial.java

C:\CDACLab\LogicBuildging\Assignment4>java Factorial
Enter a number: 5
Factorial of 5 is 1Factorial of 5 is 2Factorial of 5 is 6Factorial of 5 is 24Factorial of 5 is 120
C:\CDACLab\LogicBuildging\Assignment4>javac Factorial.java

C:\CDACLab\LogicBuildging\Assignment4>java Factorial
Enter a number: 5
Factorial of 5 is 120
C:\CDACLab\LogicBuildging\Assignment4>

30°C
Mostly cloudy

Search

ENG
IN

15:29
21/08/2026

PrintNumbers1toN.java MultiplesOf3.java Factorial.java EvenNumbers

File Edit View

//Question 4: Print Even Numbers from 1 to N

import java.util.Scanner;
class EvenNumbers {

 public static void Even(int num){
 for(int i=1;i<=num;i++){
 if(i%2==0)
 System.out.print(i+" ");
 }

 public static void main(String[] args){
 Scanner sc=new Scanner(System.in);

 System.out.print("Enter a number: ");
 int number=sc.nextInt();
 Even(number);
 }
 }
}

Ln 4, Col 18 11 of 369 characters Plain text 100% Windows (CRLF) UTF-8

C:\Windows\System32\cmd.e

Microsoft Windows [Version 10.0.22631.5771]
(c) Microsoft Corporation. All rights reserved.


C:\CDACLab\LogicBuildging\Assignment4>javac EvenNumbers.java

C:\CDACLab\LogicBuildging\Assignment4>java EvenNumbers
Enter a number: 30
2 4 6 8 10 12 14 16 18 20 22 24 26 28 30
C:\CDACLab\LogicBuildging\Assignment4>

30°C Mostly cloudy

Search

15:31 21/08/2026



PrintNumber: Multipl • Factorial.java EvenNumber SumOddNum PrintA x + - □ ×

File Edit View

//Question 6: Print All Elements of an Array

import java.util.Scanner;
public class PrintArrayElements {
 public static void main(String[] args){
 Scanner sc=new Scanner(System.in);
 int[] arr= new int[5];
 System.out.println("Enter 5 integers: ");

 for(int i=0;i<5;i++){
 arr[i]=sc.nextInt();
 }

 System.out.println("Array elements: ");

 for(int num : arr) {
 System.out.print(num + " ");
 }
 }
}

Ln 8, Col 21 425 characters Plain text 100% Windows (CRLF) UTF-8

C:\Windows\System32\cmd.e x + - □ ×

second type: int[]
PrintArrayElements.java:17: error: cannot find symbol
 System.out.print(num + " ");
 ^
symbol: variable num
location: class PrintArrayElements
2 errors

C:\CDACLab\LogicBuildging\Assignment4>javac PrintArrayElements.java
PrintArrayElements.java:16: error: cannot find symbol
 for(int i=0;i<arr.size();i++){
 ^
symbol: method size()
location: variable arr of type int[]
1 error

C:\CDACLab\LogicBuildging\Assignment4>javac PrintArrayElements.java

C:\CDACLab\LogicBuildging\Assignment4>java PrintArrayElements
Enter 5 integers: 2 5 1 6 3
Array elements:
2 5 1 6 3
C:\CDACLab\LogicBuildging\Assignment4>java PrintArrayElements
Enter 5 integers: 8 9432
5
6
3
Array elements:
8 9432 5 6 3
C:\CDACLab\LogicBuildging\Assignment4>

16:34 21/08/2026

PrintArrayElements.javaSumArrayElements.java

FileEditView

//Question 7: Find the Sum of All Elements in an Array

import java.util.Scanner;
public class SumArrayElements {
 public static void main(String[] args){
 Scanner sc=new Scanner(System.in);
 int[] arr= new int[5];
 System.out.println("Enter 5 integers: ");

 for(int i=0;i<5;i++){
 arr[i]=sc.nextInt();
 }

 int sum=0;
 for(int num : arr) {
 sum=sum+num;
 }
 System.out.println("The sum of All numbers: " + sum);
 }
}

Ln 21, Col 3439 charactersPlain text100%Windows (CRLF)UTF-8

C:\Windows\System32\cmd.e

Microsoft Windows [Version 10.0.22631.5771]
(c) Microsoft Corporation. All rights reserved.

C:\CDACLab\LogicBuildging\Assignment4>javac SumArrayElements.java

C:\CDACLab\LogicBuildging\Assignment4>java SumArrayElements
Enter 5 integers:
1 2 3 4 5
The sum of All numbers: 1
The sum of All numbers: 3
The sum of All numbers: 6
The sum of All numbers: 10
The sum of All numbers: 15

C:\CDACLab\LogicBuildging\Assignment4>javac SumArrayElements.java

C:\CDACLab\LogicBuildging\Assignment4>java SumArrayElements
Enter 5 integers:
1 2 3 4 5
The sum of All numbers: 15

C:\CDACLab\LogicBuildging\Assignment4>

30°C
Mostly cloudy

Search

ENG
IN

16:45
21/08/2026

PrintArrayElements.javaSumArrayElements.javPrintStringNames.jav

FileEditView

//Question 8: Print All Names in a String Array

import java.util.Scanner;
public class PrintStringNames {
 public static void main(String[] args){
 Scanner sc=new Scanner(System.in);
 String[] arr= new String[5];
 System.out.println("Enter 5 names: ");

 for(int i=0;i<5;i++){
 arr[i]=sc.next();
 }

 System.out.println("All names: ");

 for(String num : arr) {
 System.out.println(num + " ");
 }
 }
}

Ln 11, Col 18424 charactersPlain text100%Windows (CRLF)UTF-8

C:\Windows\System32\cmd.e

arr[i]=sc.nextLine();
symbol: method nextline()
location: variable sc of type Scanner
1 error

C:\CDACLab\LogicBuildging\Assignment4>javac PrintStringNames.java

C:\CDACLab\LogicBuildging\Assignment4>java PrintStringNames
Enter 4 names:
riya niya tiya piya
siya
minu
amna
amj
All names:
riya niya tiya piya siya minu amna amj
C:\CDACLab\LogicBuildging\Assignment4>javac PrintStringNames.java

C:\CDACLab\LogicBuildging\Assignment4>java PrintStringNames
Enter 5 names:
riya miya tiy a siya diya
All names:
riya
miya
tiy
a
siya

C:\CDACLab\LogicBuildging\Assignment4>

30°C
Mostly cloudy

Search

16:59
21/08/2026

PrintArrayElements.javaLargestElementUsingBuiltin.jLargestElement.java

FileEditView

//Question 9: Find the largest Element in an Array without using builtin function
import java.util.Scanner;

public class LargestElement {
 public static void main(String[] args) {

 Scanner sc = new Scanner(System.in);

 int[] arr = new int[5];

 System.out.println("Enter 5 integers:");

 for (int i = 0; i < 5; i++) {
 arr[i] = sc.nextInt();
 }

 int largest = arr[0];

 for (int i = 1; i < 5; i++) {
 if (arr[i] > largest) {
 largest = arr[i];
 }
 }

 System.out.println("The largest element is: " + largest);
 }
}

Ln 14, Col 38636 charactersPlain text100%Windows (CRLF)UTF-8

C:\Windows\System32\cmd.e

Microsoft Windows [Version 10.0.22631.5771]
(c) Microsoft Corporation. All rights reserved.

C:\CDACLab\LogicBuildging\Assignment4>javac LargestElement.java

C:\CDACLab\LogicBuildging\Assignment4>java LargestElement
Enter 5 integers:
45 1 98 34 78
The largest element is: 98

C:\CDACLab\LogicBuildging\Assignment4>

29°C Cloudy19:1121/08/2026

PrintArrayElements.javaLargestElementUsingLargestElement.java

FileEditView

//Question 9: Find the Largest Element in an Array

import java.util.Arrays;
import java.util.Scanner;

public class LargestElementUsingBuiltin {
 public static void main(String[] args){
 Scanner sc=new Scanner(System.in);
 int[] arr= new int[5];
 System.out.println("Enter 5 integers: ");

 for(int i=0;i<5;i++){
 arr[i]=sc.nextInt();
 }

 Arrays.sort(arr);

 System.out.println("The largest element is: " + arr[arr.length - 1]);
 }
}

Ln 20, Col 3451 charactersPlain text100%Windows (CRLF)UTF-8

C:\Windows\System32\cmd.e

Microsoft Windows [Version 10.0.22631.5771]
(c) Microsoft Corporation. All rights reserved.

C:\CDACLab\LogicBuildging\Assignment4>javac LargestElementUsingBuiltin.java

C:\CDACLab\LogicBuildging\Assignment4>java LargestElementUsingBuiltin
Enter 5 integers:
23 5 67 12 78
The largest element is: 78


C:\CDACLab\LogicBuildging\Assignment4>

29°C
Cloudy

Search

ENG
IN

19:12
21/08/2026



```
PrintArrayElements.java LargestElement.java Average.java Count.java x + - □ x
File Edit View
//Question 11: Count Positive and Negative Numbers in an Array
import java.util.Scanner;

public class Count {
    public static void main(String[] args) {

        Scanner sc = new Scanner(System.in);

        int[] arr = new int[6];

        System.out.println("Enter 6 integers:");

        for (int i = 0; i < 6; i++) {
            arr[i] = sc.nextInt();
        }

        int countpositive=0;
        int countnegative=0;

        for (int i = 0; i < 6; i++) {
            if (arr[i] > 0) {
                countpositive++;
            }
            else
                countnegative++;
        }

        System.out.println("Positive Number: " + countpositive);
        System.out.println("Negative Number: " + countnegative);
    }
}

Ln 12, Col 37 | 708 characters | Plain text | 100% | Windows (CRLF) | UTF-8
```

```
C:\Windows\System32\cmd.e x + - □ x
Microsoft Windows [Version 10.0.22631.5771]
(c) Microsoft Corporation. All rights reserved.

C:\CDACLab\LogicBuildging\Assignment4>javac Count.java

C:\CDACLab\LogicBuildging\Assignment4>java Count
Enter 6 integers:
3 4 2 -9 1 4 2 4 -8
Positive Number: 5
Negative Number: 1

C:\CDACLab\LogicBuildging\Assignment4>java Count
Enter 6 integers:
1 2 3 4 5 6
Positive Number: 6
Negative Number: 0

C:\CDACLab\LogicBuildging\Assignment4>
```

PrintArrayElement.javaLargestElement.javaAverage.javaCount.javaAscendingOrder.java

FileEditView

//Question 12: Sort an Array in Ascending Order

import java.util.Arrays;
import java.util.Scanner;

public class AscendingOrder {
 public static void main(String[] args) {

 Scanner sc = new Scanner(System.in);

 int[] arr = new int[5];

 System.out.println("Enter 5 integers:");

 for (int i = 0; i < 5; i++) {
 arr[i] = sc.nextInt();
 }

 Arrays.sort(arr);

 for (int i = 0; i < 5; i++) {
 System.out.print(arr[i]+" ");
 }
 }
}

Ln 23, Col 39516 charactersPlain text100%Windows (CRLF)UTF-8

C:\Windows\System32\cmd.exe

Microsoft Windows [Version 10.0.22631.5771]
(c) Microsoft Corporation. All rights reserved.

C:\CDACLab\LogicBuilding\Assignment4>javac AscendingOrder.java
error: file not found: AscendingOrder.java
Usage: javac <options> <source files>
use --help for a list of possible options

C:\CDACLab\LogicBuilding\Assignment4>javac AscendingOrder.java

C:\CDACLab\LogicBuilding\Assignment4>java AscendingOrder
Enter 5 integers:
23 1 45 2 8
1282345
C:\CDACLab\LogicBuilding\Assignment4>javac AscendingOrder.java

C:\CDACLab\LogicBuilding\Assignment4>java AscendingOrder
Enter 5 integers:
45 1 3 67 23
1 3 23 45 67
C:\CDACLab\LogicBuilding\Assignment4>

29°C
Cloudy

Search

ENG
IN

19:37
21/08/2026

PrintArrayEleLargestElemeAveragejavaCount.javaAscendingOrSearchl ×+−□×

FileEditView

//Question 13: Check if an Array Contains a Specific Element

import java.util.Scanner;
import java.util.Arrays;

public class SearchElement {
 public static void main(String[] args){
 Scanner sc=new Scanner(System.in);
 Integer[] arr = new Integer[5];
 System.out.println("Enter 5 integers:");

 for(int i=0;i<5;i++){
 arr[i]=sc.nextInt();
 }

 System.out.println("Enter the number to search:");
 int search=sc.nextInt();

 boolean found=Arrays.asList(arr).contains(search);

 if(found){
 System.out.println("Found");
 }
 else{
 System.out.println("not Found");
 }
 }
}

Ln 9, Col 29578 charactersPlain text100%Windows (CRLF)UTF-8

C:\Windows\System32\cmd.e ×+−□×

Enter 5 integers:
1 2 3 4 5
Enter the number to search:
3
not Found

C:\CDACLab\LogicBuildging\Assignment4>java SearchElement
Enter 5 integers:
1 2 3 4 5
Enter the number to search:
3
not Found

C:\CDACLab\LogicBuildging\Assignment4>javac SearchElement.java

C:\CDACLab\LogicBuildging\Assignment4>java SearchElement
Enter 5 integers:
1 2 3 4 5
Enter the number to search:
3
Found

C:\CDACLab\LogicBuildging\Assignment4>java SearchElement
Enter 5 integers:
56 3 45 12 5
Enter the number to search:
8
not Found

C:\CDACLab\LogicBuildging\Assignment4>

28°C
Mostly cloudy

Search

20:15
21/08/2026

```
File Edit View

//Question 14: Find the Index of an Element in an Array

import java.util.Scanner;
import java.util.Arrays;

public class Searchindex {
    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        int[] arr=new int[5];

        System.out.println("Enter 5 integers:");

        for(int i=0;i<5;i++){
            arr[i]=sc.nextInt();
        }
        System.out.println("Enter the number to search:");
        int search = sc.nextInt();

        int index=Arrays.binarySearch(arr,search);

        if(index>=0){
            System.out.println("The number " + search + " is found at index " + index);
        }
        else {
            System.out.println("Not Found");
        }
    }
}
```

Ln 28, Col 2 636 characters Plain text 100% Windows (CRLF) UTF-8

```
C:\Windows\System32\cmd.e x + v

(c) Microsoft Corporation. All rights reserved.

C:\CDACLab\LogicBuildging\Assignment4>javac Searchindex.java
error: file not found: Searchindex.java
Usage: javac <options> <source files>
use --help for a list of possible options

C:\CDACLab\LogicBuildging\Assignment4>javac Searchindex.java
Searchindex.java:27: error: reached end of file while parsing
    }
    ^
1 error

C:\CDACLab\LogicBuildging\Assignment4>javac Searchindex.java

C:\CDACLab\LogicBuildging\Assignment4>java Searchindex
Enter 5 integers:
2 3 1 67 34
Enter the number to search:
3
Not Found

C:\CDACLab\LogicBuildging\Assignment4>java Searchindex
Enter 5 integers:
2 5 67 78 97
Enter the number to search:
5
The number 5 is found at index 1

C:\CDACLab\LogicBuildging\Assignment4>
```

```
PatternQ15.java
File Edit View
//Question 15:Write a program to print the following pattern:

public class PatternQ15 {
    public static void main(String[] args) {

        for (int i = 1; i <= 5; i++) {
            for (int j = 1; j <= i; j++) {
                System.out.print(i);

                if (j < i) {
                    System.out.print(" ");
                }
            }
            System.out.println();
        }

        for (int i = 4; i >= 2; i--) {
            for (int j = 1; j <= i; j++) {
                System.out.print(i);

                if (j < i) {
                    System.out.print(" ");
                }
            }
            System.out.println();
        }
    }
}
```

Ln 12, Col 43 681 characters Plain text 100% Windows (CRLF) UTF-8


```
C:\Windows\System32\cmd.e
Microsoft Windows [Version 10.0.22631.5771]
(c) Microsoft Corporation. All rights reserved.


C:\CDACLab\LogicBuildging\Assignment4>javac PatternQ15.java

C:\CDACLab\LogicBuildging\Assignment4>java PatternQ15
1
2*2
3*3*3
4*4*4*4
5*5*5*5*5
4*4*4*4
3*3*3
2*2

C:\CDACLab\LogicBuildging\Assignment4>
```

17:12 22/08/2026





PatternQ15.javaPatternQ16.javaPatternQ17.javaPatternQ18.java

FileEditView

//Question 18:Write a program to print the following pattern:

public class PatternQ18 {
 public static void main(String[] args) {

 for (int i = 1; i <= 5; i++) {
 for (int j = 1; j <= 5; j++) {
 System.out.print(i);

 }
 System.out.println();
 }
 }
}

Ln 16, Col 2344 charactersPlain text100%Windows (CRLF)UTF-8

C:\Windows\System32\cmd.e

C:\CDACLab\LogicBuildging\Assignment4>javac PatternQ18.java

C:\CDACLab\LogicBuildging\Assignment4>java PatternQ18
11111
22222
33333
44444
55555

C:\CDACLab\LogicBuildging\Assignment4>

30°C
Mostly cloudy

Search

ENG
IN

17:22
22/08/2026

```
PatternQ15.java PatternQ16.java PatternQ17.java PatternQ18.java PatternQ19.java
File Edit View
//Question 19:Write a program to print the following pattern:

public class PatternQ19 {
    public static void main(String[] args) {

        for (int i = 1; i <= 5; i++) {
            for (int j = 1; j <= i; j++) {
                System.out.print(i);

            }
            System.out.println();
        }
    }
}
```

Ln 16, Col 2 344 characters Plain text 100% Windows (CRLF) UTF-8

```
C:\Windows\System32\cmd.e
C:\CDACLab\LogicBuildging\Assignment4>javac PatternQ18.java
C:\CDACLab\LogicBuildging\Assignment4>java PatternQ18
11111
22222
33333
44444
55555
C:\CDACLab\LogicBuildging\Assignment4>javac PatternQ19.java
C:\CDACLab\LogicBuildging\Assignment4>java PatternQ19
1
22
333
4444
55555
C:\CDACLab\LogicBuildging\Assignment4>
```

30°C Mostly cloudy 17:24 22/08/2026

PatternQ15.javaPatternQ16.javaPatternQ19.javaPatternQ20.java

FileEditView

//Question 20:Write a program to print the following pattern:

public class PatternQ20 {
 public static void main(String[] args) {

 for (int i = 1; i <= 5; i++) {
 for (int j = 1; j <= i; j++) {
 System.out.print(j);

 }
 System.out.println();
 }
 }
}

Ln 4, Col 2410 of 344 charactersPlain text100%Windows (CRLF)UTF-8

C:\Windows\System32\cmd.e

C:\CDACLab\LogicBuildging\Assignment4>javac PatternQ20.java

C:\CDACLab\LogicBuildging\Assignment4>java PatternQ20
1
12
123
1234
12345

C:\CDACLab\LogicBuildging\Assignment4>

30°C
Mostly cloudy

Search

ENG
IN17:26
22/08/2026

```
PatternQ15.java PatternQ16.java PatternQ19.java PatternQ20.java PatternQ21.java
File Edit View
//Question 21:Write a program to print the following pattern:

public class PatternQ21 {
    public static void main(String[] args) {

        int num = 1;

        for (int i = 1; i <= 5; i++) {

            for (int j = 1; j <= i; j++) {
                System.out.print(num + " ");
                num++;
            }

            System.out.println();
        }
    }
}

Ln 17, Col 10 378 characters Plain text 100% Windows (CRLF) UTF-8
```

```
C:\Windows\System32\cmd.e
C:\CDACLab\LogicBuildging\Assignment4>javac PatternQ21.java
C:\CDACLab\LogicBuildging\Assignment4>java PatternQ21
1
2 3
4 5 6
7 8 9 10
11 12 13 14 15
C:\CDACLab\LogicBuildging\Assignment4>
```

```
PatternQ15.java PatternQ20.java PatternQ21.java PatternQ22.java x + - □ ×
File Edit View
//Question 22:Write a program to print the following pattern:

public class PatternQ22 {
    public static void main(String[] args) {
        for (int i = 1; i <= 6; i++) {
            for (int j = 1; j <= 6; j++) {
                if (i == 1 || i == 6 || j == 1 || j == 6) {
                    System.out.print("*");
                } else {
                    System.out.print(" ");
                }
            }
            System.out.println();
        }
    }
}
```

Ln 22, Col 1 477 characters Plain text 100% Windows (CRLF) UTF-8

```
C:\Windows\System32\cmd.e x + - □ ×
C:\CDACLab\LogicBuildging\Assignment4>javac PatternQ22.java
C:\CDACLab\LogicBuildging\Assignment4>java PatternQ22
*****
*   *
*   *
*   *
*   *
*****
C:\CDACLab\LogicBuildging\Assignment4>
```

17:46 22/08/2026

```
PatternQ15.java PatternQ20.java PatternQ21.java PatternQ22.java PatternQ23.java
File Edit View
//Question 23:Write a program to print the following pattern:

public class PatternQ23 {
    public static void main(String[] args) {
        int n = 6;
        for (int i = 1; i <= n; i++) {
            for (int j = 1; j <= n - i; j++) {
                System.out.print(" ");
            }
            for (int j = 1; j <= 2 * i - 1; j++) {
                System.out.print("*");
            }
            System.out.println();
        }
        for (int i = n - 1; i >= 1; i--) {
            for (int j = 1; j <= n - i; j++) {
                System.out.print(" ");
            }
            for (int j = 1; j <= 2 * i - 1; j++) {
                System.out.print("*");
            }
            System.out.println();
        }
    }
}
```

Ln 25, Col 2 738 characters Plain text 100% Windows (CRLF) UTF-8

```
C:\Windows\System32\cmd.e
C:\CDACLab\LogicBuildging\Assignment4>javac PatternQ23.java
C:\CDACLab\LogicBuildging\Assignment4>java PatternQ23

*
***
*****
*****
*****
*****
*****
*****
***
*

C:\CDACLab\LogicBuildging\Assignment4>
```

17:52 22/08/2026


```
Reversestring.java
File Edit View
//Question 24: Reverse a String


import java.util.Scanner;
public class Reversestring {
    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        System.out.print("Enter a String : ");
        String name = sc.nextLine();
        char[] arr = name.toCharArray();


        int i=0;
        int j=arr.length-1;


        while(i<j){
            char temp = arr[i];
            arr[i] = arr[j];
            arr[j] = temp;
            i++;j--;
        }
        System.out.println("Reversed String : " + new String(arr));
    }
}
```


Ln 11, Col 10 486 characters Plain text 100% Windows (CRLF) UTF-8

```
C:\Windows\System32\cmd.e
C:\CDACLab\LogicBuildging\Assignment4>javac Reversestring.java
C:\CDACLab\LogicBuildging\Assignment4>java Reversestring
Enter a String : hello
Reversed String : olleh
C:\CDACLab\LogicBuildging\Assignment4>javac Reversestring.java
C:\CDACLab\LogicBuildging\Assignment4>java Reversestring
Enter a String : poonam
Reversed String : manoop
C:\CDACLab\LogicBuildging\Assignment4>
```









ReverseString CountVowelJ PalindromeJ StringObject, StringCreatio String

File Edit View

// Question 29: String Concatenation and Object Creation

public class StringConcatenation {
 public static void main(String[] args) {

 String str1 = "hello";
 String str2 = "world";
 String str3 = str1 + str2;
 System.out.println("Is str3 pointing to the same object as str1? " + (str3 == str1));
 }
}

Ln 11, Col 2 337 characters Plain text 100% Windows (CRLF) UTF-8

C:\Windows\System32\cmd.e

C:\CDACLab\LogicBuildging\Assignment4>javac StringObject.java

C:\CDACLab\LogicBuildging\Assignment4>java StringObject
Both variables point to the same object: true

C:\CDACLab\LogicBuildging\Assignment4>javac StringCreation.java

C:\CDACLab\LogicBuildging\Assignment4>java StringCreation
Using == : false
Using .equals(): true

C:\CDACLab\LogicBuildging\Assignment4>javac StringConcatenation.java

C:\CDACLab\LogicBuildging\Assignment4>java StringConcatenation
Is str3 pointing to the same object as str1? false

C:\CDACLab\LogicBuildging\Assignment4>

29°C Mostly cloudy Search 19:26 22/08/2026

