

EXPERIMENT- 09

Student Name: Harsh

Branch: BE-CSE

Semester: 05

Subject Name: ADBMS

UID: 23BAI70474

Section: 23AIT_KRG_1 G2

Date of Performance: 30/10/25

Subject Code: 23CSP-333

1. Aim: To create and connect a PostgreSQL database instance on **Amazon RDS**
(Relational Database Service)

2. Objective:

- ❑ To understand the steps involved in launching a database instance using Amazon RDS.
- ❑ To configure a database for public access and connect it with a local client (pgAdmin).
- ❑ To perform basic SQL operations (CREATE, INSERT, SELECT).


3. Tools / Software

- ❑ Amazon Web Services (AWS)
- ❑ PostgreSQL
- ❑ pgAdmin 4
- ❑ RDS (Relational Database Service)

4. Program:


Step 1: Create and Configure Database Instance

1. Login to AWS Console → RDS → Create database, select Standard create and PostgreSQL under the Free Tier template.
2. Set DB identifier: ruchy-db, Username: postgres, choose db.t3.micro, 20 GB gp2 storage, and enable Public access.
3. Click Create database and wait until the status shows Available in the RDS dashboard.



Step 2: Configure Security Group (Allow Local Access Only)

1. In AWS Console → go to RDS → Databases → click your DB (ruchi-db).
2. Open the Connectivity & Security tab.
3. Under VPC security groups, click the linked group name (it opens EC2 security groups).
4. Click Edit inbound rules → Add rule
 - Type: PostgreSQL
 - Protocol: TCP
 - Port: 5432
 - Source: My IP
5. Click Save rules.



Step 3: Connect Database Using pgAdmin

1. Open pgAdmin 4 on your local system.
2. Right-click Servers → Create → Server.

3. Under the General tab, enter the name: postgres.
4. Under the Connection tab, fill in the following details:
 - Host name/address:
ruchidb.xxxxxxxx.rds.amazonaws.com
 - Port: 5432 Username: postgres Check
Save password.
5. Click Save to connect your RDS PostgreSQL database.

