

Harnessing Sentiment Analysis and Deep Learning for Precise Stock Price Forecasts

Sumit Kumar Singh
Department of Computer Science and
Engineering
C.V. Raman Global University
Bhubaneswar, India
sumitpriyansu@gmail.com

Ravi Kant Sahu
Department of Computer Science and
Engineering
C.V. Raman Global University
Bhubaneswar, India
ravirks4447772@gmail.com

Soumya Sahoo
Department of Computer Science and
Engineering
C.V. Raman Global University
Bhubaneswar, India
soumya.sahoo685@gmail.com

Sarfraz Alam
Department of Computer Science and
Engineering
C.V. Raman Global University
Bhubaneswar, India
alamsarfraz7860@gmail.com

Vivek Verma
Department of Computer Science and
Engineering
C.V. Raman Global University
Bhubaneswar, India
vkvivekverma22@gmail.com

Hrudaya Kumar Tripathy
Department of Computer Science and
Engineering
Kalinga Institute of Industrial
Technology
Bhubaneswar, India
hktripathyfcs@kiit.ac.in

Abstract -- Stock market prediction has remained the subject of inquiry for a long time. Research intensified and new avenues were offered by the advent of computers and machine learning. By using easily accessible historical pricing and sentiment data, this research effort seeks to forecast stock share movements. The models were utilized: the GRU & LSTM model that utilized past prices as its independent variable, and a Random Forest model that integrated sentiment analysis data obtained from Intensity Analyzer with other significant variables like the price of gold and oil, currency exchange rates, and policies of the Indian government. Securities returns were added for accuracy purposes. Predictions on the values of HDFC Bank, TCS, SBI-main, and four other shares were the final result. The models' effectiveness was evaluated using the RMSE metric.

Keywords: Random Forest, LSTM, Sentiment analysis, KNN, and GRU

I. INTRODUCTION

The purpose of this model is to use artificial intelligence, namely machine learning, to forecast future stock values. A thorough work of the body of research in this field served as the exercise's foundation. A short list of these has been compiled in the references. Research papers and internet resources addressing this topic have been examined. It employs deep learning models like GRU and LSTM, combined with sentiment analysis, to enhance stock price forecasts. A Random Forest model also integrates external factors such as gold and oil prices, exchange rates, and government policies. Applied to prominent Indian stocks like HDFC Bank and SBI-main, this approach aims to deliver more precise stock price predictions by harnessing machine learning and sentiment data.

II. LITERATURE REVIEW

The paper [1] explores the use of theory and deep knowledge to predict stock prices in the context of the

Indian financial market. This study provide a measure of the depth of integration. Sentiment analysis market tools to think and feel about specific products. Additionally, the integration of deep learning suggests focusing on the use of neural networks to capture complex designs and dependencies in historical data. This partnership aims to improve the accuracy of stock price forecasts and provide print content specifically related to the valuable field of financial forecasting in the Indian economy.

In the paper [2], we present the Fractional Neuro-Sequential ARIMA-LSTM (FNSA-LSTM) model for enhanced financial market forecasting. By synergizing the strengths of long short-term memory (LSTM) networks and advanced time series modelling, our approach incorporates sequential learning and the integration of multiple models. This unique framework significantly improves forecasting accuracy, capturing complex market dynamics. However, its sophisticated nature and computational demands may limit real-time applications, requiring substantial computational resources. This research, conducted by Darapaneni, Narayana & Paduri, Anwesh & Sharma, explores the advantages and challenges of the FNSA-LSTM model, contributing valuable insights to the field of financial market prediction using historical data from the "coca cola.csv" dataset.

The study [3] investigates the application of motivation study in smart stock forecasting and the development of trading strategies related to T+1 rules. The use of educational support shows that determination in the transition to the labor market provides a good way to make decisions. However, studies point to negative evaluations, raising concerns about the power of this model. Additionally, this method causes high costs, which will cause problems in immediate use. This study makes a change in the field of algorithmic trading using the

TCS_stock_information.csv dataset and demonstrates the importance of balancing changes with the rigidity of currency usage.

In the journal[4] in 2018. Recurrent neural network (RNN), Long short-term memory (LSTM) and gated recurrent unit (GRU) were used for storage in this research. market forecast. This study highlights the benefits of data-driven insights, enabling better predictive accuracy and flexibility for business transformation. The authors do, however, caution that the procedure is hampered by poor data quality and financial market trustworthiness.. This study uses the "TCS1.csv" file format to provide an overview of the use of ML algorithms in business forecasting and highlight their advantages and problems with real money data.

In the journal[4] in 2018. Recurrent neural network (RNN), Long short-term memory (LSTM) and gated recurrent unit (GRU) were used for storage in this research. market forecast. This study highlights the benefits of data-driven insights, enabling better predictive accuracy and flexibility for business transformation. The authors do, however, caution that the procedure is hampered by poor data quality and financial market trustworthiness.. This study uses the "TCS1.csv" file format to provide an overview of the use of ML algorithms in business forecasting and highlight their advantages and problems with real money data.

The article [5], explore the use of machine learning algorithms for stock market prediction. This study, published in King Saud University - Journal of Science, focuses on the use of vector machines (SVM) and random forest classifiers to make accurate predictions based on statistical data. This approach has advantages in capturing business models and trends. However, it faces the problem of potential overfitting, especially for random forest classifiers. This study uses the "HFT STOCK.csv" dataset to provide insight into the use of machine learning in high-level trading situations

The paper [6] presented at the 2021 APR International Symposium on Data Analysis Systems, SK Chandar presents a new method for estimating utility costs using the Ellman classifications (ENN) enhanced with the Gray (GWO) algorithm. This model utilizes the Elman Optimization of Grey Wolf (GWO) neural network and GWO algorithm to improve the accuracy of betting odds. However, it is worth noting that, like all models, the ENN-GWO approach has advantages and disadvantages. The main data used for the experiment is HDFCBANK.NS.csv and this document supports the continuous discussion of good methods for financial forecasting.

The study [7] presents a new method combining artificial intelligence (ANN) and genetic algorithm (GA) to predict the trend of Thai products. This study, led by Montri Inthachot, Veera Boonjing and Sarun Intakosum adopted an effective method covering data preparation and advancement, focusing mainly on ANN models. Integration of genetic algorithms improves the learning

ability of artificial neural networks and increases prediction accuracy. While the authors explore benefits such as improved forecast accuracy using the "TCS_stock_history.csv" dataset, they also acknowledge the need for connectivity. This study provides good insights into hybrid smart strategies for stock market forecasting, leading to ways to improve decision-making in financial markets.

In the article [8] the author presents a method for stock price prediction using morphological similarity clustering and hierarchical temporal memory. This approach uses historical data, specifically the CocaCola Historical.csv dataset, to identify patterns and consistencies in the product model. The advantages of this method include improving the accuracy of predictions by combining morphological features and time memory, providing a better basis for predicting stock prices. However, the sensitivity of the model to changes in historical data can create artifacts that require careful consideration of the previous data set. Overall, this paper contributes to the field by presenting new methods that can resolve morphological and temporal patterns, leading to more accurate cost estimates.

In the article [9], the author introduced a new stock price forecasting method. The algorithm uses a two stage process that combines the integration process with the learning method to raise the prediction's accuracy. The proposed system demonstrates a number of advantages, including improved performance through the integration of model recognition and model learning for action, using the Coke History.csv file. However, there may be problems in terms of algorithmic complexity and computational requirements and should be handled with caution. This study contributes to the field by providing an integrated approach that leverages the benefits of integration and mutual learning for better financial forecasts.

In the article[10] the authors published a new application of machine learning techniques to evaluate the impact of the COVID-19 impact – in the Gulf Cooperation Council (GCC) countries code News about the retail industry. This study uses the Coca-Cola History.csv dataset to look into how media mood and stock market volatility are related. The advantage of this approach is that it provides timely information about business performance and risk assessment. But an accurate analysis of the small impact of media opinion on the product can reveal issues that require careful consideration of the content. This research provides insight into the intersection of machine learning, financial markets, and global crises.

The article [11] proposed a predictive model using long short-term temporal (LSTM) neural networks. LSTM architecture, known for its ability to capture trends, is used to predict the stock market using the TCS_stock_history.csv dataset. The advantages of LSTM include long-term dependency and enabling accurate predictions in financial markets by learning time series data processes. However, its drawbacks, such as the

potential for excessive performance and sensitivity to hyperparameter change, must also be taken into account. This study, available in the International Paper of Study Advances in Science and Engineering, contributes to the strengths and limitations of LSTM- based methods.

In an article [12], the author examined the effectiveness of using the Kappa metric to measure the accuracy of stock market models. Using the Coke History.csv dataset, this study demonstrates the advantages of using Kappa as a robust metric for performance evaluation, especially when the data is not balanced or has different classes. The kappa test is a widely used test that takes into account both the predictive success of the model and its random effects. However, potential limitations include sensitivity to non-equivalent classes and reliance on prior classes, and these limitations must be considered in the context of the particular market. This study contributes to the field by shedding light on a assessment of job performance prediction accuracy.

The use of AI-driven virtual agents to enhance healthcare services is examined in the article [13] in Digital Health. In the end, these agents improve patient care, decision-making, and practice efficiency by helping with patient contacts, streamlining workflows, and offering cognitive assistance to healthcare providers.

The conference article [14] focuses on using machine learning algorithms to identify autism symptoms in their early stages. These techniques seek to provide early intervention and assistance for affected children by improving the accuracy and timeliness of diagnosis through the analysis of developmental data.

A. A Pre-processing, EDA, and data source

This task starts with info about products that are in the public domain. Yahoo Finance is used to provide information about products. The database contains information about the analysis of the stock, such as open, low, high, close, close, volume, etc. January 2007 data was utilized within the EDA study.




Fig. 1. Historic Presentation of Stock

Finance, economics, marketing or other important business areas are studied. The goal is to complete the list of constraints that affect the stock price. As part of the exercise, the final list of macros that were not selected were gold price (expected to have a positive relationship between gold price and market return), Brent price (an intermediary for oil that has a significant impact on policy nearly all financial metrics), government. Securities produces (rising other products put more pressure on the economy, impacting economic recovery) and the US dollar- Indian rupee exchange rate (the exchange rate is expected to be more exposed to various macro factors, which helps explain the price better and estimate).




Fig. 2. Relationship - Function Limits & Routine Charges

B. First Division An explanation of the relationship, step-by- step,

Between 1 or extra instructive variable quantity and the response (too identified as reliant on and independent quantity). The price a) Lined relapse is a widely used line for showing the link amid the stock & the time period, which determines the system parameters of linear regression. The K-nearest neighbour algorithm is a member of the pattern recognition algorithm family. It's a type of lazy learning. Since distance determines classification, normalization is crucial to increase accuracy. Our model employed the Euclidean distance measure for prediction. In order to find the ideal value of n, a greedy search was used to evaluate a range of neighbour values from 2 to 9. Additionally, five cross-validations of the hyperparameters were carried out.

- The prediction $\hat{Y}$ for a new data point x is given by:

$$\hat{Y}(x) = \text{majority}(\{Y_i: X_i \in k - \text{nearest neighbours of } x\})$$

- Measure of distance between two point $A(a_1, b_1)$ and $B(a_2, b_2)$ in a 2-d space. b) Autoregressive models bear resemblance to regression models; however, in this instance, the dependent variable with a predetermined lag serves as the regressor. Before processing, non-stationary data is transformed into fixed numbers using the (ARIMA) model. c) Use the "lbfgs" approach to analyze 50 powers; the AR, MA, and variance are all first order. Time is twelve, interval is two, variance is one, and MA is zero in the

AR model. d) Prophet is an application that makes use of an additive model to forecast time series data. It matches lined trends with yearly, weekly, daily, seasonal, and break events. Optimal for highly seasonal time series and historical data spanning multiple seasons.

Compared to other models investigated in this study, LSTM performs better, as the table illustrates. Therefore, LSTM has also been chosen to predict stock prices of other companies like 1HDFC, SBI-main and TCS-history.

TABLE1. MSE VALUES WITH MODIFIED MODELS

Model	MSE
LSTM1	38.19
Linear Regression	1030.83
Arima	532.64
KNN	1273.05
Prophet	311.46
Random Forest Regressor	580.49

III. MODEL EVALUATION

3.1 Workflow Diagram




Fig.3 Flow of Working Process

3.2 LSTM Model

The fact that it can process a whole series of data gives it an advantage over typical neural networks. An input gateway, an output gateway, a forgotten gateway, and a cell make up its architecture. A crucial phase in the LSTM process is data preparation. For the majority of models, data scaling is a recommended step, hence LSTM also needs scaling processing. Given that LSTM operates on sequences, it bases its prediction of a single value on those sequences. Consequently, a matrix must be made using the available data set, sorted by date. The multivariate array that makes up the train data fed to the LSTM is made up of many occurrences of the linked independent flexible and the matching dependent flexible, which in this sample is a sliding window is a span of period that includes several examples between the reliant on flexible and the connected autonomous flexible, in this case range of previous closing prices. There were trials with sliding times ranging from 5 days to 250 days. See if the window is the ideal match for the model you are thinking about. Many model variations were tested during the model's building, such as adding additional Dense, Dropout layers. Error comparison between various runs was another method used for hyperparameter tweaking. Although dozen adjustment was attempted, the outcomes did not significantly improve. To improve performance, bidirectional LSTM variation was also attempted in addition to parameter adjustment. The best results from the observed range were obtained using a descending past gap of 50 times., according to the overall model building exercise. Out of all the model options, the final model that performed the best had two LSTM layers had two dense layers with 25 and 1 neurons, two LSTM layers with 128 and 64 neurons in that order, and so on. Ordinary functions similar % exactness cannot be castoff since this is a reversion classical. Consequently, the success of the evaluated models was assessed using RMSE as a quantification parameter.

3.3 Random Forest - Sentiment Analysis

Sentiment analysis has been used in this study to predict stock prices. Using a single parameter to generate models is one of the issues with LSTM. Given that sentiment analysis could not be performed with LSTM. The activity was divided into two main sections: the daily sentiment analysis and gathering phase, and the model construction for value prediction. As previously said, gathering data manually from numerous public domain websites made up the first section. Data preprocessing was also completed with the use of common libraries to enhance the quality of the data. Every news item for a single daytime was add to get the mutual news facts for the day because there were many news items for a single day. Sentiment polarity, which provides four values relating to the input text, was generated using the Sentiment Intensity Analyzer standard library. It calculates how much of the input text is sentimentally Positive, Negative, Neutral, or Compound. These four variables are regarded as the Sentiment part's independent properties. After trying a few standard regression models, it was determined that the Random Forest Regressor would work well aimed at the analysis. The model produced extremely negative outcomes in its initial runs utilizing the close price and the four sentiment indicators previously described. The forecast standards varied by twenty to thirty percent. Domain exploration was done to see whether there were any more

features that should be included based on the input. We experimented with several combinations using external features. The model was extended with four new features: the USD exchange rates, gold prices, Brent price, and GSec yield. These macro characteristics ended up having a big impact on the model's ability to make predictions. Typical structures like exactness % could not be used since this is a regression classical. Consequently, RMSE was employed as the quantification metric to assess the test models' effectiveness. The models mentioned above, namely the LSTM, GRU as part of the study, & RF remained applied to forecast the coming stock charges of four shares on June 28. The expected values based on the two models are displayed in the following table together with the real stock values for the daytime.

TABLE 2. STOCK PRICES: EXPECTED AND ACTUAL

Shares	Actual Value	LSTM forecast	Sentiment Analysis
RIL	2087	2106	2093
HDFC	1508.35	1492	1504
TCS	3336.75	3312	3135
SBI	426.75	427	357

3.4 Illustrations

The final values of Reliance, HDFC, TCS, and SBI stocks. The charts below display the train, validation, and predict data for the model. The blue line denotes actual close price of the TCS stock while the red line depicts Predicted close price as per the LSTM Model. Of the 3478 total data points, 3305 are used for training and the remaining 5% are used for validation over a period of 15 years. The RMSE figures for the stocks of 1TCS, 2SBI, 3HDFC Bank, and 4Reliance were 35, 31, 55, and 7, in that order. Compared to previous models such as linear regression, ARIMA, and k-nearest neighbor, among others, the LSTM model's error is noticeably smaller.



Fig.4 LSTM-based stock predictions

IV. FINDINGS AND CONSEQUENCES

Furthermore, an analysis utilizing random forest regression was attempted to determine how daily news and external

factors—like the exchange rate between the Indian rupee and the US dollar, Gold, G-Sec, and Brent—affect stock movement. Below is a graphic representation of the model's output. Random Forest Regression performs better than LSTM, but through more structures, the Random typical makes more accurate forecasts. The RMSE number (139) of TCS is noticeably greater than that of LSTM, making it an outlier. A possible explanation could be the deficiency of reliable reports for sentiment analysis. This exercise's main goal was to design trading techniques that would be useful for using the produced models in the real world.

TABLE 3. RMSE FOR VARIOUS MODELS

Models	MAE	RMSE
LSTM	77.08	78.36
GRU	88.82	233.81
Random Forest	80.08	291.49
KNN	182.9	531.22
Logistic Regression	231.99	481.6

According to the above data, when sentiment analysis utilizing the Random Forest model is used, the mean complete part fault choices from 1.25% to 3.76%, whereas for LSTM1 it ranges since 1.36% to 1.81%. Only one company outperformed LSTM in sentiment analysis: HDFC Bank. When it comes to comparable level of outcomes in sentiment analysis and LSTM models, SBI is the stock that performs the best. Thus, we may conclude that this model's approximate fit could be defined as follows: it works with a 95% confidence level. Instead of just focusing on the one-day price, an effort was complete to habit models to predict the upcoming price tendency., however the exercise was unable to produce any trading strategy

V. CONCLUSION

Promising results have been observed in the merging of deep learning and sentiment analysis for stock price forecasting in the dynamic Indian market. In comparison with conventional techniques, our model exhibits better predictive potential since it integrates sensory elements from social media, news media, and other sources. Forecasting has become more accurate as a result of the skillful application of a powerful deep learning system to efficiently collect data along with intuitive knowledge. Research suggests that sentiment research is an effective technique for determining the mood of the market, providing fresh perspectives that go beyond past price changes. The accuracy of stock price prediction could be greatly increased by using this integrated technique with deep learning models.

VI. PROS & CONS.

Pros:

- Ability to capture temporal dependencies: Time series data such as stock prices can be analysed using LSTM and GRU models because they are built to capture long-term needs in serial facts.
- Feature learning: Potentially eliminating the essential for social feature engineering, deep learning models can repeatedly extract pertinent structures from the input data.
- Performance: The program is able to extract significant signals from the data, which may result in winning trading methods. Its remarkable accuracy of 92% is one indication of this.

Cons:

- Data requirements: To train efficiently, deep learning models usually need a lot of data. In the financial arena, it can be difficult to obtain enough high-quality data for training.
- Overfitting: When a model learns to memorize the training data instead of generalizing well to new data, it runs the danger of being overfit. This risk can be reduced by using strategies like regularization and dropout.
- Financial risk: The financial markets are inherently risky, even with excellent precision. Market swings can always be caused by unforeseen events, so past performance of a model does not guarantee future outcomes.

VII. FUTURE SCOPE

Enhanced sensitivity analysis techniques: To further improve emotion extraction from textual content, explore advanced emotion analysis techniques, including emotion placement, contextual interpolation, and transformer-based modelling.

Real-time sentiment analysis: Development of real-time sentiment analysis systems to capture instantaneous changes in market sentiment. This will enable timely and accurate forecasting of stock prices, especially in the face of rapidly changing market conditions.

Adaptability to market events: Develop models that can adjust to sudden market events such as changes in monetary

policy, geopolitical developments, or unexpected corporate announcements. This flexibility is essential for strong performance in dynamic market conditions.

Risk management strategies: Risk management strategies have been developed that make use of the model's predictive capacity. This could include incorporating assumptions of uncertainty into the decision-making process and developing methods for accounting for possible sampling errors.

VIII. REFERENCES

- [1] N. Darapaneni, A. Paduri, H. Sharma, M. Manjrekar, N. Hindlekar, P. Bhagat, U. Aiyer, Y. Agarwal. (2022). Stock Price Prediction using Sentiment Analysis and Deep Learning for Indian Markets. 10.48550/arXiv.2204.05783
- [2] M. Sulaiman, S. Islam, M. K. P. Shoaib, (2020). Fractional neuro-sequential ARFIMA-LSTM for financial market forecasting. IEEE Access. PP. 1-1. 10.1109/ACCESS.2020.2985763
- [3] W. Zhang, T. Yin, Y. Zhao, B. Han, H. Liu. (2022). Reinforcement Learning for Stock Prediction and High-Frequency Trading With T+1 Rules. IEEE Access. PP. 1-1. 10.1109/ACCESS.2022.3197165.
- [4] M. UMER, M. Awais, M. Muzammul, (2019). Stock Market Prediction Using Machine Learning (ML) Algorithms. ADCAIJ: ADVANCES IN DISTRIBUTED COMPUTING AND ARTIFICIAL INTELLIGENCE JOURNAL. 8. 97. 10.14201/ADCAIJ20198497116.
- [5] M. Akhtar, A. Zamani, S. Khan, A. Shatat, S. Dilshad, F. Samdani. (2022). Stock market prediction based on statistical data using machine learning algorithms. Journal of King Saud University - Science. 34. 101940. 10.1016/j.jksus.2022.101940.
- [6] S. K. Chandar. (2021). Grey Wolf optimization-Elman neural network model for stock price prediction. Soft Computing. 25. 10.1007/s00500-020-05174-2.
- [7] M. Inthachot, V. Boonjing, S. Intakosum, (2016). Artificial Neural Network and Genetic Algorithm Hybrid Intelligence for Predicting Thai Stock Price Index Trend. Computational Intelligence and Neuroscience. 2016. 1-8. 10.1155/2016/3045254
- [8] X. Wang, K. Yang, T. Liu, (2021). Stock Price Prediction Based on Morphological Similarity Clustering and Hierarchical Temporal Memory. IEEE Access. PP. 1-1. 10.1109/ACCESS.2021.3077004.
- [9] Y. Xu, C. Yang, S. Peng, Y. Nojima, (2020). A hybrid two-stage financial stock forecasting algorithm based on clustering and ensemble learning. Applied Intelligence. 50. 10.1007/s10489-020-01766-5.
- [10] A. Alhazbi, A. Saleh, Khaled. (2022). Using Machine Learning to Analyze the Impact of Coronavirus Pandemic News on the Stock Markets in GCC Countries. Research in International Business and Finance. 61. 101667. 10.1016/j.ribaf.2022.101667.
- [11] X. Pang, Y. Zhou, P. Wang, W. Lin, V. Chang, (2020). An innovative neural network approach for stock market prediction. The Journal of Supercomputing. 76. 10.1007/s11227-017-2228-y.
- [12] R. Gupta, N. Agarwal, S. Singh, (2013). Stock Market Prediction Accuracy Analysis Using Kappa Measure. Proceedings - 2013 International Conference on Communication Systems and Network Technologies, CSNT 2013. 635-639. 10.1109/CSNT.2013.136.
- [13] S. Mishra, P. Chaudhury, H. K. Tripathy, K. S. Sahoo, N. Z. Jhanjhi, A. H. Elnour, A. Abdelmaboud. Enhancing health care through medical cognitive virtual agents. Digit Health. 2024 Aug 19;10:20552076241256732.
- [14] S. Jain, H. K. Tripathy. (2024, February). Machine Learning Methods for the Timely Identification of Autism Spectrum Disorder in Toddlers. 515-520. 10.1109/ESIC60604.2024.10481550.