Lesson 1, Introduction to Map/Reduce Module, Running Wordcount with streaming, using Python code

This assignment will build upon the assignment at the end of previous course. You will examine the options for streaming that control the number of reducers. In the Cloudera Quickstart VM terminal, follow the instructions below to execute a simple word count example in Python. There will be one file to upload, and quiz questions about word count results with different numbers of reducers.

1. Open a Terminal (Right-click on Desktop or click Terminal icon in the top toolbar) 2. Review the following to create the python code

Section 1: wordcount_mapper.py

```
#!/usr/bin/env python
#the above just indicates to use python to intepret this file
#This mapper code will input a line of text and output <word, 1>
import sys #a python module with system functions for this OS
# ------
# this 'for loop' will set 'line' to an input line from system
# standard input file
for line in sys.stdin:
#sys.stdin call 'sys' to read a line from standard input,
# note that 'line' is a string object, ie variable, and it has methods that you can a
pply to it,
# as in the next line
# -----
   line = line.strip() #strip is a method, ie function, associated
                     # with string variable, it will strip
```

Section 2: wordcount_reducer.py

The reducer code has some basic parts, see the comments in the code. The Lesson 2 assignment will have a similar basic structure.

```
#!/usr/bin/env python
# -----
#This reducer code will input a line of text and
# output <word, total-count>
# -----
import sys
last_key = None
            #initialize these variables
running_total = 0
# ------
# Loop thru file
# -----
for input_line in sys.stdin:
  input_line = input_line.strip()
  # -----
  # Get Next Word # -----
```

```
this_key, value = input_line.split("\t", 1) #the Hadoop default is tab separates
key value
                         #the split command returns a list of strings, in this case
into 2 variables
   value = int(value)
                              #int() will convert a string to integer (this progra
m does no error checking)
    # -----
   # Key Check part
        if this current key is same
              as the last one Consolidate
        otherwise Emit
   if last_key == this_key: #check if key has changed ('==' is
#
      logical equalilty check
       running_total += value  # add value to running total
   else:
       if last_key:
                              #if this key that was just read in
                                   is different, and the previous
                               #
                                   (ie last) key is not empy,
                                   then output
                               #
                                   the previous <key running-count>
           print( "{0}\t{1}".format(last_key, running_total) )
                               # hadoop expects tab(ie '\t')
                                    separation
       running_total = value
                              #reset values
       last_key = this_key
if last_key == this_key:
   print( "{0}\t{1}".format(last_key, running_total))
```

NOTE: If you have not programmed with Python please read the following:

```
# 1 indentations are required to indicate blocks of code,
# 2 all code to be executed as part of some flow control
# (e.g. if or for statements) must have the same indentation
# (to be safe use 4 space per indentation level, and don't
# mix with tabs)
# 3 flow control conditions have a ':' before
# the corresponding block of code
#
```

You can cut and paste the above into a text file as follows from the terminal prompt in Cloudera VM.

Type in the following to open a text editor, and then cut and paste the above lines for wordcount_mapper.py into the text editor, save, and exit. Repeat for wordcount_reducer.py

```
> gedit wordcount_mapper.py
```

> gedit wordcount_reducer.py

Enter the following to see that the indentations line up as above

> more wordcount_mapper.py

> more wordcount_reducer.py

Enter the following to make it executable

> chmod +x wordcount_mapper.py

> chmod +x wordcount_reducer.py

Enter the following to see what directory you are in

> pwd

It should be /user/cloudera, or something like that.

3. Create some data:

> echo "A long time ago in a galaxy far far away" > /home/cloudera/testfile1

> echo "Another episode of Star Wars" > /home/cloudera/testfile2

4. Create a directory on the HDFS file system (if already exists that's OK):

hdfs dfs -mkdir /user/cloudera/input

5. Copy the files from local filesystem to the HDFS filesystem:

hdfs dfs -put /home/cloudera/testfile1 /user/cloudera/input

hdfs dfs -put /home/cloudera/testfile2 /user/cloudera/input

6. You can see your files on HDFS

hdfs dfs -ls /user/cloudera/input

7. Run the Hadoop WordCount example with the input and output specified.

Note that your file paths may differ. The '\' just means the command continues on next line.

```
hadoop jar /usr/lib/hadoop-mapreduce/hadoop-streaming.jar \
    -input /user/cloudera/input \
    -output /user/cloudera/output_new \
    -mapper /home/cloudera/wordcount_mapper.py \
    -reducer /home/cloudera/wordcount_reducer.py
```

Hadoop prints out a whole lot of logging or error information. If it runs you will see something like the following on the screen scroll by:

. . . .

INFO mapreduce. Job: map 0% reduce 0%

INFO mapreduce. Job: map 67% reduce 0%

INFO mapreduce. Job: map 100% reduce 0%

INFO mapreduce. Job: map 100% reduce 100%

INFO mapreduce.Job: Job job_1442937183788_0003 completed successfully

...

8. Check the output file to see the results:

hdfs dfs -cat /user/cloudera/output_new/part-r-00000

9. View the output directory:

hdfs dfs -ls /user/cloudera/output_new

Look at the files there and check out the contents, e.g.:

hdfs dfs -cat /user/cloudera/output_new/part-r-00000

10. Streaming options:

Try: hadoop jar /usr/lib/hadoop-mapreduce/hadoop-streaming.jar --help

or see hadoop.apache.org/docs/r1.2.1/

Let's change the number of reduce tasks to see its effects. Setting it to 0 will execute no reducer and only produce the map output. (Note the output directory is changed in the snippet below because Hadoop doesn't like to overwrite output)

```
hadoop jar /usr/lib/hadoop-mapreduce/hadoop-streaming.jar \
-input /user/cloudera/input \
-output /user/cloudera/output_new_0 \
-mapper /home/cloudera/wordcount_mapper.py \
-reducer /home/cloudera/wordcount_reducer.py \
-numReduceTasks 0
```

Get the output file from this run, and then upload it:

> hdfs dfs -getmerge /user/cloudera/output_new_0/* wordcount_num0_output.txt

11. Change the number of reducers to 2 and answer the related quiz question at the end of the video lesson