
Fitness User Activity Report

Executive summary

This analysis covers **20 fitness users** and defines an **active user** as someone recording **at least 8,000 daily steps**. Most users meet that threshold: **14 users (70%)** are active, while **6 (30%)** fall below it. The inactive group is the clearest opportunity for re-engagement, whereas the **10 users (50%)** exceeding 10,000 steps can be treated as a higher-engagement cohort.

Activity-segment mix


Segment	Rule	Users	Share
Active	≥ 8,000 steps/day	14	70%
Inactive	< 8,000 steps/day	6	30%
Total	—	**20**	**100%**




The active segment is more than twice the size of the inactive segment. This makes broad active-user content viable, but the smaller inactive group is sufficiently large to support a targeted activation campaign.

Daily-step profile

Across all users, daily steps average **10,080.8** (about **10,081**) and have a median of **10,229**. Observed values range from **3,162** to **14,567** steps. Exactly **10 of 20 users** exceed 10,000 steps per day, indicating a meaningful highly active cohort rather than activity being concentrated solely near the 8,000-step threshold.



The user-level view identifies the spread in daily activity and the power-user group.



Segment comparison

Metric	Active	Inactive	Difference (Active − Inactive)
Users	14	6	8


Average daily steps	11,885.0	5,871.0	6,014.0
Median daily steps	12,030.5	6,304.5	5,726.0
Average age	43.9	35.0	8.9 years
Average weight	75.7 kg	74.0 kg	1.7 kg
Average height	176.9 cm	171.0 cm	5.9 cm

The segmentation is strongly separated on the defining behavioral measure: active users average roughly **6,014 more daily steps** than inactive users. The active group is also older on average in this small sample; this is descriptive only and does not establish that age drives activity.

The six inactive users are **3006, 3015, 3003, 3020, 3010, and 3016**, with recorded daily steps from **3,162 to 7,251**. These users are the most direct audience for step-goal onboarding, reminders, progressive challenges, or low-friction activity plans.

Body-measure relationship

The height-versus-weight view does not show a strong linear relationship in this sample: Pearson correlation is **−0.28** (p = **0.229**). This small, non-significant correlation should not be used to personalize activity messaging based on height or weight alone.



Recommended actions

1. **Re-engage the inactive segment (6 users).** Use achievable goals below 8,000 steps initially—such as progressive weekly increases—rather than a one-size-fits-all target.

2. **Retain and reward highly active users (10 users).** Offer advanced challenges, streak recognition, social competition, or premium training content.

3. **Monitor movement across the 8,000-step threshold.** The active/inactive split is easy to communicate and can serve as a campaign KPI.

4. **Test personalization carefully.** Use behavior such as baseline steps and recent trend before relying on age or body measurements; this dataset has too few users to support causal or robust demographic conclusions.

Limitations

- The dataset contains only **20 users**, so percentages and correlations are sensitive to individual records.

- It is a cross-sectional snapshot of daily-step values; it does not show retention, change over time, campaign exposure, health outcomes, or user preferences.

- "Active" is an operational marketing definition based solely on the **8,000-step threshold**, not a clinical assessment of physical activity or health.

- Results are descriptive for this dataset and should not be generalized to a broader population without additional, representative data.