

OpenClaw Environment Overview

Poovi's AI models, agents, memory stack, and live homelab layout

Item	Live state
Primary OpenClaw host	ai-node-01 (192.168.1.24)
Gateway	openclaw-gateway on ai-node-01
Memory mode	openclaw-mem0 OSS + memory-wiki
Vector store	Qdrant on docker-host-01 (192.168.1.20)
Mem0 collection	mem0_768d, shared store with logical user_id scoping
Memex bridge	memex-runner + MCP + n8n incremental sync
Observability	Grafana/Prometheus/Loki on automation-runner-01

System map

Telegram / CLI	OpenClaw gateway	Mem0 + memory-wiki	Qdrant + Memex	Runner API / n8n
user request	fury routes	per-agent memory	shared vector store	wiki sync + ingest

The live setup keeps one physical Mem0 store, **mem0_768d**, and scopes agent memory logically through payload **user_id** values like **poovi:agent:oracle**. Memex knowledge is served live through the runner API and synced to Qdrant through n8n.

AI models and services

Component	Role	Live model / endpoint
openclaw-mem0	Long-term memory	OSS mode, auto-recall, auto-capture
Embedder	Vector embeddings	Ollama: nomic-embed-text (768 dims)
LLM	Memory reasoning	Ollama: llama3.2:3b
Qdrant	Vector store	http://192.168.1.20:6333
memory-wiki	Structured memory layer	Facts, claims, dreaming bridge
Memex runner	Knowledge API	FastAPI on 192.168.1.30:8000
n8n	Sync automation	Memex -> Qdrant webhook workflow
Grafana / Prometheus	Observability	Dashboard + scrape targets on runner

Current operational note: the shared memory store is intentional. The live OpenClaw schema does not support separate per-agent Mem0 plugin configs, so the project uses runtime **--agent-id** namespaces for logical separation.

Memex knowledge flow

Source	Path	Status
Existing Memex pages	Memex runner search / wiki synthesis	Live
New ingest events	n8n webhook -> Qdrant memex-knowledge	Live
Future semantic recall	Real embeddings on ingest	Planned

Agent roster and purposes

Agent	Purpose
fury	Orchestrator and Telegram front door. Routes requests to specialists and synthesises responses.
cyborg	Homelab operations, Proxmox, Docker, networking, cron, and systemd.
wayne	Career, brand, CVs, LinkedIn positioning, compensation, and interview prep.
oracle	Lloyd's market intelligence, research, and specialty insurance briefings.
banner	Coding, debugging, scripting, architecture, and technical implementation.
xavier	LinkedIn post ideas and professional content angles.
deadpool	X / Twitter post ideas with punchy hooks and thread formats.
strange	YouTube ideas, SEO-friendly titles, and long-form educational content.
diana	Instagram ideas, carousel hooks, reels, and visual brand content.
loki	Viral writer who turns a brief into polished platform-ready copy.
stark	Cross-domain brainstorming, strategy, and non-obvious synthesis.

Routing note: Telegram is bound to **fury**, which is the single point of contact. Specialist work is delegated to the other agents as needed.

Operational decisions

- Keep the shared mem0_768d collection for now; do not split it into separate physical per-agent collections unless the platform design changes.
- Use logical isolation via payload user_id values like poovi:agent:wayne and poovi:agent:oracle.
- Treat Memex semantic recall as live via MCP, not as part of Mem0 yet.