Status	Finished
Started	Friday, 16 October 2026, 10:41 PM
Completed	Friday, 16 October 2026, 10:48 PM
Duration	7 mins 9 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Complete

Mark 1.00 out of 1.00

Which sorting algorithm is based on repeatedly dividing the list into halves?

a. Bubble Sort
b. Quick Sort
c. Merge Sort
d. Insertion Sort

The correct answer is: Merge Sort

Question **2**

Complete

Mark 1.00 out of 1.00

What is sorting in the context of computer science?

a. Deleting data from a list
b. Arranging data in a particular format
c. Inserting data into a list
d. Searching for data in a list

The correct answer is: Arranging data in a particular format

Question **3**

Complete

Mark 1.00 out of 1.00

Algorithm design technique used in merge sort algorithm is

- a. Divide and conquer
- b. Backtracking
- c. Dynamic programming
- d. Greedy method

The correct answer is:
Divide and conquer

Question **4**

Complete

Mark 1.00 out of 1.00

Which of the following best describes the term "sorting" in computer science?

- a. Arranging data in a specific order
- b. Removing duplicates from a list
- c. Merging two datasets
- d. Finding a specific element in a list

The correct answer is: Arranging data in a specific order

Question **5**

Complete

Mark 1.00 out of 1.00

What is the primary advantage of the divide-and-conquer approach in sorting algorithms?

- a. It only works on small datasets
- b. It simplifies the sorting process by using only one pass
- c. It avoids the need for recursion
- d. It allows for efficient parallel processing and sorting of data

The correct answer is: It allows for efficient parallel processing and sorting of data

Question **6**

Complete

Mark 1.00 out of 1.00

The process of placing or rearranging a collection of elements into a particular order is known as

a. Searching

b. Merging

c. Rearranging

d. Sorting

The correct answer is: Sorting

Question **7**

Complete

Mark 1.00 out of 1.00

What is a significant characteristic of Bubble Sort?

a. It recursively sorts subproblems

b. It bubbles up the largest element in each pass

c. It uses the heap data structure

d. It divides the list into sublists

The correct answer is: It bubbles up the largest element in each pass

Question **8**

Complete

Mark 1.00 out of 1.00

Two-way merge sort algorithm is used to sort the following elements in ascending order.
200,470,150,80,90,40,400,300,120,70
What is the order of these elements after second pass of the merge sort algorithm?

a. 40,70,80,90,120,150,200,300,400,470

b. 40,80,90,150,200,300,400,470,70,120

c. 200,470,80,150,40,90,300,400,70,120

d. 80,150,200,470,40,90,300,400,70,120

The correct answer is:
80,150,200,470,40,90,300,400,70,120

Question **9**

Complete

Mark 1.00 out of 1.00

What does the Bubble Sort algorithm primarily focus on during each pass?

- a. Bubbling up the largest element to its correct position
- b. Bubbling up the smallest element
- c. Sorting the entire list in one pass
- d. Dividing the list into halves

The correct answer is: Bubbling up the largest element to its correct position

Question **10**

Complete

Mark 1.00 out of 1.00

What is a key disadvantage of Bubble Sort compared to more advanced algorithms like Merge Sort?

- a. Bubble Sort does not guarantee sorted order
- b. Bubble Sort is difficult to implement
- c. Bubble Sort is less efficient for large lists
- d. Bubble Sort cannot handle duplicate elements

The correct answer is: Bubble Sort is less efficient for large lists

Question **11**

Complete

Mark 1.00 out of 1.00

_____is putting an element in the appropriate place in a sorted list yields a larger sorted order list.

- a. Distribution
- b. Insertion
- c. Extraction
- d. Selection

The correct answer is:
Insertion

Question **12**

Complete

Mark 0.00 out of 1.00

Very slow way of sorting is_____

a. Insertion sort

b. Quick sort

c. Bubble sort

d. Heap sort

The correct answer is:
Insertion sort

Question **13**

Complete

Mark 1.00 out of 1.00

In Merge Sort, what happens after the two halves of the list are sorted?

a. They are compared element by element

b. They are combined to form a single sorted list

c. They are discarded

d. They are split again into smaller sublists

The correct answer is: They are combined to form a single sorted list

Question **14**

Complete

Mark 1.00 out of 1.00

Which sorting algorithm involves comparing elements and swapping adjacent items that are out of order?

a. Bubble Sort

b. Linear Search

c. Binary Search

d. Merge Sort

The correct answer is: Bubble Sort

Question **15**

Complete

Mark 1.00 out of 1.00

Which of the following is not an in-place sorting algorithm?

a. Selection sort

b. Merge sort

c. Heap sort

d. Quick sort

The correct answer is:
Merge sort