

Poovarasan D

Test ID: 413720483487629 | 9952699818 | dpoo.aiml2024@rmd.ac.in

Test Date: October 16, 2025

Logical Ability	Quantitative Ability (Advanced)	Computer Science (Level 1)	English Comprehension
37 /100	34 /100	40 /100	42 /100
WriteX - Essay Writing	Automata	Automata Fix	Personality
5 /100	0 /100	0 /100	Completed

Logical Ability			37 / 100
Inductive Reasoning	Deductive Reasoning	Abductive Reasoning	
39 / 100	33 / 100	39 / 100	

Quantitative Ability (Advanced)			34 / 100
Basic Mathematics	Advanced Mathematics	Applied Mathematics	
34 / 100	36 / 100	32 / 100	

Computer Science (Level 1)			40 / 100
DS Basics	Linked Lists, Stacks and Queues	Trees and Graphs	
25 / 100	50 / 100	40 / 100	

English Comprehension			42 / 100	CEFR: A2
Grammar	Vocabulary	Comprehension		
39 / 100	39 / 100	48 / 100		

WriteX - Essay Writing



5 / 100

CEFR: A1

Content Score



5 / 100

Grammar Score



5 / 100

Automata



0 / 100

Programming Ability



0 / 100

Programming Practices



0 / 100

Functional Correctness



0 / 100

Automata Fix



0 / 100

Logical Error



0 / 100

Syntactical Error



0 / 100


Code Reuse



0 / 100

Personality

Completed



Competencies

People Interaction




Self-Drive



Trainability



Repetitive Job Suitability



Work attributes

1 Introduction

About the Report

This report provides a detailed analysis of the candidate's performance on different assessments. The tests for this job role were decided based on job analysis, O*Net taxonomy mapping and/or criterion validity studies. The candidate's responses to these tests help construct a profile that reflects her/his likely performance level and achievement potential in the job role

This report has the following sections:

The **Summary** section provides an overall snapshot of the candidate's performance. It includes a graphical representation of the test scores and the subsection scores.

The **Insights** section provides detailed feedback on the candidate's performance in each of the tests. The descriptive feedback includes the competency definitions, the topics covered in the test, and a note on the level of the candidate's performance.

The **Response** section captures the response provided by the candidate. This section includes only those tests that require a subjective input from the candidate and are scored based on artificial intelligence and machine learning.

The **Learning Resources** section provides online and offline resources to improve the candidate's knowledge, abilities, and skills in the different areas on which s/he was evaluated.

Score Interpretation

All the test scores are on a scale of 0-100. All the tests except personality and behavioural evaluation provide absolute scores. The personality and behavioural tests provide a norm-referenced score and hence, are percentile scores. Throughout the report, the colour codes used are as follows:

● $70 \leq \text{Score} < 100$

● $30 \leq \text{Score} < 70$

● $0 \leq \text{Score} < 30$

2 | Insights

English Comprehension

 42 / 100CEFR: **A2**


This test aims to measure your vocabulary, grammar and reading comprehension skills.

You are able to state the meanings of English words used in day-to-day life. This is essential for you to read and understand short texts, write letters/emails, and understand internal communication at work.

Logical Ability

 37 / 100

Inductive Reasoning


 39 / 100

This competency aims to measure the your ability to synthesize information and derive conclusions.

You are able to work out simple rules based on specific evidence or information. This skill is required in high end analytics jobs where one is required to infer patterns based on predefined rules from different sets of data.



Deductive Reasoning


 33 / 100

This competency aims to measure the your ability to synthesize information and derive conclusions.

You need to put in a great deal of effort to improve your predictive reasoning skills. Inductive reasoning will help you derive general rules from specific situations and carry out various tasks without needing instructions from others.



Abductive Reasoning

 39 / 100

Quantitative Ability (Advanced)

 34 / 100

This test aims to measure your ability to solve problems on basic arithmetic operations, probability, permutations and combinations, and other advanced concepts.

You are able to perform simple arithmetic operations. Apart from their relevance in monetary transactions, these operations are used in other situations, such as dividing up tasks with one's colleagues, managing one's time at work, and planning the resources required to complete a task.

Personality

Competencies



Extraversion



Extraversion refers to a person's inclination to prefer social interaction over spending time alone. Individuals with high levels of extraversion are perceived to be outgoing, warm and socially confident.

- You feel comfortable spending time by yourself.
- You prefer spending time alone rather than in social gatherings.
- You may not enjoy activities that involve thrill and excitement.
- You are thoughtful, introspective and refrains from impulsive remarks/actions. You often keep your opinions and ideas to yourself
- You prefer to work on individual projects rather than group projects.
- You are more likely to prefer jobs that require minimal interaction with people.



Conscientiousness



Conscientiousness is the tendency to be organized, hard working and responsible in one's approach to your work. Individuals with high levels of this personality trait are more likely to be ambitious and tend to be goal-oriented and focused.

- You have an easy going attitude towards work.
- You tend to act spontaneously and may prefer to get started on a project or at work without laying out an organized plan.
- You tend to make quick decisions rather than spending time on reviewing the facts at hand.
- You have a flexible and spontaneous approach to work and is less likely to adhere to strict guidelines and policies.
- You sometimes feel insecure about your capabilities and could benefit from emotional support.
- You are likely to be content with your level of achievement and may not strive to achieve more.
- Your personality is more suited for jobs which demand fast results and are not as concerned with attention to detail.



Agreeableness

5

Competitive

Cooperative

Agreeableness refers to an individual's tendency to be cooperative with others and it defines your approach to interpersonal relationships. People with high levels of this personality trait tend to be more considerate of people around them and are more likely to work effectively in a team.

- You are outspoken. You often play the role of a devil's advocate in discussions and question others' opinions and views.
- You are not gullible and are likely to carefully examine the situation before trusting something/someone.
- You may not be strongly affected by human suffering and may be perceived as indifferent.
- You are confident of your achievements and do not shy away from talking about them.
- You sometimes place self-interest above the needs of those around you. You are not willing to compromise your own views in order to accommodate the views of others.
- You are suitable for jobs that require tough objective decisions and hard negotiation.



Openness to Experience

28

Conventional

Inquisitive

Openness to experience refers to a person's inclination to explore beyond conventional boundaries in different aspects of life. Individuals with high levels of this personality trait tend to be more curious, creative and innovative in nature.

- You may not be very open to new experiences lying outside your comfort zone and tends to prefer routine over variety.
- You may be pragmatic and is likely to be conventional in your outlook and actions and may not pursue an experimental approach to problem-solving.
- You may not have an appreciation for art.
- You do not like to express your emotions and feelings to others.
- You tend to demonstrate concrete thinking with a focus on practical solutions, as opposed to abstract ideas.
- Your personality is more suited to job roles that require logical and rational thinking.



Emotional Stability

6

Sensitive

Resilient

Emotional stability refers to the ability to withstand stress, handle adversity, and remain calm and composed when working through challenging situations. People with high levels of this personality trait tend to be more in control of their emotions and are likely to perform consistently despite difficult or unfavourable conditions.

- You are likely to be sensitive, emotional and may tend to worry about situations.
- You may react to everyday events with greater intensity and may become emotional.
- You may hesitate to face certain stressful situations and might feel anxious about your ability to handle them.
- You may find it hard to elicit self restraint and may tend to make impulsive decisions.
- Your personality is more suited for less stressful jobs.



Polychronicity



Polychronicity refers to a person's inclination to multitask. It is the extent to which the person prefers to engage in more than one task at a time and believes that such an approach is highly productive. While this trait describes the personality disposition of a person to multitask, it does not gauge their ability to do so successfully.

- You prefer to work on one task at a time, complete it and then move on to the next.
- You prefer orderliness and likes to concentrate on the task at hand without any distractions.
- You can find it difficult to be placed in a work environment where there is a need to multitask or where expected to engage in multiple projects simultaneously.

Computer Science (Level 1)

40 / 100

This test aims to measure the knowledge and understanding on the concepts of data structure basics, linked lists, stacks and queues, and trees and graphs.

This test aims to measure the knowledge and understanding on the concepts of data structure basics, linked lists, stacks and queues, and trees and graphs.

- You have a good factual knowledge and conceptual understanding of computer science.
- Having learnt the theoretical aspects of the subject you should focus on learning more advanced concepts. This is important to understand the practical applications of the subject.

Suggestion to Improve

\N

3 | Response

WriteX - Essay Writing

5 / 100

CEFR: A1

Question

These days, children are becoming brash and rough at an early age because of their exposure to television and internet.
Do you agree or disagree? Support your stand with reasons.

Scores

Content Score

5 / 100

Grammar Score

5 / 100

Response

Yes! i will agree, Now a days childrena are becoming brash and rough at an early age because of their exposure to televison and internet soo far, In early age of childern they must be maintain the proper diet and health but now a days childerns are addic ted to the social intrest that almost not like social intrest its all about schilderns intre sts and they are in begining of there life , They are not further about crucial of the lif e, form the childish manner they don't know to the only mindset of the childrens to b ecome a enjoy enjoy in there life as a part of the journey from there intrest they wa nt to enjoy there life in the begining of there age and as a parents only lead the child rens to the good habbits and intreact with there families, The Explsure of the televisi on and internet is not a good for the health as a parents you must obe the good hab bits like reading a newspaper in the earlii morning and had a cup of coffee, what yo u doing at the morning those your child also follow the same what you doing so you need better your dialy habbits and awake at the early morning and guid your childre ns at the good manner and the starting of the day and don't treat the childrens you must do this things and this is mandatory at the starting of their age you tell themse lves to maintaint the proper way, then if you treat your childrens in harsh way they don't follow your instruction and they forget every thing and it become the overome in the daily part of the day of your childrens the resons are if your the parent of your children you must lead to your childrens to the correct way of handeling them if you did'n take care of your childerns bad manner defianatly you will facing the issue in th e future and it affect the health of your childrencs and way of you treching your child erns is the better way to prevent form the xposuer to television an the intenet, As a parents you are the one and only guid of your childrens to become and maintain the go

Error Summary

Spelling30

White Space4

Style0

Grammar5

Typographical2

Essay Statistics

373

Total words

2

Total sentences

187

Average sentence length

155

Total unique words

206

Total stop words

Error Details

© 2026 SHL and/or its affiliates. All rights reserved..

8/32

Spelling

Yes! i will agree, Now a days childrena are be...	Did you mean "I"?
Yes! i will agree, Now a days childrena are becoming bras h and rough ...	Did you mean "nowadays"?
Yes! i will agree, Now a days childrena are becoming bras h and rough at an earl...	Possible spelling mistake found
... early age because of their exposure to television and i nternet soo far, In early age of c...	Possible spelling mistake found
...heir exposure to television and internet soo far, In early age of childern they must...	Possible spelling mistake found
...n and internet soo far, In early age of childern they mu st be maintain the proper diet a...	Possible spelling mistake found
...maintain the proper diet and health but now a days chi lderns are addicted to the social in...	Did you mean "nowadays"?
...e proper diet and health but now a days childerns are addicted to the social intrest that...	Possible spelling mistake found
...ys childerns are addicted to the social intrest that almo st not like social intrest its...	Possible spelling mistake found
...ial intrest that almost not like social intrest its all about schilderns intrests and t...	Possible spelling mistake found
...est that almost not like social intrest its all about schil erns intrests and they ...	Did you mean "it's" ("it is") instead of 'its' (possessive pronoun)?
...t not like social intrest its all about schilderns intrests a nd they are in begining of th...	Possible spelling mistake found
...out schilderns intrests and they are in begining of ther e life , They are not further ab...	Possible spelling mistake found
...y don't know to the only mindset of the childrens to be come a enjoy enjoy in there life a...	Possible spelling mistake found
...ife as a part of the journey from there intrest they wan t to enjoy there life in the be...	Possible spelling mistake found
...st they want to enjoy there life in the begining of there age and as a parents only lead...	Possible spelling mistake found
...here age and as a parents only lead the childrens to th e good habbits and intreact with t...	Possible spelling mistake found
...nts only lead the childrens to the good habbits and intr eact with there familes, The Ex...	Possible spelling mistake found
...d the childrens to the good habbits and intreact with th ere familes, The Explsure of the...	Possible spelling mistake found
...he good habbits and intreact with there familes, The E xplsre of the television and int...	Possible spelling mistake found
...ts and intreact with there familes, The Explsure of the t elevision and internet is not a...	Possible spelling mistake found
...d for the health as a parents you must obe the good h abbits like reading a newspaper...	Possible spelling mistake found
...lth as a parents you must obe the good habbits like re ading a newspaper in the early...	Possible spelling mistake found

...abbits like reading a newspaper in the earliy morning and had a cup of coffee, what y...	Possible spelling mistake found
... what you doing so you need better your dialy habbits and awake at the early morning ...	Possible spelling mistake found
...you doing so you need better your dialy habbits and a wake at the early morning and guid...	Possible spelling mistake found
...bits and awake at the early morning and guid your chilrens at the good manner and t...	Possible spelling mistake found
...wake at the early morning and guid your childrens at the good manner and the starting of ...	Possible spelling mistake found
...starting of the day and don't treat the childrens you must do this things and this is man...	Possible spelling mistake found
...ing of their age you tell themselves to maintaint the proper way, then if you treat your ...	Possible spelling mistake found
... the proper way, then if you treat your childrens in harsh way they don't follow your ins...	Possible spelling mistake found
...ey forget every thing and it become the overome in the daily part of the day of your ch...	Possible spelling mistake found
...me in the daily part of the day of your childrens the reasons are if your the parent of y...	Possible spelling mistake found
... part of the day of your childrens the resons are if your the parent of your children...	Possible spelling mistake found
... of your children you must lead to your childrens to the correct way of handling them if...	Possible spelling mistake found
...to your childrens to the correct way of handeling them if you did'n take care of your chi...	Possible spelling mistake found
...ing them if you did'n take care of your childrens bad manner defianatly you will facing t...	Possible spelling mistake found
... take care of your childrens bad manner defianatly you will facing the issue in the future...	Possible spelling mistake found
...future and it affect the health of your childrens and way of you treching your childrens ...	Possible spelling mistake found
...ealth of your childrens and way of you treching your childrens is the better way to pre...	Possible spelling mistake found
...childrens and way of you treching your childrens is the better way to prevent form the x...	Possible spelling mistake found
...s is the better way to prevent form the xposuer to television an the intenet, As a pare...	Possible spelling mistake found
...t form the xposuer to television an the intenet , As a parents you are the one and only ...	Possible spelling mistake found
..., As a parents you are the one and only guid of your childrens to become and maintai...	Possible spelling mistake found
...s you are the one and only guid of your childrens to become and maintain the go	Possible spelling mistake found

White Space

...s and they are in begining of there life , They are not f
urther about crucial of t...

Put a space after the comma, but not before the comma

...ood for the health as a parents you must obe the good
habbits like reading a news...

Possible typo: you repeated a whitespace

...he good habbits like reading a newspaper in the earliy
morning and had a cup of c...

Possible typo: you repeated a whitespace

... daily part of the day of your childrens the resons are if
your the parent of you...

Possible typo: you repeated a whitespace

Grammar

i will agree, Now a days childrena are becoming brash an
d rough at an early age because of their exposure to tele
vison and internet soo far, In early age of childern they
must be maintain the proper diet and health but now a d
ays childerns are addicted to the social intrest that almos
t not like social intrest its all about schilderns intrests an
d they are in begining of there life , They are not further
about crucial of the life, form the childish manner they d
on't know to the only mindset of the childrens to become
a enjoy enjoy in there life as a part of the journey from t
here intrest they want to enjoy there life in the begining
of there age and as a parents only lead the childrens to t
he good habbits and intreact with there familes, The Expl
sure of the television and internet is not a good for the h
ealth as a parents you must obe the good habbits like re
ading a newspaper in the earliy morning and had a cup o
f coffee, what you doing at the morning those your child
also follow the same what you doing so you need better
your dialy habbits and awake at the early morning and g
uid your childrens at the good manner and the starting o
f the day and don't treat the childrens you must do this t
hings and this is mandatory at the starting of their age y
ou tell themselves to maintaint the proper way, then if y
ou treat your childrens in harsh way they don't follow yo
ur instruction and they forget every thing and it become
the overome in the daily part of the day of your childrens
the resons are if your the parent of your children you mu
st lead to your childrens to the correct way of handeling t
hem if you did'n take care of your childerns bad manner
defianatly you will facing the issue in the future and it aff
ect the health of your childrencs and way of you treching
your childerns is the better way to prevent form the xpos
uer to television an the intenet, As a parents you are the
one and only guid of your childrens to become and maint
ain the go

Possible grammar error found. Consider inserting "the"
over here.

i will agree, Now a days childrena are becoming brash and rough at an early age because of their exposure to television and internet soo far, In early age of childern they must be maintain the proper diet and health but now a d ays childerns are addicted to the social intrest that almos t not like social intrest its all about schilderns intrests and they are in begining of there life , They are not further about crucial of the life, form the childish manner they d on't know to the only mindset of the childrens to become a enjoy enjoy in there life as a part of the journey from t here intrest they want to enjoy there life in the begining of there age and as a parents only lead the childrens to t he good habbits and intreact with there familes, The Expl sure of the television and internet is not a good for the h ealth as a parents you must obe the good habbits like re ading a newspaper in the early morning and had a cup o f coffee, what you doing at the morning those your child also follow the same what you doing so you need better your dialy habbits and awake at the early morning and g uid your childrens at the good manner and the starting o f the day and don't treat the childrens you must do this t hings and this is mandatory at the starting of their age y ou tell themselves to maintaint the proper way, then if y ou treat your childrens in harsh way they don't follow yo ur instruction and they forget every thing and it become the overome in the daily part of the day of your childrens the resons are if your the parent of your children you mu st lead to your childrens to the correct way of handeling t hem if you did'n take care of your childerns bad manner defianatly you will facing the issue in the future and it aff ect the health of your childrencs and way of you treching your childerns is the better way to prevent form the xpos uer to television an the intenet, As a parents you are the one and only guid of your childrens to become and maint ain the go

Possible grammar error found. Consider inserting "At" over here.

i will agree, Now a days childrena are becoming brash and rough at an early age because of their exposure to television and internet soo far, In early age of childern they must be maintain the proper diet and health but now a d ays childerns are addicted to the social intrest that almos t not like social intrest its all about schilderns intrests and they are in begining of there life , They are not further about crucial of the life, form the childish manner they d on't know to the only mindset of the childrens to become a enjoy enjoy in there life as a part of the journey from t here intrest they want to enjoy there life in the begining of there age and as a parents only lead the childrens to t he good habbits and intreact with there familes, The Expl sure of the television and internet is not a good for the h ealth as a parents you must obe the good habbits like re ading a newspaper in the early morning and had a cup o f coffee, what you doing at the morning those your child also follow the same what you doing so you need better your dialy habbits and awake at the early morning and g uid your childrens at the good manner and the starting o f the day and don't treat the childrens you must do this t hings and this is mandatory at the starting of their age y ou tell themselves to maintaint the proper way, then if y ou treat your childrens in harsh way they don't follow yo ur instruction and they forget every thing and it become the overome in the daily part of the day of your childrens the resons are if your the parent of your children you mu st lead to your childrens to the correct way of handeling t hem if you did'n take care of your childerns bad manner defianatly you will facing the issue in the future and it aff ect the health of your childrencs and way of you treching your childerns is the better way to prevent form the xpos uer to television an the intenet, As a parents you are the one and only guid of your childrens to become and maint ain the go

Possible grammar error found. Consider replacing it with "age,".

i will agree, Now a days childrena are becoming brash and rough at an early age because of their exposure to television and internet so far, In early age of children they must be maintain the proper diet and health but now a days childrens are addicted to the social interest that almost not like social interest its all about childrens interests and they are in beginning of their life , They are not further about crucial of the life, from the childish manner they don't know to the only mindset of the childrens to become a enjoy enjoy in their life as a part of the journey from there interest they want to enjoy their life in the beginning of their age and as a parents only lead the childrens to the good habits and interact with their families, The Exposure of the television and internet is not a good for the health as a parents you must observe the good habits like reading a newspaper in the early morning and had a cup of coffee, what you doing at the morning those your child also follow the same what you doing so you need better your daily habits and awake at the early morning and guide your childrens at the good manner and the starting of the day and don't treat the childrens you must do this things and this is mandatory at the starting of their age you tell themselves to maintain the proper way, then if you treat your childrens in harsh way they don't follow your instruction and they forget every thing and it become the overcome in the daily part of the day of your childrens the reasons are if your the parent of your children you must lead to your childrens to the correct way of handling them if you didn't take care of your childrens bad manner defiantly you will facing the issue in the future and it affect the health of your childrens and way of you teaching your childrens is the better way to prevent from the exposure to television and the internet, As a parents you are the one and only guide of your childrens to become and maintain the go

Possible grammar error found. Consider removing "be" from here.

i will agree, Now a days childrena are becoming brash and rough at an early age because of their exposure to television and internet so far, In early age of children they must be maintain the proper diet and health but now a days childrens are addicted to the social interest that almost not like social interest its all about childrens interests and they are in beginning of there life , They are not further about crucial of the life, from the childish manner they don't know to the only mindset of the childrens to become a enjoy enjoy in there life as a part of the journey from there interest they want to enjoy there life in the beginning of there age and as a parents only lead the childrens to the good habits and interact with there families, The Exposure of the television and internet is not a good for the health as a parents you must obey the good habits like reading a newspaper in the early morning and had a cup of coffee, what you doing at the morning those your child also follow the same what you doing so you need better your daily habits and awake at the early morning and guide your childrens at the good manner and the starting of the day and don't treat the childrens you must do this things and this is mandatory at the starting of their age you tell themselves to maintain the proper way, then if you treat your childrens in harsh way they don't follow your instruction and they forget every thing and it become the overcome in the daily part of the day of your childrens the reasons are if your the parent of your children you must lead to your childrens to the correct way of handling them if you didn't take care of your childrens bad manner defiantly you will facing the issue in the future and it affect the health of your childrens and way of you treating your childrens is the better way to prevent from the exposure to television and the internet, As a parents you are the one and only guide of your childrens to become and maintain the go

Possible grammar error found. Consider removing "the" from here.

Typographical

...social interest its all about childrens **interests** and they are in beginning of there life , Th...

Use a comma before 'and' if it connects two independent clauses (unless they are closely connected and short).

...ens in harsh way they don't follow your **instruction** and they forget every thing and it become t...

Use a comma before 'and' if it connects two independent clauses (unless they are closely connected and short).

Automata Fix



0 / 100

[Code Replay](#)

Question 1 (Language: Java)

The function/method **countOccurrence** return an integer representing the count of occurrences of given value in the input list.

The function/method **countOccurrence** accepts three arguments - *len*, an integer representing the size of the input list, *value*, an integer representing the given value and *arr*, a list of integers, representing the input list.

The function/method **countOccurrence** compiles successfully but fails to return the desired result for some test cases due to logical errors. Your task is to fix the code so that it passes all the test cases.

Scores

Final Code Submitted

Compilation Status: Fail

```
1 // You can print the values to stdout for debugging
2 import java.util.*;
3 import java.io;
4 class Solution
5 {
6     public int countOccurrence( int len, int value, int arr[])
7     {
8         int i = 0 , count = 0;
9         while( i < len )
10        {
11            if( arr[i] == value )
12                count += 1;
13        }
14        return count;
15    }
16 }
```

Code Analysis

Average-case Time Complexity

Candidate code: Complexity is reported only when the code is correct and it passes all the basic and advanced test cases.

Best case code:

*N represents

Errors/Warnings

Solution.java:3: error: cannot find symbol
import java.io;
^
symbol: class io
location: package java
1 error

Structural Vulnerabilities and Errors

There are no errors in the candidate's code.

Compilation Statistics

4

Total attempts

0

Successful

4

Compilation errors

0

Sample failed

0

Timed out

0

Runtime errors

Response time:

00:11:44

Average time taken between two compile attempts:

00:02:56

Average test case pass percentage per compile:

0%

Average-case Time Complexity

Average Case Time Complexity is the order of performance of the algorithm given a random set of inputs. This complexity is measured here using the Big-O asymptotic notation. This is the complexity detected by empirically fitting a curve to the run-time for different input sizes to the given code. It has been benchmarked across problems.

Test Case Execution

There are three types of test-cases for every coding problem:

Basic: The basic test-cases demonstrate the primary logic of the problem. They include the most common and obvious cases that an average candidate would consider while coding. They do not include those cases that need extra checks to be placed in the logic.

Advanced: The advanced test-cases contain pathological input conditions that would attempt to break the codes which have incorrect/semi-correct implementations of the correct logic or incorrect/semi-correct formulation of the logic.

Edge: The edge test-cases specifically confirm whether the code runs successfully even under extreme conditions of the domain of inputs and that all possible cases are covered by the code

Question 2 (Language: Java)

The function/method ***drawPrintPattern*** accepts *num*, an integer.

The function/method ***drawPrintPattern*** prints the first *num* lines of the pattern shown below.

For example, if *num* = 3, the pattern should be:

```
1 1
1 1 1 1
1 1 1 1 1 1
```

The function/method ***drawPrintPattern*** compiles successfully but fails to get the desired result for some test cases due to incorrect implementation of the function/method. Your task is to fix the code so that it passes all the test cases.

Scores

Final Code Submitted	Compilation Status: Pass	Code Analysis
<pre> 1 // You can print the values to stdout for debugging 2 public class Solution 3 { 4 void drawPrintPattern(int num) 5 { 6 int i,j,print = 1; 7 for(i=1;i<=num;i++) 8 { 9 for(j=1;j<=2*i;j++); 10 { 11 System.out.print(print+" "); 12 } 13 System.out.println(); </pre>		Average-case Time Complexity Candidate code: Complexity is reported only when the code is correct and it passes all the basic and advanced test cases. Best case code: *N represents
		Errors/Warnings There are no errors in the candidate's code.

```

14    }
15    }
16
17 }
18

```


Structural Vulnerabilities and Errors

There are no errors in the candidate's code.

Test Case Execution

Passed TC: **12.5%**

Total score



0%

Basic(0/7)

0%

Advance(0/0)

100%

Edge(1/1)

Compilation Statistics

1

Total attempts

1

Successful

0

Compilation errors

1

Sample failed

0

Timed out

0

Runtime errors

Response time:

00:01:41

Average time taken between two compile attempts:

00:01:41

Average test case pass percentage per compile:

0%

i Average-case Time Complexity

Average Case Time Complexity is the order of performance of the algorithm given a random set of inputs. This complexity is measured here using the Big-O asymptotic notation. This is the complexity detected by empirically fitting a curve to the run-time for different input sizes to the given code. It has been benchmarked across problems.

i Test Case Execution

There are three types of test-cases for every coding problem:

Basic: The basic test-cases demonstrate the primary logic of the problem. They include the most common and obvious cases that an average candidate would consider while coding. They do not include those cases that need extra checks to be placed in the logic.

Advanced: The advanced test-cases contain pathological input conditions that would attempt to break the codes which have incorrect/semi-correct implementations of the correct logic or incorrect/semi-correct formulation of the logic.

Edge: The edge test-cases specifically confirm whether the code runs successfully even under extreme conditions of the domain of inputs and that all possible cases are covered by the code

Question 3 (Language: Java)

The function/method ***sameElementCount*** returns an integer representing the number of elements of the input list which are even numbers and equal to the element to its right. For example, if the input list is [4 4 4 1 8 4 1 1 2 2] then the function/method should return the output '3' as it has three similar groups i.e, (4, 4), (4, 4), (2, 2).

The function/method ***sameElementCount*** accepts two arguments - *size*, an integer representing the size of the input list and *inputList*, a list of integers representing the input list.

The function/method compiles successfully but fails to return the desired result for some test cases due to incorrect implementation of the function/method **sameElementCount**. Your task is to fix the code so that it passes all the test cases.

Note:

In a list, an element at index i is considered to be on the left of index $i+1$ and to the right of index $i-1$. The last element of the input list does not have any element next to it which makes it incapable to satisfy the second condition and hence should not be counted.

Scores

Final Code Submitted	Compilation Status: Fail	Code Analysis
<pre> 1 // You can print the values to stdout for debugging 2 class Solution 3 { 4 int sameElementCount(int size, int[] inputList) 5 { 6 int count = 0; 7 for(int i=0;i<size-1;i++) 8 { 9 if((inputList[i]%2==0)&&(inputList[i]==inputList[i+1])){ 10 11 count++; 12 } 13 return count; 14 } 15 } 16 }</pre>		Average-case Time Complexity Candidate code: Complexity is reported only when the code is correct and it passes all the basic and advanced test cases. Best case code: *N represents
		Errors/Warnings Solution.java:15: error: missing return statement <code>}</code> <code>^</code> 1 error
		Structural Vulnerabilities and Errors There are no errors in the candidate's code.

Compilation Statistics



Total attempts



Successful



Compilation errors



Sample failed



Timed out



Runtime errors

Response time:

00:05:19

Average time taken between two compile attempts:

00:00:00

Average test case pass percentage per compile:

0%

Average-case Time Complexity

Average Case Time Complexity is the order of performance of the algorithm given a random set of inputs. This complexity is measured here using the Big-O asymptotic notation. This is the complexity detected by empirically fitting a curve to the run-time for different input sizes to the given code. It has been benchmarked across problems.

Test Case Execution

There are three types of test-cases for every coding problem:

Basic: The basic test-cases demonstrate the primary logic of the problem. They include the most common and obvious cases that an average candidate would consider while coding. They do not include those cases that need extra checks to be placed in the logic.

Advanced: The advanced test-cases contain pathological input conditions that would attempt to break the codes which have incorrect/semi-correct implementations of the correct logic or incorrect/semi-correct formulation of the logic.

Edge: The edge test-cases specifically confirm whether the code runs successfully even under extreme conditions of the domain of inputs and that all possible cases are covered by the code

Question 4 (Language: Java)

The function/method **manchester** print space-separated integers with the following property: for each element in the input list *arr*, if the bit *arr[i]* is the same as *arr[i-1]*, then the element of the output list is 0. If they are different, then its 1. For the first bit in the input list, assume its previous bit to be 0. This encoding is stored in a new list.

The function/method **manchester** accepts two arguments - *len*, an integer representing the length of the list and *arr* and *arr*, a list of integers, respectively. Each element of *arr* represents a bit - 0 or 1

For example - if *arr* is {0 1 0 0 1 1 1 0}, the function/method should print an list {0 1 1 0 1 0 0 1}.

The function/method compiles successfully but fails to print the desired result for some test cases due to logical errors. Your task is to fix the code so that it passes all the test cases.

Scores

Final Code Submitted

Compilation Status: Pass

```
1 // You can print the values to stdout for debugging
2 class Solution
3 {
4     public void manchester(int len, int[] arr)
5     {
6         int res[] = new int[len];
7         boolean result;
8         res[0] = arr[0];
9         for(int i = 1; i < len; i++)
10        {
11            result = ( arr[i] == arr[i-1] );
```

Code Analysis

Average-case Time Complexity

Candidate code: Complexity is reported only when the code is correct and it passes all the basic and advanced test cases.

Best case code:

*N represents

Errors/Warnings

```
12     res[i] = (result) ? 1 : 0;
13 }
14 for(int i = 0; i < len; i++)
15     System.out.print(res[i]+" ");
16 }
17 }
```

There are no errors in the candidate's code.


Structural Vulnerabilities and Errors

There are no errors in the candidate's code.

Test Case Execution

Passed TC: 20%

Total score

 1/5

50%

Basic(1/2)

0%

Advance(0/3)

0%

Edge(0/0)

Compilation Statistics

0

Total attempts

0

Successful

0

Compilation errors

1

Sample failed

0

Timed out

0

Runtime errors

Response time:

00:00:12

Average time taken between two compile attempts:

00:00:00

Average test case pass percentage per compile:

20%

i Average-case Time Complexity

Average Case Time Complexity is the order of performance of the algorithm given a random set of inputs. This complexity is measured here using the Big-O asymptotic notation. This is the complexity detected by empirically fitting a curve to the run-time for different input sizes to the given code. It has been benchmarked across problems.

i Test Case Execution

There are three types of test-cases for every coding problem:

Basic: The basic test-cases demonstrate the primary logic of the problem. They include the most common and obvious cases that an average candidate would consider while coding. They do not include those cases that need extra checks to be placed in the logic.

Advanced: The advanced test-cases contain pathological input conditions that would attempt to break the codes which have incorrect/semi-correct implementations of the correct logic or incorrect/semi-correct formulation of the logic.

Edge: The edge test-cases specifically confirm whether the code runs successfully even under extreme conditions of the domain of inputs and that all possible cases are covered by the code

Question 5 (Language: Java)

The function/method ***multiplyNumber*** returns an integer representing the multiplicative product of the maximum two of three input numbers. The function/method ***multiplyNumber*** accepts three integers- *numA*, *numB* and *numC*, representing the input numbers.

The function/method ***multiplyNumber*** compiles unsuccessfully due to syntactical error. Your task is to debug the code so that it passes all the test cases.

Scores

Final Code Submitted

Compilation Status: Fail

```

1 // You can print the values to stdout for debugging
2 class Solution
3 {
4     int multiplyNumber(int numA, int numB, int numC)
5     {
6         int result,min,max,mid;
7         max=(numA>numB)?numA>numC?numA:numC):(num
B>numC)?numB:numC);
8         min=(numA<numB)?((numA<numC)?numA:numC):((nu
mB<numC)?numB:numC);
9         mid=(numA+numB+numC)-(min+max);
10        result=(max*int mid);
11        return result;
12    }
13 }
14
15

```

Code Analysis

Average-case Time Complexity

Candidate code: Complexity is reported only when the code is correct and it passes all the basic and advanced test cases.

Best case code:

*N represents

Errors/Warnings

```

Solution.java:7: error: : expected
max=(numA>numB)?numA>numC?numA:numC):
(numB>numC)?numB:numC);
^

Solution.java:7: error: ';' expected
max=(numA>numB)?numA>numC?numA:numC):
(numB>numC)?numB:numC);
^

Solution.java:7: error: not a statement
max=(numA>numB)?numA>numC?numA:numC):
(numB>numC)?numB:numC);
^

Solution.java:7: error: ';' expected
max=(numA>numB)?numA>numC?numA:numC):
(numB>numC)?numB:numC);
^

Solution.java:7: error: not a statement
max=(numA>numB)?numA>numC?numA:numC):
(numB>numC)?numB:numC);
^

Solution.java:7: error: ';' expected
max=(numA>numB)?numA>numC?numA:numC):
(numB>numC)?numB:numC);
^

Solution.java:10: error: '.class' expected
result=(max*int mid);
^

Solution.java:10: error: ';' expected
result=(max*int mid);
^

8 errors

```

Structural Vulnerabilities and Errors

There are no errors in the candidate's code.

Compilation Statistics

0

Total attempts

0

Successful

0

Compilation errors

0

Sample failed

0

Timed out

0

Runtime errors

Response time:

00:00:03

Average time taken between two compile attempts:

00:00:00

Average test case pass percentage per compile:

0%

i Average-case Time Complexity

Average Case Time Complexity is the order of performance of the algorithm given a random set of inputs. This complexity is measured here using the Big-O asymptotic notation. This is the complexity detected by empirically fitting a curve to the run-time for different input sizes to the given code. It has been benchmarked across problems.

i Test Case Execution

There are three types of test-cases for every coding problem:

Basic: The basic test-cases demonstrate the primary logic of the problem. They include the most common and obvious cases that an average candidate would consider while coding. They do not include those cases that need extra checks to be placed in the logic.

Advanced: The advanced test-cases contain pathological input conditions that would attempt to break the codes which have incorrect/semi-correct implementations of the correct logic or incorrect/semi-correct formulation of the logic.

Edge: The edge test-cases specifically confirm whether the code runs successfully even under extreme conditions of the domain of inputs and that all possible cases are covered by the code

Question 6 (Language: Java)

The function/method **median** accepts two arguments - *size* and *inputList*, an integer representing the length of a list and a list of integers, respectively.

The function/method **median** is supposed to calculate and return an integer representing the median of elements in the input list. However, the function/method **median** works only for odd-length lists because of incomplete code.

You must complete the code to make it work for even-length lists as well. A couple of other functions/methods are available, which you are supposed to use inside the function/method **median** to complete the code.

Helper Description

The following class is used to represent a MedianCalculate and is already implemented in the default code (Do not write this definition again in your code):

```
class MedianCalculate  
  
{  
  
    public int[] items;
```

```

public int first;

public int last;

public int order;

int quick_select()

{

    /*It calculate the median value

    This can be called as -

    MedianCalculate ob = new MedianCalculate(inputList, start_index, end_index, median_order);

    int res = ob.quick_select();

    where median_order is the half length of the inputList */

}

}

```

Scores

Final Code Submitted

Compilation Status: Pass

```

1 // You can print the values to stdout for debugging
2 class Solution
3 {
4     float median(int size , int[] inputList)
5     {
6         int start_index = 0;
7         int end_index = size-1;
8         float res = -1;
9         if(size%2!=0) // odd length arrays
10        {
11            int median_order = ((size +1)/2);
12            MedianCalculate ob = new MedianCalculate(inputList,
start_index, end_index, median_order);
13            res = ob.quick_select();
14        }
15        else // even length arrays
16        {
17            // Write code here
18        }
19        return res;
20    }
21 }

```

Code Analysis

Average-case Time Complexity

Candidate code: Complexity is reported only when the code is correct and it passes all the basic and advanced test cases.

Best case code:

*N represents

Errors/Warnings

There are no errors in the candidate's code.


Structural Vulnerabilities and Errors

There are no errors in the candidate's code.

Test Case Execution

Passed TC: 42.86%

Total score



3/7

50%

Basic(2/4)

0%

Advance(0/2)

100%

Edge(1/1)

Compilation Statistics

0

Total attempts

0

Successful

0

Compilation errors

1

Sample failed

0

Timed out

0

Runtime errors

Response time:

00:00:10

Average time taken between two compile attempts:

00:00:00

Average test case pass percentage per compile:

42.9%

i Average-case Time Complexity

Average Case Time Complexity is the order of performance of the algorithm given a random set of inputs. This complexity is measured here using the Big-O asymptotic notation. This is the complexity detected by empirically fitting a curve to the run-time for different input sizes to the given code. It has been benchmarked across problems.

i Test Case Execution

There are three types of test-cases for every coding problem:

Basic: The basic test-cases demonstrate the primary logic of the problem. They include the most common and obvious cases that an average candidate would consider while coding. They do not include those cases that need extra checks to be placed in the logic.

Advanced: The advanced test-cases contain pathological input conditions that would attempt to break the codes which have incorrect/semi-correct implementations of the correct logic or incorrect/semi-correct formulation of the logic.

Edge: The edge test-cases specifically confirm whether the code runs successfully even under extreme conditions of the domain of inputs and that all possible cases are covered by the code

Question 7 (Language: Java)

You are given a predefined structure/class **Point** and also a collection of related functions/methods that can be used to perform some basic operations on the structure.

The function/method **isRightTriangle** returns an integer '1', if the points make a right-angled triangle otherwise return '0'.

The function/method **isRightTriangle** accepts three points - *P1*, *P2*, *P3* representing the input points.

You are supposed to use the given function to complete the code of the function/method **isRightTriangle** so that it passes all test cases.

Helper Description

The following class is used to represent a point and is already implemented in the default code (Do not write this definition again in your code):

```
public class Point

{

    public int x, y;

    public Point()

    {}

    public Point(int x1, int y1)

    {

        x = x1;

        y = y1;

    }

    public double calculateDistance(Point P)

    {

        /*Return the euclidean distance between two input points.

        This can be called as -

        * If P1 and P2 are two points then -

        * P1.calculateDistance(P2);*/

    }

}
```

Scores

Final Code Submitted

Compilation Status: Fail

```
1 // You can print the values to stdout for debugging
2 public class Solution
3 {
4     int isRightTriangle(Point P1, Point P2, Point P3)
5     {
6         // write your code here
7     }
8 }
9
```

Code Analysis

Average-case Time Complexity

Candidate code: Complexity is reported only when the code is correct and it passes all the basic and advanced test cases.

Best case code:

*N represents

Errors/Warnings

```
Solution.java:7: error: missing return statement
}
^
1 error
```

Structural Vulnerabilities and Errors

There are no errors in the candidate's code.

Compilation Statistics

1

Total attempts

0

Successful

1

Compilation errors

0

Sample failed

0

Timed out

0

Runtime errors

Response time:

00:00:34

Average time taken between two compile attempts:

00:00:34

Average test case pass percentage per compile:

0%

Average-case Time Complexity

Average Case Time Complexity is the order of performance of the algorithm given a random set of inputs. This complexity is measured here using the Big-O asymptotic notation. This is the complexity detected by empirically fitting a curve to the run-time for different input sizes to the given code. It has been benchmarked across problems.

Test Case Execution

There are three types of test-cases for every coding problem:

Basic: The basic test-cases demonstrate the primary logic of the problem. They include the most common and obvious cases that an average candidate would consider while coding. They do not include those cases that need extra checks to be placed in the logic.

Advanced: The advanced test-cases contain pathological input conditions that would attempt to break the codes which have incorrect/semi-correct implementations of the correct logic or incorrect/semi-correct formulation of the logic.

Edge: The edge test-cases specifically confirm whether the code runs successfully even under extreme conditions of the domain of inputs and that all possible cases are covered by the code

Automata



0 / 100

[Code Replay](#)

Question 1 (Language: Java)

You are playing an online game. In the game a list of N numbers is given. The player has to arrange the numbers so that all the odd numbers of the list come after the even numbers.

Write an algorithm to arrange the given list such that all the odd numbers of the list come after the even numbers.

Scores

Programming Ability

0 / 100

NA

Functional Correctness

0 / 100

NA

Programming Practices

0 / 100

Programming practices score cannot be generated. This is because source code has syntax/runtime errors and is unparseable or the source code does not meet the minimum code-length specifications.

Final Code Submitted

Compilation Status: Pass

```

1 import java.util.*;
2 import java.lang.*;
3 import java.io.*;
4
5 /*
6 *
7 */
8 public class Solution
9 {
10     public static int[] funcArrange(int[] inputArr)
11     {
12         int[] answer = new int[100];
13         // Write your code here
14
15
16         return answer;
17     }
18
19     public static void main(String[] args)
20     {
21         Scanner in = new Scanner(System.in);
22         //input for inputArr
23         int inputArr_size = in.nextInt();
24         int inputArr[] = new int[inputArr_size];
25         for(int idx = 0; idx < inputArr_size; idx++)
26         {
27             inputArr[idx] = in.nextInt();
28         }
29
30         int[] result = funcArrange(inputArr);
31         for(int idx = 0; idx < result.length - 1; idx++)
32         {
33             System.out.print(result[idx] + " ");
34         }
35         System.out.print(result[result.length - 1]);

```

Code Analysis

Average-case Time Complexity

Candidate code: Complexity is reported only when the code is correct and it passes all the basic and advanced test cases.

Best case code: O(N)

*N represents size of the list.

Errors/Warnings

There are no errors in the candidate's code.

Structural Vulnerabilities and Errors

There are no errors in the candidate's code.

```
36 }
37 }
38
```

Test Case Execution

Passed TC: 0%

Total score

0/12

0%

Basic(0/5)

0%

Advance(0/6)

0%

Edge(0/1)

Compilation Statistics

4

Total attempts

1

Successful

3

Compilation errors

0

Sample failed

0

Timed out

0

Runtime errors

Response time:

00:14:01

Average time taken between two compile attempts:

00:03:30

Average test case pass percentage per compile:

0%

Average-case Time Complexity

Average Case Time Complexity is the order of performance of the algorithm given a random set of inputs. This complexity is measured here using the Big-O asymptotic notation. This is the complexity detected by empirically fitting a curve to the run-time for different input sizes to the given code. It has been benchmarked across problems.

Test Case Execution

There are three types of test-cases for every coding problem:

Basic: The basic test-cases demonstrate the primary logic of the problem. They include the most common and obvious cases that an average candidate would consider while coding. They do not include those cases that need extra checks to be placed in the logic.

Advanced: The advanced test-cases contain pathological input conditions that would attempt to break the codes which have incorrect/semi-correct implementations of the correct logic or incorrect/semi-correct formulation of the logic.

Edge: The edge test-cases specifically confirm whether the code runs successfully even under extreme conditions of the domain of inputs and that all possible cases are covered by the code

Question 2 (Language: Java)

A child wants to give their parent a bouquet of flowers for their birthday. To do this, the child asks for help from a friend. The friend gives N flowers numbered 1 to N and instructs that the flowers in the bouquet be arranged in a particular order. The friend instructs that the first K flowers be arranged in order of increasing stem length and the remaining flowers in order of decreasing stem length.

Write an algorithm to find the final arrangement of the flowers in the bouquet.

Scores

Programming Ability

0 / 100

NA

Functional Correctness

0 / 100

NA

Programming Practices

0 / 100

Programming practices score cannot be generated. This is because source code has syntax/runtime errors and is unparseable or the source code does not meet the minimum code-length specifications.

Final Code Submitted

Compilation Status: Pass

```

1 import java.util.*;
2 import java.lang.*;
3 import java.io.*;
4
5 /*
6  * flowerStem is a list of integers representing the length of t
7  he flower stems.
8  random is an integer representing the number K.
9  */
10 public class Solution
11 {
12     public static int[] funcBouquet(int[] flowerStem, int random)
13     {
14         int[] answer = new int[100];
15         // Write your code here
16
17         return answer;
18     }
19
20     public static void main(String[] args)
21     {
22         Scanner in = new Scanner(System.in);
23         //input for flowerStem
24         int flowerStem_size = in.nextInt();
25         int flowerStem[] = new int[flowerStem_size];
26         for(int idx = 0; idx < flowerStem_size; idx++)
27         {
28             flowerStem[idx] = in.nextInt();
29         }
30         // input for random
31         int random = in.nextInt();
32
33     }

```

Code Analysis

Average-case Time Complexity

Candidate code: Complexity is reported only when the code is correct and it passes all the basic and advanced test cases.

Best case code: $O(N \log N)$

*N represents number of flowers

Errors/Warnings

There are no errors in the candidate's code.

Structural Vulnerabilities and Errors

There are no errors in the candidate's code.

```


34 int[] result = funcBouquet(flowerStem, random);
35 for(int idx = 0; idx < result.length - 1; idx++)
36 {
37     System.out.print(result[idx] + " ");
38 }
39 System.out.print(result[result.length - 1]);
40 }
41 }
42

```

Test Case Execution

Passed TC: 0%

Total score

 0/7

0%

Basic(0/5)

0%

Advance(0/1)

0%

Edge(0/1)

Compilation Statistics

0

Total attempts

0

Successful

0

Compilation errors

0

Sample failed

0

Timed out

0

Runtime errors

Response time:

00:01:05

Average time taken between two compile attempts:

00:00:00

Average test case pass percentage per compile:

0%

i Average-case Time Complexity

Average Case Time Complexity is the order of performance of the algorithm given a random set of inputs. This complexity is measured here using the Big-O asymptotic notation. This is the complexity detected by empirically fitting a curve to the run-time for different input sizes to the given code. It has been benchmarked across problems.

i Test Case Execution

There are three types of test-cases for every coding problem:

Basic: The basic test-cases demonstrate the primary logic of the problem. They include the most common and obvious cases that an average candidate would consider while coding. They do not include those cases that need extra checks to be placed in the logic.

Advanced: The advanced test-cases contain pathological input conditions that would attempt to break the codes which have incorrect/semi-correct implementations of the correct logic or incorrect/semi-correct formulation of the logic.

Edge: The edge test-cases specifically confirm whether the code runs successfully even under extreme conditions of the domain of inputs and that all possible cases are covered by the code

4 | Learning Resources

English Comprehension

[Learn about the basics of reading.](#)[Learn about english in text and conversation](#)[Practice your reading skills](#)

Logical Ability

[Test your inductive logic!](#)[Play Tic-Tac-Toe to develop your inductive reasoning skills](#)[Learn about finding the next number in the series!](#)

Quantitative Ability (Advanced)

[Learn about real world mathematics](#)[Learn about multiplication and division in the real world contexts](#)[Learn about multiplication and division](#)

Icon Index



Free Tutorial



Paid Tutorial



Youtube Video



Web Source



Wikipedia



Text Tutorial



Video Tutorial



Google Playstore