Ex:8
Date:-

b) NMAP to Discover list host using Nmap scans (ARP, ICMP, TCP) on the Try Hackme platform

AIM:- To study the working of Nmap tool and discover live hosts in a network using different host discovery techniques such as ARP scanning, ICMP, TCP and UDP scanning on Try Hack Me platform.

STEPS:-

1) Open the try hack me platform & select the Nmap room.
2) Study the network topology and identify the source and destination hosts.
3) use ARP requested to discover the MAC Address for local network.
4) observe how ARP packets are broadcast with the network and identify the devices then receives the request.
5) use the ICMP protocol to send ping request.
6) Analyse the packet flow and identify the Nmap exchange of ARP packets.
7) perform ARP host discovery using the Nmap command & identify all active hosts in the local networks.
8) Perform ICMP Echo Scanning and observe the host that respond to the scan.
9) perform ICMP Timestap and analyse the response generated by target system.
10) Perform ICMP Address Mask scanning & result with the precious scans.

Ex:8
Date:

ARP :-

Sudo nmap -PR -sn 10.10.210.0124

Starting Nmap

Nmap scan report for 10.10.210.1

Host is up

Nmap done.

ICMP :-

nmap -PE -sn 10.10.210.0124

Starting Nmap

Nmap scan report for 10.10.210.6

Host is up

Nmap done.

TCP :-

nmap -PS 23 -sn 10.10.210.0124

Sudo nmap -DA80 -sn 10.10.210.0124

11) Perform TCP scanning to identify live hosts by analysis SYN and ACK packets.

12) perform TCP ACK scanning to verify the accessibility of the target hosts.

13) perform TCP ACK scanning to verify how Nmap identify active hosts through UDP packets.

14) Perform a reverse DNS lookups to obtain the hostname of the discovered system.

15) Compare the result obtained from ARP, ICMP, TCP and UDP scanning.

RESULT:

Thus, live hosts in the network were successfully discovered using ARP, ICMP, UDP Scanning techniques with the Nmap tool.