

Rajalakshmi Engineering College

Name: Poovizhi Poovizhi

Email: 241801203@rajalakshmi.edu.in

Roll no: 241801203

Phone: 9944210722

Branch: REC

Department: AI & DS - Section 3

Batch: 2028

Degree: B.E - AI & DS

Scan to verify results



2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 10_Q3

Attempt : 1

Total Mark : 10

Marks Obtained : 10

Section 1 : COD

1. Problem Statement

Priya is analyzing encrypted messages in a research project. She wants to analyze the frequency of each character in a given paragraph. The characters should be stored in a TreeMap so that the output is sorted in ascending order of characters automatically.

You are required to build a Java program that:

Uses a TreeMap<Character, Integer> to count how many times each character appears in the message.Ignores spaces and considers only alphabets (case-sensitive).Outputs the frequencies of characters in sorted order.

You must use a TreeMap in the class named MessageAnalyzer.

Input Format

The first line of input contains an integer n, the number of lines in the message.

The next n lines each contain a string (the encrypted message line).

Output Format

The first line of output prints: "Character Frequency:"

Then print each character and its frequency in the format: "<character>: <count>"

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 2
Hello World
Java

Output: Character Frequency:

H: 1
J: 1
W: 1
a: 2
d: 1
e: 1
l: 3
o: 2
r: 1
v: 1

Answer

```
import java.util.*;  
class MessageAnalyzer {  
    private TreeMap<Character, Integer> map = new TreeMap<>();  
    public void addMessage(String line) {  
        for (char c : line.toCharArray()) {  
            if (c != ' ' && Character.isAlphabetic(c)) {  
                map.put(c, map.getOrDefault(c, 0) + 1);  
            }  
        }  
    }  
    public void printFrequency() {
```

```
        System.out.println("Character Frequency:");
        for (Map.Entry<Character, Integer> e : map.entrySet()) {
            System.out.println(e.getKey() + ": " + e.getValue());
        }
    }
}

public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        int n = sc.nextInt();
        sc.nextLine();
        MessageAnalyzer analyzer = new MessageAnalyzer();
        for (int i = 0; i < n; i++) {
            String line = sc.nextLine();
            analyzer.addMessage(line);
        }
        analyzer.printFrequency();
    }
}
```

Status : Correct

Marks : 10/10