Chapter 5
Applications in integration

5.2 Volumes



$f(x) = \sqrt{x}$

- Consider the region enclosed by

$$x = 0 \;, \qquad x = 1 \;,$$

$$y = 0 \quad \text{and} \quad y = \sqrt{x}$$

- Rotate the region about one of the axis:
  - About x-axis

App: https://c3d.libretexts.org/CalcPlot3D/index.html#Volumes

Example.

Rotate the region enclosed by $y = x, y = 1, x = 0$ about the y-axis.





VOLUME Of SOLIDS OF REVOLUTION.

Rotation about the x-axis.



$f(x) = \sqrt{x}$

- Divide into subintervals.
- Create rectangles.
- Rotate those rectangles.
- Generate small cylinders

Typical cylinder:



- Radius: $\sqrt{x}$
- Heigth: dx

Volume of typical cylinder:

$$V = \pi (\text{radius})^2 h = \pi (\sqrt{x})^2 \, dx$$

$$\boxed{\text{Vol(Solid)} = \int_a^b \pi (\text{radius})^2 \, dx}$$

EXAMPLE 2 Find the volume of the solid obtained by rotating about the x-axis the region under the curve $y = \sqrt{x}$ from 0 to 1. Illustrate the definition of volume by sketching a typical approximating cylinder.

SKETCH



$f(x) = \sqrt{x}$



radius $= \sqrt{x}$

thickness $= dx$

$a = 0$ to $b = 1$

$$\text{Vol (Solid)} = \int_0^1 \pi\,(\text{radius})^2\,dx$$

$$= \int_0^1 \pi x\,dx$$

$$= \pi \frac{x^2}{2}\Big|_0^1$$

$$= \boxed{\frac{\pi}{2}}$$

Rotation around the y-axis.

$$\boxed{\mathrm{Vol(Solid)} = \int_a^b \pi(\mathrm{radius})^2 \, dy}$$

EXAMPLE 3 Find the volume of the solid obtained by rotating the region bounded by $y = x^3$, $y = 8$, and $x = 0$ about the y-axis.

Cross-section as a washer.

Rotation about x-axis

$$\text{Vol(Solid)} = \int_a^b \pi(r_{\text{out}}^2 - r_{\text{in}}^2)\, dx$$

Rotation about y-axis

$$\text{Vol(Solid)} = \int_a^b \pi(r_{\text{out}}^2 - r_{\text{in}}^2)\, dy$$

EXAMPLE 4 The region $\mathcal{R}$ enclosed by the curves $y = x$ and $y = x^2$ is rotated about the x-axis. Find the volume of the resulting solid.