Math 241 - Midterm 02

 $\begin{array}{c} \text{Fall } 2022, \ 11/23/2022 \\ 4:00-5:15 \text{pm} \end{array}$

Last name:
First name:
Section:
Instructions:
• Write your last name, first name and section number above.
• Answer the eight questions on this exam.
• Show all the details of your work.
• No electronic devices are to be used during the exam (this includes calculators).
• The exam is closed book and closed notes.
• Do not use L'Hôpital's rule anywhere on this exam.
• You have 75 minutes to complete the exam.
• Turn in your exam when you are done or at the end of the 75-min period.
Sign below to acknowledge you have read the instructions.

May the Force be with you!

Signature: _



Question 1	(10	pts)
	(1 ,	•

If a spherical snowball melts so that its surface area decreases at a rate of $1 \,\mathrm{cm^2/min}$, find, using **Calculus**, the rate at which the diameter decreases when the diameter is 10 cm.

Note: The surface area of a sphere is $A = 4\pi r^2$.

Let $f(x) = \sqrt{4+x}$.

(a) (5 points) Find the linearization of the function f at the point a=0.

(b) (5 points) Using the linearization, estimate the value of $\sqrt{4.1}$. Explain clearly how you obtained your answer and leave it in decimal form.

Let
$$f(x) = \frac{3x^2 - 3}{x^2 + 3}$$
.

(a) (4 points) Using **Calculus**, find the vertical asymptotes (if any) and horizontal asymptotes (if any) of the function f(x).


(b) (4 points) The first derivative of f is $f'(x) = \frac{24x}{(x^2+3)^2}$. Find the critical numbers (if any) and the open interval(s) of increase and decrease.

- $\dots Question \ 3 \ continued \dots$
- (c) (6 points) The second derivative of f is $f''(x) = \frac{-72(x^2-1)}{(x^2+3)^3}$. Find the x-coordinate of the inflection points (if any) and the open interval(s) of concavity.

(d) (4 points) Using one of the derivative tests, find the local maximum(s) and/or local minimum(s) of the function.

 $\dots Question \ 3 \ continued \dots$

(e) (4 points) Sketch the graph of the function f in the axes below. Note that the y-intercept is -1 and the x-intercepts are x = -1 and x = 1.



QUESTION 4 _______ (10 pts)
Compute the following limits. If the limit does not exist, write explicitly DNE. Make sure to write all the details of your calculations.

(a) (5 points)
$$\lim_{x \to \infty} \frac{3x-2}{2x+1}$$
.

(b) (5 points)
$$\lim_{x \to -\infty} \frac{\sqrt{2x^2 + 1}}{3x - 5}$$
.

QUESTION 5	(15	pts)
	 (10	Pros,	J

A box with an open top is to be constructed from a square piece of cardboard of side length 3 ft by cutting out a square from each of the four corners and bending up the sides. **Using calculus**, find the largest volume that such a box can have. Make sure to justify clearly your answer.


Find the most general antiderivative of the following functions.

(a) (5 points)
$$f(x) = 4\sqrt{x} - 6x^2 + 3$$
.

(b) (5 points)
$$f(x) = \cos(x) + 2\sec^2(x)$$
.

(c) (5 points)
$$f(x) = x\sqrt{x} + \frac{x^2 + x}{x}$$
.

The graph of the function $f(x) = \frac{3}{1+x}$ is given below.



(a) (4 points) Estimate $\int_0^2 f(x) dx$ using two rectangles and right endpoints.

- (b) (2 points) Draw the two rectangles from part (a) on the above picture of the graph of
- (c) (2 points) Is your answer over or under approximating the actual value of the integral?

Answer the following questions.

(a) (5 points) Using a comparison property for the definite integral, find a lower bound and an upper bound for the value of the following definite integral:

$$\int_0^1 \sqrt{1+8x} \, dx.$$

(b) (5 points) Using a geometric approach, find the value of the following definite integral:

$$\int_0^2 |x-2| \, dx.$$

Do not write on this page.

For official use only:

Question:	1	2	3	4	5	6	7	8	Total
Points:	10	10	22	10	15	15	8	10	100
Score:									