A2 2 · AD01

## Case study

A2 2 · AD01

## Gantt chart

A2 2 · AD01

## Milestone

A2 2 · AD01

## Dependency

A2 2 · AD01

## Critical path

A2 2 · AD01

## Authentication

A2 2 · AD02

## Requirements specification

A2 2 · AD02

## Functional requirement

Backs · print double-sided, flip on long edge

A planning chart showing each task as a horizontal bar against a timeline, with durations, overlaps and dependencies.

Gantt chart

A scenario pre-released by CCEA describing an organisation's problem, which candidates analyse and solve with a database application.

Case study

A relationship between tasks in which one task cannot start until another has been completed.

Dependency

A significant checkpoint in a project, such as the completion of a stage, used to monitor progress.

Milestone

Confirmation by the candidate and teacher that coursework is the candidate's own work, produced under the required conditions.

Authentication

The longest sequence of dependent tasks in a project; a delay to any task on it delays the whole project.

Critical path

A statement of what the system must do, such as the data it stores, the processes it carries out or the outputs it produces.

Functional requirement

A numbered, agreed list of the functional and non-functional requirements that the new system must meet.

Requirements specification

A2 2 · AD02

## Non-functional requirement

A2 2 · AD02

## Measurable requirement

A2 2 · AD02

## Data flow diagram

A2 2 · AD02

## Context diagram

A2 2 · AD03

## Entity relationship diagram

A2 2 · AD03

## Foreign key

A2 2 · AD03

## Normalisation

A2 2 · AD03

## Third normal form

Backs · print double-sided, flip on long edge

A requirement with a specific, testable target so that it can be judged objectively as met or not met.

Measurable requirement

A statement of how well the system must perform, covering qualities such as usability, performance, security or reliability.

Non-functional requirement

A top-level data flow diagram showing the whole system as one process together with its external entities and data flows.

Context diagram

A diagram that models how data moves between external entities, processes and data stores in a system.

Data flow diagram

A field in one table that is the primary key of another table, used to create a relationship between them.

Foreign key

A diagram showing the entities in a system and the one-to-one, one-to-many or many-to-many relationships between them.

Entity relationship diagram

A table is in 3NF when it is in 2NF and no non-key attribute depends on another non-key attribute.

Third normal form

The process of organising data into related tables to remove redundancy and prevent update, insertion and deletion anomalies.

Normalisation

A2 2 · AD03

## Data dictionary

A2 2 · AD03

## Wireframe

A2 2 · AD04

## Referential integrity

A2 2 · AD04

## Parameter query

A2 2 · AD04

## Calculated field

A2 2 · AD04

## Input mask

A2 2 · AD04

## Macro

A2 2 · AD04

## Annotated screenshot

Backs · print double-sided, flip on long edge

A labelled sketch of the layout of a form, report or screen showing its controls and navigation before it is built.

Wireframe

A document recording each field's name, data type, size, validation rule, key status and description.

Data dictionary

A query that prompts the user to enter a value when it runs and uses that value as its criteria.

Parameter query

A rule ensuring every foreign key value matches an existing primary key value in the related table, preventing orphan records.

Referential integrity

A pattern that controls the format of data entered into a field, such as a postcode or phone number.

Input mask

A field in a query, form or report whose value is derived from other fields, such as cost from days and daily rate.

Calculated field

A cropped screen capture with labels and a caption explaining what it shows and which requirement and design item it evidences.

Annotated screenshot

A stored sequence of actions that automates a task in a database, such as opening a form or printing a report.

Macro

A2 2 · AD05

## Test plan

A2 2 · AD05

## Valid data

A2 2 · AD05

## Extreme data

A2 2 · AD05

## Invalid data

A2 2 · AD05

## User acceptance testing

A2 2 · AD05

## Evaluation

A2 2 · AD06

## Portfolio

A2 2 · AD06

## Cross-reference

Backs · print double-sided, flip on long edge

| | |
|---|---|
| Normal data within the acceptable range that the system should accept.<br><br>Valid data | A planned list of tests, each with a number, requirement, purpose, test data, data type and expected result.<br><br>Test plan |
| Data that is outside the acceptable range or of the wrong type, which the system should reject.<br><br>Invalid data | Data at the boundaries of the acceptable range, which the system should accept; also called boundary data.<br><br>Extreme data |
| A judgement of how well the finished system meets each requirement, supported by evidence, with justified improvements.<br><br>Evaluation | Testing by the client or end users with realistic tasks to confirm the system meets their requirements.<br><br>User acceptance testing |
| A reference from one part of the portfolio to another, such as a test number or figure number, so evidence can be traced.<br><br>Cross-reference | The single PDF document containing all the candidate's evidence of analysis, design, development, testing and evaluation.<br><br>Portfolio |

A2 2 · AD06

## Traceability table

A2 2 · AD06

## Referencing

Backs · print double-sided, flip on long edge

Acknowledging the sources used in a piece of work in a consistent format, so it is clear which work is the candidate's own.

Referencing

A table linking each requirement to its design, development, test and evaluation evidence.

Traceability table