


Website Design

Welcome to the World Of Web Development

Starter: What is this?

<HEADER> <TITLE>The World Wide Web project</TITLE> <NEXTID N="55"> </HEADER> <BODY> <H1>World Wide Web</H1>The WorldWideWeb (W3) is a wide-area<A NAME=0 HREF="WhatIs.html"> hypermedia</A> information retrieval initiative aiming to give universal access to a large universe of documents.<P> Everything there is online about W3 is linked directly or indirectly to this document, including an <A NAME=24 HREF="Summary.html">executive summary</A> of the project, <A NAME=29 HREF="Administration/Mailing/Overview.html">Mailing lists</A> , <A NAME=30 HREF="Policy.html">Policy</A> , November's <A NAME=34 HREF="News/9211.html">W3 news</A> , <A NAME=41 HREF="FAQ/List.html">Frequently Asked Question </A> . <DL> <DT><A NAME=44 HREF="../DataSources/Top.html">What's out there?</A> <DD> Pointers to the world's online information,<A NAME=45 HREF="../DataSources/bySubject/Overview.html"> subjects</A> , <A NAME=z54 REF="../DataSources/WWW/Servers.html">W3 servers</A>, etc. <DT><A NAME=46 HREF="Help.html">Help</A> <DD> on the browser you are using <DT><A NAME=13 HREF="Status.html">Software Products</A> <DD> A list of W3 project components and their current state. (e.g. <A NAME=27 HREF="LineMode/Browser.html">Line Mode</A> ,X11 <A NAME=35 HREF="Status.html#35">Viola</A> , <A NAME=26 REF="NeXT/WorldWideWeb.html">NeXTStep</A>, <A NAME=25 HREF="Daemon/Overview.html">Servers</A> , <A NAME=51 HREF="Tools/Overview.html">Tools</A> ,<A NAME=53 HREF="MailRobot/Overview.html"> Mail robot</A> ,<A NAME=52 HREF="Status.html#57"> Library</A>)<DT><A NAME=47 HREF="Technical.html">Technical</A> <DD> Details of protocols, formats, program internals etc <DT><A NAME=40 HREF="Bibliography.html">Bibliography</A> <DD> Paper documentation on W3 and references. <DT><A NAME=14 HREF="People.html">People</A> <DD> A list of some people involved in the project. <DT><A NAME=15 REF="History.html">History</A> <DD> A summary of the history of the project. <DT><A NAME=37 HREF="Helping.html">How can I help</A> ? <DD> If you would like to support the web.. <DT><A NAME=48 HREF="../README.html">Getting code</A> <DD> Getting the code by<A NAME=49 HREF="LineMode/Defaults/Distribution.html"> anonymous FTP</A> , etc.</A> </DL> </BODY>

The First Website



World Wide Web

The WorldWideWeb (W3) is a wide-area hypermedia information retrieval initiative aiming to give universal access to a large universe of documents.

Everything there is online about W3 is linked directly or indirectly to this document, including an executive summary of the project, Mailing lists , Policy , November's W3 news , Frequently Asked Questions .

What's out there?
Pointers to the world's online information, subjects , W3 servers, etc.
Help
on the browser you are using
Software Products
A list of W3 project components and their current state. (e.g. Line Mode ,X11 Viola , NeXTStep , Servers , Tools , Mail robot , Library)
Technical
Details of protocols, formats, program internals etc
Bibliography
Paper documentation on W3 and references.
People
A list of some people involved in the project.
History
A summary of the history of the project.
How can I help ?
If you would like to support the web..
Getting code
Getting the code by anonymous FTP , etc.

- It was made in August 6, 1991 by Tim Berners-Lee – a very important Computer Scientist of his time.
- It might look like much, but actually this technology isn't just a Microsoft Word Document. This information was able to be opened and read from all over the US – and now all over the world.

The First Website

World Wide Web

The WorldWideWeb (W3) is a wide-area hypermedia information retrieval initiative aiming to give universal access to a large universe of documents.

Everything there is online about W3 is linked directly or indirectly to this document, including an executive summary of the project, Mailing lists , Policy , November's W3 news , Frequently Asked Questions .

What's out there?
Pointers to the world's online information, subjects , W3 servers, etc.
Help
on the browser you are using
Software Products
A list of W3 project components and their current state. (e.g. Line Mode ,X11 Viola , NeXTStep , Servers , Tools , Mail robot , Library)
Technical
Details of protocols, formats, program internals etc
Bibliography
Paper documentation on W3 and references.
People
A list of some people involved in the project.
History
A summary of the history of the project.
How can I help ?
If you would like to support the web..
Getting code
Getting the code by anonymous FTP , etc.

<HEADER> <TITLE>The World Wide Web project</TITLE> <NEXTID N="55"> </HEADER> <BODY> <H1>World Wide Web</H1>The WorldWideWeb (W3) is a wide-area<A NAME=0 HREF="WhatIs.html"> hypermedia</A> information retrieval initiative aiming to give universal access to a large universe of documents.<P> Everything there is online about W3 is linked directly or indirectly to this document, including an <A NAME=24 HREF="Summary.html">executive summary</A> of the project, <A NAME=29 HREF="Administration/Mailing/Overview.html">Mailing lists</A> , <A NAME=30 HREF="Policy.html">Policy</A> , November's <A NAME=34 HREF="News/9211.html">W3 news</A> , <A NAME=41 HREF="FAQ/List.html">Frequently Asked Question </A> . <DL> <DT><A NAME=44 HREF="../DataSources/Top.html">What's out there?</A> <DD> Pointers to the world's online information,<A NAME=45 HREF="../DataSources/bySubject/Overview.html"> subjects</A> , <A NAME=z54 REF="../DataSources/WWW/Servers.html">W3 servers</A>, etc. <DT><A NAME=46 HREF="Help.html">Help</A> <DD> on the browser you are using <DT><A NAME=13 HREF="Status.html">Software Products</A> <DD> A list of W3 project components and their current state. (e.g. <A NAME=27 HREF="LineMode/Browser.html">Line Mode</A> ,X11 <A NAME=35 HREF="Status.html#35">Viola</A> , <A NAME=26 REF="NeXT/WorldWideWeb.html">NeXTStep</A>, <A NAME=25 HREF="Daemon/Overview.html">Servers</A> , <A NAME=51 HREF="Tools/Overview.html">Tools</A> ,<A NAME=53 HREF="MailRobot/Overview.html"> Mail robot</A> ,<A NAME=52 HREF="Status.html#57"> Library</A>)<DT><A NAME=47 HREF="Technical.html">Technical</A> <DD> Details of protocols, formats, program internals etc <DT><A NAME=40 HREF="Bibliography.html">Bibliography</A> <DD> Paper documentation on W3 and references. <DT><A NAME=14 HREF="People.html">People</A> <DD> A list of some people involved in the project. <DT><A NAME=15 REF="History.html">History</A> <DD> A summary of the history of the project. <DT><A NAME=37 HREF="Helping.html">How can I help</A> ? <DD> If you would like to support the web.. <DT><A NAME=48 HREF="../README.html">Getting code</A> <DD> Getting the code by<A NAME=49 HREF="LineMode/Defaults/Distribution.html"> anonymous FTP</A> , etc.</A> </DL> </BODY>

Some of the things wrong with websites are usually:

- Colour schemes/too many colours
- Layout is hard to navigate
- Text is difficult to read
- Eyes drawn all over the place – no order to where you should look!
- Pictures aren't clear
- No alignment to text/textboxes

- More can be found on the next slide…

Some of the things wrong with these are:

Header graphic is pixelated and over-optimized. Transparency in header graphic is overdone. Multiple font colors used in "ever"

Animated stars (all animated gifs are generally a bad idea) Under construction graphics should never be used The notice "Under Construction" should almost never be used, especially on the homepage

"<--" and other text-based markers/graphics are a faux pas in design This page, filenamed "new_page_1.htm" indicates poor file naming and organization "Main Menu" shouldn't exist; if people don't know what a main menu is, they shouldn't be on the web

Teenie-bopper spellings such as "kewl" should never be used on any professional website I personally despise *smile* - please try to avoid it for my own sanity's sake Email icons are also really annoying, especially in they are animated

Repeating backgrounds are almost always a bad idea Backgrounds that have color almost never work Beveled images, such as in the background image, are almost always unprofessional-looking

In the yellow table near the top, the cell width is different from the table width, creating blank space on the right side Mouseovers for links can be done professionally and add a nice touch to a website, but text should never be resized or bolded when the cursor moves over it

Inconsistency in the main menu is running rampant. If you're going to have icons, have them all the links The border around the icons is way too thick. I see this a lot

The main menu option "GOOGLE MAPS" is not fully hyperlinked The link "WEATHER" doesn't work Flashing "New" or "Updated" icons are generally considered cheese-ball. Avoid them!

Multiple fonts are used throughout the website, including some that are not web-safe There are numerous misspelled words in the "What's New" section Again, "1" for "one" and "u" for "you" are terrible for professional websites.

Scrolling marquees can be effective if used non-obtrusively and rarely. "About TWWWE" has no hyperlink There are several examples of Microsoft Word Art on this site. It is almost always a bad idea to use it

Blue on red is a bad idea Red on blue is a bad idea Blue or red on black is a bad idea

I absolutely, unequivocally, hate the font "brush script", which is used in "Fantastic Colours" as well as "The" and "Ever" in the header. It is the most overused script font ever There is a page counter at the bottom. 99% of the time it is a bad idea to have a public counter on your page

The link "Shocking Pictures" goes to the "Shocking Photos" section. Most of the time the link and the page/section title should be the same There are varying table widths on this site. Consistency is key!

There is a table that is too long for the screen, creating a horizontal scrollbar. Horizontal scrollbars are bad, bad, bad!

In addition to numerous misspelled words, there is several examples of bad grammar, including "These photos are SHOCKINGLY formatted HORRIFICLY"

The first photo on the left is formatted wrong. It is actually a large photo resized using HTML. This is bad because photo quality is lost, but most importantly the size of the file is huge, which takes a long time to download.

The second photo from the left is also formatted wrong. It is beveled (which is really personal taste, not necessarily wrong) and over-optimized. Notice the bleeding colors

The third image might be hard to tell at first. If you look closely, the sunset colors are grainy. This is because the image was saved as a gif instead of a jpg. When working with images of brilliant colors, save them as jpgs and not gifs. This is because gifs are limited to 256 colors while jpgs are virtually limitless

The fourth image is what happens when you take a small photo and increase it's size. Despite what CSI: Miami does, you cannot blow up images and make them look good

A funny bit, at least humorous to me, is the word "Trifecta" used on the fourth photo When laying out photos left to right, if possible, make sure they are the same size

The text box that says "Could we possibly do any more, said the cat" is a triple-whammy. First, it doesn't make sense. Secondly, it has nothing to do with the site's content. And thirdly, it is a graphic when it should be plain HTML text.


Last updated scripts are mostly a bad idea. The only exceptions is if you update your site very often (almost daily) and probably should be used for blogs, news sites or the like "Sight" being used instead of "site". I actually see this occur too often

MIDIs (the music playing in the background) are officially my biggest pet-peeve. They should never be used under any circumstance. Almost all embedded sounds, not just midis, are very annoying

The embedded midi cannot be turned off and loops forever. If you must have sound on your website, give people the QUICK option to turn it off Another pet-peeve is text and images that butt-up against the table's border. To fix this, add cell or table padding

That's a LOT of issues...

- So how do we resolve these? Well actually, a lot of these can be rectified quite quickly;
  - Keep your website clean and clear (balance)
  - Ensure your navigation is easy to work
  - Keep your page layout consistent
  - Make sure your images are clear, appropriate and of a suitable size
  - Ensure text is readable and consistent
  - Ensure your colour scheme is well thought out – usually 3-5 colours.



Navigation

- Navigation is a key design aspect when you are designing a website
- It must be easy to use for your target audience.
- Research shows that users will not use a website if it is difficult to navigate around
- **Consistency** in menus and buttons is super important
  - The Menu should be the same on every page of the website
  - Main menu should be clearly identifiable
  - Each button should be clearly named (The user should know exactly what to expect if button x is pressed).
  - Rollover effects on buttons are good design features – so long as they don't distract the user!

Key Terms Used in Websites

Key Term	Definition
World Wide Web	A huge collection of websites that we can access through the internet. Holds webpages and web resources (such as images and videos) and can be accessed over the internet. It is the software hosted on the internet.
Internet	A global network consisting of interconnected computers. It is the hardware that communicates with one another.
Web Pages	Each website has multiple screens known as web pages.
Hyperlinks	We can navigate and click between webpages using hyperlinks. You click on a word or image to take you to another web page
Internet Browser	This is a program that reads and displays HTML documents. It does not display the HTML tags, but uses them to display the document.

HTML


- Stands for ‘Hyper Text Mark-up Language



- It is the computer language used on the WWW.
- It described the content and structure of a web page.
- Nearly every website is designed and made using this language, with the latest version being HTML 5.
- It is structured using tags, each of which are used for its own purposes.

The websites you see aren't what they seem

- Developers don't use Microsoft word documents or Wix to create websites.
- What you are actually seeing when you open a webpage might be something like this:



The websites you see aren't what they seem

- But actually it's only a simple text document. Your internet browser 'reads' this text file and interprets this text to make it appear differently!

- It's a bit like reading a book. Your imagination creates images and yet it is just words on a page
- In case of websites, your browser creates the image.

```
<div id="gdpr-consent" class="header-banner" style="display:none;">
    <div class="banner clearfix" >
        <div class="message">
            <h3>Privacy Notice</h3>
            <p>We use Cookies to make our site work, customize content and your experience, provide social media
features, measure site usage, and personalize advertising. To do so, we sometimes share your data with selected
partners.</p><p>You can accept or decline by clicking on the buttons below, or by visiting at any time the <a
href='#privacy-settings'>Privacy Settings</a>.</p><p>For more information please visit our <a
href='/privacy/'>Privacy Policy</a> and <a href='/cookie-policy'>Cookie Policy</a>.</p>
        </div>
        <div class="buttons-wrapper">
            <div class="reject-button">
                <a href="#privacy-settings" class="button toolbox-hover-trigger">
                    <span class="primary-text">Privacy Settings</span>
                </a>
            </div>
            <div class="decline-button">
                <a class="button" href="#">Decline</a>
            </div>
            <div class="accept-button">
                <a class="button cool" href="#">Accept</a>
            </div>
        </div>
    </div>
</div>



<div id="privacy-update" class="header-banner" style="display: none">
    <div class="banner">
        <div class="message">
            <a href="#" class="button-close"></a>
            <h3>Privacy Policy update</h3>
            <p>We've recently updated our <a href='/privacy'>Privacy Policy</a> and it contains important
information about your data and how we use it to provide you the best experience.<br/>Please take a moment to
check it out here. Your continued use of the site implies that you've read and understood this.          </p>
        </div>
```

It's not as complicated as it sounds or looks!

- 'Tags' are used throughout a html document
- These tags use angled brackets < and >
- Tags *nearly* almost always come in pairs. If you open a tag, then you must also close it. The closing tag also is denoted by a forward slash /
- Tags can have attributes to alter their appearance and functions.
- Tags can be embedded inside each other. For example:

Opening the Head tag

The title tag is inside the head tag

```
<head>
<title>Page Title</title>
</head>
```

Closing the title Tag

Closing the head Tag

HTML

```
<!DOCTYPE html>
<html>
        <head>
                <title>Page Title</title>
        </head>
        <body>

                <h1>My First Heading</h1>
                <p>My first paragraph.</p>

        </body>
</html>
```

- HTML tags label piece of content such as ‘heading’, ‘paragraph’ and ‘table’
- Browsers to not display these tags directly, but use these to render content on screen
- Here is a very simple HTML file. Note we use the tab key (

) to align embedded content. If a tag is ‘inside’ another, it should be tabbed in.

HTML File Explained

```
<!DOCTYPE html>
<html>
        <head>
                <title>Page Title</title>
        </head>
        <body>

                <h1>My First Heading</h1>
                <p>My first paragraph.</p>

        </body>
</html>
```

- The <!DOCTYPE html> declaration defines the document to be a html5.
- The <html> element is the root element – EVERY TAG needs to be inside these!
- <head> contains meta information about the document.
- <title> specifies a title for the document (what appears in the tab in the browser)

HTML File Explained

```
<!DOCTYPE html>
<html>
        <head>
                <title>Page Title</title>
        </head>
        <body>

                <h1>My First Heading</h1>
                <p>My first paragraph.</p>

        </body>
</html>
```

- The <body> element contains the visible content of the page
- <h1> is ‘heading 1’ tag, which is used for a large heading on screen. There are other headings available also, such as <h2>.
- The <p> element defines a ‘paragraph’

The Output of this file in the browser

```
<!DOCTYPE html>
<html>
        <head>
                <title>Page Title</title>
        </head>
        <body>

                <h1>My First Heading</h1>
                <p>My first paragraph.</p>

        </body>
</html>
```



So, basically:

The starting tag (AKA opening tag) goes here and is surrounded in angled brackets, < and >

To end a tag, you write it just like the starting tag, but with a **forward slash**, /, inserted before the tag name.

<tagname>Content to be displayed can go here...</tagname>


Anything you want to actually display on screen goes here, between the opening and closing tags

HTML Page Structure

```
<html>
  <head>
    <title>Page title</title>
  </head>
  <body>
    <h1>This is a heading</h1>
    <p>This is a paragraph.</p>
    <p>This is another paragraph.</p>
  </body>
</html>
```

- Only the part in White section is actually displayed by the browser.
- It is very important, however, that the tags in the grey area are still present as they are used by the browser.

HTML Headings



- So, usually at the top of a page we would have a nice big title – something prominent. It's the same for websites
- We can use **headings** for this, and we can use the <h1> to <h6> tags.

- h1 is the first heading, so is usually the biggest.
- h2, is next biggest, and so on…

HTML Paragraphs

- Paragraphs are often used in web pages, just like in standard texts.
- Defined with the <p> tag.

```
<p>This is a paragraph.</p>
<p>This is another paragraph.</p>
```

- Task: Open your website up in Notepad (Go To File > Open when you are in Notepad). Add a Third paragraph to the website, telling me about:
  - Your name and family
  - Your favourite sports team (if you had to pick)
- Edit the First paragraph to display “This is a tagline” in the browser.

Linking HTML Pages

- HTML links, or hyperlinks, are defined using the anchor <a> tag.
- They use an attribute within the element. This goes inside the opening tag.
- An example is shown below:

There is still the end tag.

This is still an opening tag. As said, this is an <a> tag.

The href attribute is used to say the **destination** i.e. where we will go when we press the link. It is **not displayed** in the browser. It is just the instruction of 'where to go'

The text displayed on screen is still placed between the start tag and the end tag, and will actually be displayed in the browser.

Click Here to go to Google

HTML Images

- It's very important to have images in websites – they are both informative and engaging, ensuring visitors are attracted to the website.
- The tag used is <img>
- This is one that doesn't have a closing tag – it is known as a self-closing tag as no text is actually placed on screen here. Instead it has a few attributes to tell the browser what to display:

The tag is img.

The 'src' is the source. It's the where the image is saved. Here I have a jpeg image in the C:/ drive called 'myimage'

The 'Alt' attribute is text displayed in the browser if the image cannot be found or is corrupt. It's also used for screen readers.

The width and height attributes can also be used here to set the size of the image on screen.

This is how we show it is self-closing.

```
<img src="C:/myimage.jpg" alt="My Logo" width="64" height="32" />
```

HTML Lists

- There are two kinds of lists we can use in html.
  - Numbered, or **ordered lists**
  - Bullet points, or **unordered lists**
- Inside these tags, you can then embed the **list items**

```
<ol>
    <li>Apples</li>
    <li>Oranges</li>
    <li>Bananas</li>
</ol>
```

1. Apples
2. Oranges
3. Bananas

```
<ul>
    <li>Apples</li>
    <li>Oranges</li>
    <li>Bananas</li>
</ul>
```

- Apples
- Oranges
- Bananas

There are loads more, but that shows you the basics.

- Points to remember:
  - An HTML element is defined by a start tag, some content, and an end tag.
  - A start tag may also contain **attributes** that act as instructions for the browser
  - Some tags, like the image <img> tag, do not have a closing tag and are called self-closing.
  - Tags can be embedded inside each other
  - All content being displayed on the webpage must be embedded inside the body tag.
  - Some attributes must be included when using certain tags (such as a href attribute within a hyperlink, <a> tag.

Hyperlinking Webpages

- In that quiz, you saw how to a hyperlink:


- You'll notice there isn't a 'file path' like C:/HTML/home.html
- This is because it is located at the same location as where the link is. This goes back to making sure we have good organisation in terms of files and folders.



Let's set up our Folders ready for a full HTML website

- Inside your Year 9 Folder, Open your ICT folder.
- Create a subfolder called HTML if you have not already
- Inside this, create a Folder Called **MyWebsite**
- Make two HTML files, one called **Index.html** and the other called **Hobbies.html**

(Ensure with the person next to you they have created the html files correctly!



Setting up Index.html

- Also used as your homepage and is universally noted as the first page to your website.

- Copy in this HTML:

```
<!DOCTYPE html>
<html>
        <head>
                <title>HOME</title>
        </head>
        <body>
                <p>This is going to be your homepage of your website</p>
        </body>
</html>
```

- Make sure you save your web page!

Setting up Hobbies.html

- This is going to be a separate page which contains all the information about your hobbies.

- Copy in this HTML:

```
<!DOCTYPE html>
<html>
        <head>
                <title>HOBBIES</title>
        </head>
        <body>
                <p>This is going to be your Hobby page</p>
        </body>
</html>
```

- Make sure you save your web page!

Linking the pages

- We are going to link the pages now. Because they are both stored in the same folder (MyWebsite), you don't need to declare the full file path.
- Instead, you can use "Hobbies.html" as your href within an anchor (<a>) tag.

```
<!DOCTYPE html>
<html>
        <head>
                <title>HOME</title>
        </head>
        <body>
                <p>This is going to be your homepage of your website</p>
                <a href="Hobbies.html">Link to Hobbies</a>
        </body>
</html>
```

Linking Pages that aren't in the same Folder

- Let's say we have a folder inside MyWebsite called 'Contact', which in turn has a contact.html file
- To link to this, you would need to tell the browser where the file is compared to your index:

```
<a href="Contact/contact.html">Link to Contact page</a>
```




Create and link all of your pages together now.

You have 5 minutes



The Div Tag

- The division tag is a really versatile element you can use in a html document.
- It's used as a container for HTML elements – meaning is defines a section within a html document.
- We are going to use the div tag now to create a navigation bar, or 'navbar', along the top of the screen.



The Div Tag

Modify your Index.html file to look like this. We are going to nest the hyperlinks inside of a div element

```
<!DOCTYPE html>
<html>
        <head>
                <title>HOME</title>
        </head>
        <body>
                <div>
                        <a href="Index.html">Home Page</a>
                        <a href="Hobbies.html">Hobbies</a>
                        <a href="Contact/contact.html">Contact</a>
                </div>
                <p>This is going to be your homepage of your website</p>

        </body>
</html>
```

Remember to use the Tab Button on your keyboard to indent your tags!

Styling the Div Tag

If we look at navigation bars, you'll see that whilst there are so many different colour schemes, they all share very similar qualities.

Q. What do you notice about the similarities between them?

Task: Can you think of any other websites that do or don't follow these rules?



Styling in CSS

- As with most things in life, we have so many different approaches to this. We could:
  - Use inline styling (not recommended for large projects)
  - Use a <style> tag and declare all styling within this tag (recommended if the styling only applies to a single webpage)
  - Use an external style sheet (recommended for large projects)

Inline Styling

```
<h1 style="color: green; background: yellow">Heading Text</h1>
```

You will first notice this is on a single line – which you may think is great. But actually this is one of the worst ways of adding styling, especially when you want lots of cool hover effects or come across some interesting CSS properties!

You'll see that this would make the heading colour Green on a Yellow background

Should only be used for small CSS which does not repeat anywhere else in the website.

The <style> Tag

```
<html>
        <head>
                <title>My Website</title>
                <style>
                        h1{
                                color: green;
                                background: yellow;
                        }
                </style>
        </head>
        <body>
                <h1>Heading Text</h1>
                <p>Some text about the topic.</p>
                <h1>Another Heading</h1>
                <p>Another paragraph on a new topic.</p>
        </body>
</html>
```

Place the <style> tag within the <head> of the website. This will still make the 'Heading Text' green on a yellow background.

This style will be used for all <h1> tags on the webpage, not just the single occurrence!

For example, 'Another Heading' will also have these colours!

For small websites, or styling that is only used on one page in the entire website, you may want to use the <style> tag.

External Style Sheets

Few Important things: You MUST save the CSS in the same location at the HTML webpage

We have introduced a <link> tag into our <head> instead. This tells the browser to look there for the styling

myWebsite - Notepad

File Edit Format View Help

```
<html>
	<head>
		<title>My Website</title>
		<link rel="stylesheet" href="myFancyStylesheet.css">
	</head>
	<body>
		<h1>Heading Text</h1>
		<p>Some text about the topic.</p>
		<h1>Another Heading</h1>
		<p>Another paragraph on a new topic.</p>
	</body>
</html>
```

Ln 13, Col 1 | 100% | Windows (CRLF) | UTF-8

myFancyStylesheet - Notepad

File Edit Format View Help

```
h1{
	color: green;
	background: yellow;
}
```

Ln 6, Col 1 | 100% | Windows (CRLF) | UTF-8

This is how full sized professional websites are made, so we will be using this method!

The CSS is laid out just as it was when we were using the <style> tag, but saved as a **.css** file (not as a text file)

CSS Selectors


- CSS Selectors are a way of choosing which tags you want to style.

- For example, we used a tag selector to choose/select all the <h1> tags.

If we wanted to select all <h2> tags instead, we could change this.

Or we could have more than one selector like this:

- We are going to focus on **tag** and **class** selectors now.



CSS Selectors

- Open your John Smith file in Notepad.
- Append into the head tag the following:

```
<link rel="stylesheet" href="myFancyStylesheet.css">
```

Open your CSS file ‘myFancyStylesheet’ and add in:

```
h2{
        background: gold;
        color:tomato;
}
```

What does your website look like now?

Does it look great?

Assessed Assignment: The ERGS Houses

- Your assessment for this unit will comprise of a test based around an ERGS houses website.
- You will be able to use, open and edit the website during the test, however you will be required to write your answers on the test paper.
- You should be able to view the website in Notepadd/Notepad++ however you will not be allowed to use the internet to search for answers.