REGRESSION PART 6: EXAMPLE

Hsin-Min Lu

盧信銘

台大資管系

Case Study: Predicting Releasing Year of a Song

- Dataset: Million song dataset from UCI
- http://archive.ics.uci.edu/ml/datasets/YearPredictionMSD
- Training: 463,715 songs
- Testing: 51,630 songs
- The default train-test split "avoids the 'producer effect' by making sure no song from a given artist ends up in both the train and test set."
- 90 attributes, 12 = timbre average, 78 = timbre covariance.
- 'timbre' features extracted using the Echo Nest API.

Prediction Models and Goals

- Prediction Models:
 - Ordinary Linear Regression
 - Ridge Regression
 - K-nearest Neighbors (kNN) Regressions

Goals:

- Understand the effect of sample size on prediction power for
 - (a) a given model, and
 - (b) across different models
- Understand the effect of feature weighting on kNN regression.

More about Prediction Models

- OLS (referred to as Linear Regression): Use the standard close form solution for regression coefficients.
- Ridge Regression (Linear Models with L2 regularization).
- $\min_{w} ||Xw t||_{2}^{2} + \alpha ||w||_{2}^{2}$
- Use cross validation to select best α.
- Grids: 0.01 to N/3, geometric progression. 20 grids.

•

- kNN: Use Euclidian distance ($||x_1 x_2||_2$) to determine neighbors.
- Will not select k using training data
- Will show prediction performance on different k.

Feature Preprocessing


- kNN is sensitive to feature scaling because of the Euclidian distance metric adopted.
- Solution: Standardize features to have mean = 0 and variance = 1.
- Meaning: all features are equally important.
- Note: to be fair, all models will use the standardized feature value.
- Can we do better?

Feature Weighting and Prediction Performance Measure


- Use regression coefficients from ridge regression to weight feature values.
- Reason: Higher regression coefficients suggest higher importance to predict the outcome.
- Prediction Performance Measure: RMSE


• RMSE =
$$\sqrt{\frac{1}{n}\sum_{i=1}^{n}(t_i - \hat{t}_i)^2}$$


Geographic Distribution of Songs



When Data is Scares (training = 300)










Observation

- Regularization is very effective when the training data size is small.
- Larger sample size benefits all approaches.
- Linear regression improved dramatically from n=300 to n=1000.
- Ridge regression also benefits from larger training set.
 But the gap is much smaller compared to linear regression.
- kNN with weighted features always performed better than using standardized features.










Observations (Part 2)


- For larger training dataset, the effect of regularization is small.
 - Why? Is there situations when regularization is important for large training dataset?
- Increasing training dataset still benefit all prediction models.
 - The improvements, however, slows down.
- Interestingly, kNN is not better than linear regression or ridge regression.
 - Why? Any guess?




Training = 16,000




Training = 32,000



Training = 64,000




Training = 128,000




Training = 256,000





Training = 463,715



Observations (Part 3)

- Larger datasets do not benefit linear regression models.
- However, kNN regression continue to improve.
- This is an important property for kNN → It can continue benefit from larger dataset.
- However kNN also have a very large drawback
- Any guess?
- It is very slow compared to linear regression
- Often 1,000 times slower compared to linear regression in generating predictions using median-sized training dataset.



Time Comparison

- Intel i5-7600@3.4GHz
- 64GB RAM.
- Single thread.

| | Training (mins) | Testing (mins) |
|-----------------------------|-----------------|----------------|
| Linear Regression | 0.05 | 0.00015 |
| Ridge Regression | 0.28 | 0.00015 |
| kNN (k=40; using Ball Tree) | 0.11 | 68.6 |

• kNN is 475,333 times slower compared to linear regression in doing predictions.

Performance Summary

- Training data size: 463,715
- Testing data size: 51,630
- RMSE (Linear Regression): 9.510161
- RMSE (Ridge Regression): 9.510161
- RMSE (kNN; Std Features; k=60): 9.524690
- RMSE (kNN; Weighted Features; k=80): 9.271765

- Published RMSE for kNN: 10.20
- See: http://ismir2011.ismir.net/papers/OS6-1.pdf