

Postman interface showing a GET request to `http://localhost:8080/org/api/org/dept`. The response is a JSON array of department objects.

**Request:** GET `http://localhost:8080/org/api/org/dept`

**Response:** Status: 200 OK, Time: 4.57 s, Size: 497 B

**Body (JSON):**

```
1  {
2    "all": [
3      {
4        "code": 22,
5        "name": "Singapore",
6        "description": "Infra structure",
7        "teams": []
8      },
9      {
10     "code": 23,
11     "name": "Tokyo",
12     "description": "Nuclear",
13     "teams": []
14   },
15   {
16     "code": 24,
17     "name": "Mumbai",
18     "description": "Water",
19   }
20 ]
21 }
```

Postman interface showing a GET request to `http://localhost:8080/org/api/org/empl`. The response is a JSON array of employee objects.

**Request:** GET `http://localhost:8080/org/api/org/empl`

**Response:** Status: 200 OK, Time: 85 ms, Size: 829 B

**Body (JSON):**

```
1  {
2    "all": [
3      {
4        "id": 1,
5        "firstName": "Hans",
6        "lastName": "Pope",
7        "email": "hpmail",
8        "projects": []
9      },
10     {
11       "id": 2,
12       "firstName": "Peter",
13       "lastName": "Veerman",
14       "email": "pvmail",
15       "projects": []
16     },
17     {
18       "id": 3,
19       "firstName": "Wil",
20       "lastName": "van esch",
21       "email": "wvemail",
22       "projects": []
23     }
24 ]
25 }
```

Postman interface showing a GET request to `http://localhost:8080/org/api/org/dept`. The response is a JSON array of department objects.

**Request:** GET `http://localhost:8080/org/api/org/dept`

**Response:** Status: 200 OK, Time: 36 ms, Size: 549 B

```
1 {
2   "all": [
3     {
4       "id": 1,
5       "title": "UBS",
6       "duration": 6,
7       "employees": []
8     },
9     {
10      "id": 2,
11      "title": "SBC",
12      "duration": 8,
13      "employees": []
14    },
15    {
16      "id": 3,
17      "title": "H8BC",
18      "duration": 10,
19      "employees": []
20    },
21    {
22      "id": 4,
23      "title": "BoA",
```

Postman interface showing a POST request to `http://localhost:8080/org/api/org/dept`. The request body is a JSON object, and the response is a JSON object.

**Request:** POST `http://localhost:8080/org/api/org/dept`

**Request Body:** `{ "code": 26, "name": "Sydney", "description": "Government" }`

**Response:** Status: 200 OK, Time: 30 ms, Size: 168 B

**Response Body:** `"Government"`

