THE WITNESS

Best-ending case walkthrough

A deterministic, command-by-command route to Monica Linder's conviction

VERIFIED FINISH

GUILTY VERDICT

81 commands | 43 moves | zero deaths

158,771 executed instructions | 58 unique opcode rows

Fresh Release 22 story | conviction confirmed by the ending letter

How to play this route

Begin from a fresh Release 22 story. Enter one numbered line at each prompt; answer YES or NO exactly where the route lists it. The repeated waits are intentional and follow the story clock.

The route preserves the murder scene, recovers the clock-keyhole powder and the green wire, identifies the muddy handgun and the purchase receipt, and lets Monica reveal her motive before the arrest.

Witness does not expose a numeric score in the replay globals. The verified best ending is the police-chief letter reporting Monica Linder convicted; the detective survives and the case reaches its complete-solution prompt.

Evidence checkpoints

9:04 p.m.

Linder is shot; preserve scene evidence.

Forensics

Powder: gunpowder; wire: 16-gauge bell wire.

Motive + method

Monica reveals resentment; hidden gun recovered.

Conviction

Jury convicts Monica; zero deaths.

Witness has no numeric score global in this replay; completion is measured by the conviction ending.

Replay settings: deterministic seed 1035 | route and trace remain local | 58-row opcode inventory

The investigation

Commands 001-028; read down the left column, then down the right.

APPROACH AND MEET THE HOUSEHOLD

001 north

002 north

003 ring bell

004 east

005 wait

HEAR LINDER'S ACCOUNT

006 sit in wooden chair

WAIT FOR THE 9 P.M. ATTACK

007 wait

008 wait

009 wait

010 wait

011 wait

012 yes

013 wait

014 wait

READ THE SCENE AND COLLECT EVIDENCE

015 stand

016 press button

017 examine clock

018 take key

019 examine keyhole

020 examine window

021 take wire

FOLLOW THE FOOTPRINT TRAIL

022 unlock back door

023 open back door

024 east

025 south

026 take gun

027 north

CONFIRM THE POWDER AND TRACE THE RECEIPT

028 west

The investigation

Commands 029-056; read down the left column, then down the right.

029 check powder

030 west

031 north

032 north

033 open butler door

034 west

035 open mystery book

036 take receipt

037 read receipt

038 east

039 south

040 south

041 unlock garage door

042 open garage door

043 south

044 unlock workshop door

GET THE FORENSIC REPORTS

045 open workshop door

046 east

047 wait for Duffy

048 check piece

OBSERVE MONICA AT THE JUNCTION BOX

049 wait for Duffy

050 wait for Monica

051 yes

052 wait

053 wait

054 no

055 west

056 north

The investigation

Commands 057-081; read down the left column, then down the right.

057 east

058 west

FOLLOW MONICA TO HER BEDROOM

059 north

060 north

061 east

062 wait for Monica

063 Monica, tell me about Mr Linder

ASK ABOUT HER MOTIVE

064 wait

065 wait

066 wait

067 no

068 west

069 south

070 south

071 east

SECURE THE EVIDENCE AND ARREST

072 handcuff Monica

073 search Monica

074 unlock clock

075 open clock

076 search Monica

077 wait for Duffy

078 yes

079 arrest Monica

080 yes

FINISH THE CASE

081 no

Approach, public rooms, and service wing

Room IDs are story object numbers. The repeated hall labels form one connected corridor.



The kitchen garden is a planted section of the front yard. The hallway is split into south, middle, and north stretches.

The route enters the office from the south hallway and reaches the workshop through the garage.

Private rooms, crime scene, and back grounds

Boxes mark every physical room in the story; dotted branches mark garden edges and woods that cannot be entered safely.



Clue marks: clock = hidden firing rig; wire = ordinary bell wire; footprints = escape trail; magnifier = evidence checkpoint.

Executed opcodes

Table 1 of 3; rows are ordered by first appearance in the successful fresh replay.

58 unique form/opcode/mnemonic rows **158,771 total instructions executed**

First Seq is one-based execution order; First PC is the instruction address in hexadecimal.

FORM	OPCODE	MNEMONIC	COUNT	FIRST SEQ	FIRST PC
Long	13	store	5,474	1	0xCDB9
Variable	0	call_vs	6,806	5	0xCDC5
Short	0	rtrue	509	8	0xBB29
Short	3	get_parent	1,627	11	0xD340
Short	11	ret	1,733	12	0xD343
Long	10	test_attr	2,441	14	0xCDD4
Variable	20	add	338	18	0xCCFF
Long	20	add	7,558	19	0xCD05
Long	1	je	18,505	20	0xCD09
Long	21	sub	5,460	21	0xCD0D
Short	0	jz	30,322	22	0xCD11
Variable	1	storew	5,778	24	0xCD1C
Long	15	loadw	21,702	34	0xCD23
Short	12	jump	14,811	37	0xCD31
Short	2	print	467	438	0x1297B
Short	11	new_line	234	439	0x12A82
Short	3	print_ret	39	440	0x12A83
Long	16	loadb	1,770	444	0xEF0B
Long	9	and	404	445	0xEF0F
Variable	9	and	1	450	0xEFCC

Executed opcodes

Table 2 of 3; rows are ordered by first appearance in the successful fresh replay.

58 unique form/opcode/mnemonic rows **158,771 total instructions executed**

First Seq is one-based execution order; First PC is the instruction address in hexadecimal.

FORM	OPCODE	MNEMONIC	COUNT	FIRST SEQ	FIRST PC
Variable	6	print_num	38	451	0xEFD2
Long	5	inc_chk	7,372	453	0xEFE4
Variable	5	print_char	6	455	0xEFEF
Long	14	insert_obj	118	482	0xCDED
Variable	8	push	807	486	0xF146
Variable	9	pull	62	488	0xF14F
Long	11	set_attr	93	490	0xF156
Long	6	jin	752	493	0xF15F
Short	13	print_paddr	77	498	0xF17C
Variable	1	je	2,769	500	0xBAF1
Short	10	print_obj	74	509	0xF187
Long	17	get_prop	1,258	519	0xF203
Long	2	jl	1,639	535	0x73FA
Short	2	get_child	1,482	546	0x746E
Short	1	get_sibling	1,459	549	0x7503
Short	5	inc	1,116	556	0x7510
Short	8	ret_popped	617	677	0xF124
Long	4	dec_chk	718	734	0xD452
Variable	4	read	81	745	0xD484
Long	7	test	820	766	0xD7CD

Executed opcodes

Table 3 of 3; rows are ordered by first appearance in the successful fresh replay.

58 unique form/opcode/mnemonic rows **158,771 total instructions executed**

First Seq is one-based execution order; First PC is the instruction address in hexadecimal.

FORM	OPCODE	MNEMONIC	COUNT	FIRST SEQ	FIRST PC
Long	3	jg	4,015	767	0xD7D1
Short	1	rfalse	1,247	813	0x502D
Long	18	get_prop_addr	2,527	855	0x12721
Short	4	get_prop_len	1,407	857	0x12729
Variable	3	jg	283	1,142	0xCD48
Long	22	mul	165	1,255	0x14491
Variable	7	random	16	1,256	0x14495
Variable	13	store	45	1,332	0xD347
Variable	2	storeb	93	2,060	0xD666
Long	12	clear_attr	73	2,257	0xE36A
Long	23	div	1,188	2,271	0xE755
Variable	21	sub	2	4,142	0x143CB
Variable	2	jl	6	4,349	0x13D6A
Long	19	get_next_prop	125	4,544	0x14C81
Short	12	show_status	218	5,502	0x12548
Long	24	mod	18	8,232	0xED44
Short	9	remove_obj	5	27,121	0x14336
Short	10	quit	1	158,771	0x17C74