

admin

ADMIN

<u>PROPERTY</u>	<u>DATA TYPE</u>	<u>DEFAULT</u>	<u>OTHER</u>	<u>KEY</u>	<u>MAINTAINED IN</u>
id (admin_Id)	INT (11)	NOT NULL	AUTO_INCREMENT	PRIMARY KEY	-
firstName	VARCHAR (45)	NOT NULL	-	-	-
lastName	VARCHAR (45)	NOT NULL	-	-	-
email	VARCHAR (45)	NOT NULL	UNIQUE	-	-
username	VARCHAR (45)	NULL	-	FOREIGN KEY	user as username
password	VARCHAR (100)	NULL	-	-	-

vendor

VENDOR

<u>KEY</u>	<u>DATA TYPE</u>	<u>DEFAULT</u>	<u>OTHER</u>	<u>KEY</u>	<u>MAINTAINED IN</u>
id (vendor_Id)	INT (11)	NOT NULL	AUTO_INCREMENT	PRIMARY KEY	-
name	VARCHAR (45)	NOT NULL	-	-	-
address	VARCHAR (200)	NOT NULL	-	-	-
contact	INT (11)	NOT NULL	-	-	-
email	VARCHAR (45)	NOT NULL	UNIQUE	UNIQUE	-
username	VARCHAR (45)	NULL	-	FOREIGN KEY	user as username
password	VARCHAR (100)	NULL	-	-	-

employee

EMPLOYEE

<u>PROPERTY</u>	<u>DATA TYPE</u>	<u>DEFAULT</u>	<u>OTHER</u>	<u>KEY</u>	<u>MAINTAINED IN</u>
id (emp_Id)	INT (11)	NOT NULL	AUTO_INCREMENT	PRIMARY KEY	–
vendor_id	INT (11)	NOT NULL	–	Foreign Key	vendor as vendor_id
firstName	VARCHAR (45)	NOT NULL	–	–	–
lastName	VARCHAR (45)	NOT NULL	–	–	–
birtDate	DATE	CURRENT_DATE	UNIQUE	–	–
email	VARCHAR (45)	NOT NULL	UNIQUE	–	–
username	VARCHAR (45)	NULL	–	–	–
password	VARCHAR (100)	NULL	–	–	–

customer

CUSTOMER

<u>PROPERTY</u>	<u>DATA-TYPE</u>	<u>DEFAULT</u>	<u>OTHER</u>	<u>KEY</u>	<u>MAINTAINED IN</u>
id (customer_id)	INT (11)	NULL	AUTO_INCREMENT	PRIMARY KEY (OUR)	–
firstName	VARCHAR (20)	NULL	–	–	–
middleName	VARCHAR (20)	NULL	–	–	–
lastName	VARCHAR (20)	NULL	–	–	–
birtDate	DATE	CURRENT_DATE	–	–	–
contact	INT (11)	NULL	–	–	–
email	VARCHAR (45)	NOT NULL	UNIQUE	–	–
address	VARCHAR (100)	NOT NULL	UNIQUE	–	–
username	VARCHAR (45)	NULL	FOREIN KEY	PRIMARY KEY (THEIR)	–
password	VARCHAR (100)	NULL	–	–	–

**Done with server tables

CUSTOMER SERVICE DETAILS TABLE

<u>PROPERTY</u>	<u>DATA-TYPE</u>	<u>DEFAULT</u>	<u>OTHER</u>	<u>KEY</u>	<u>MAINTAINED IN</u>
id(cust_serv_details)	INT (11)	NOT NULL	AUTO_INCREMENT	PRIMARY KEY	-
date	DATE	NOT NULL	-	-	-
status	VARCHAR (15)	NULL	-	-	-
service_Id	INT (11)	NOT NULL	-	FOREIGN KEY	Products & services as serviceId
username	VARCHAR (15)	NULL	-	FOREIGN KEY	user as username

feedback

FEEDBACK

<u>PROPERTY</u>	<u>DATA-TYPE</u>	<u>DEFAULT</u>	<u>OTHER</u>	<u>KEY</u>	<u>MAINTAINED IN</u>
id (feedback_id)	INT (11)	NOT NULL	AUTO_INCREMENT	PRIMARY KEY	-
employee_id	INT (11)	NOT NULL	-	FOREIGN KEY	employee as employeeId
question_id	INT (11)	NOT NULL	-	FOREIGN KEY	question as questionId
vendor_id	INT (11)	NOT NULL	-	FOREIGN KEY	vendor as vendorId
answer	VARCHAR (45)	NOT NULL	-	-	-

invoice

INVOICE

<u>PROPERTY</u>	<u>DATA-TYPE</u>	<u>DEFAULT</u>	<u>OTHER</u>	<u>KEY</u>	<u>MAINTAINED IN</u>
id (invoice_id)	INT (11)	NOT NULL	AUTO_INCREMENT	PRIMARY KEY	-
totalBill	FLOAT	NOT NULL	-	-	-
date	DATE	NOT NULL	CURRENT_DATE	-	-
cust_serv_details_id	INT (11)	NOT NULL	-	FOREIGN KEY	customer service details as cus_ser_details_Id
username	VARCHAR(15)	NULL	-	FOREIGN KEY	user as username

products_and_services

PRODUCTS AND SERVICES

<u>PROPERTY</u>	<u>DATA-TYPE</u>	<u>DEFAULT</u>	<u>OTHER</u>	<u>KEY</u>	<u>MAINTAINED IN</u>
id (service_id)	INT (11)	NOT NULL	AUTO_INCREMENT	PRIMARY KEY	-
serviceName	VARCHAR (15)	NOT NULL	-	-	-
servicePrice	FLOAT	NOT NULL	-	-	-

question

Question

<u>PROPERTY</u>	<u>DATA-TYPE</u>	<u>DEFAULT</u>	<u>OTHER</u>	<u>KEY</u>	<u>MAINTAINED IN</u>
id (question_id)	INT (11)	NOT NULL	AUTO_INCREMENT	PRIMARY KEY	-
questions	VARCHAR (70)	NOT NULL	-	-	-

user

USER

<u>PROPERTY</u>	<u>DATA-TYPE</u>	<u>DEFAULT</u>	<u>OTHER</u>	<u>KEY</u>	<u>MAINTAINED IN</u>
username	VARCHAR (15)	NOT NULL	AUTO_INCREMENT	PRIMARY KEY	–
password	VARCHAR (15)	NOT NULL	–	–	–
userType	VARCHAR (15)	NOT NULL	–	–	–

UserType = customer, vendor, employee, admin