ОТЧЕТ

САРАНЦЕВОЙ ДАРЬИ

ПО ЛР 2

```
lol@porphyriacus ~/B/4/I/LR2 (IGI_LR2)> docker login
Authenticating with existing credentials... [Username: porphyriacus]

i Info → To login with a different account, run 'docker logout' followed by 'docker login'


Login Succeeded
```

```
lol@porphyriacus ~/B/4/I/L/fullstack_rest_api_react (IGI_LR2) [SIGINT]> docker compose up -d --build


WARN[0000] The "lqy7" variable is not set. Defaulting to a blank string.
[+] Building 75.9s (27/27) FINISHED
 => [internal] load local bake definitions                                                                                  0.0s
 => => reading from stdin 1.21kB                                                                                            0.0s
 => [frontend internal] load build definition from Dockerfile                                                               0.0s
 => => transferring dockerfile: 210B                                                                                        0.0s
 => [backend internal] load build definition from Dockerfile                                                                0.0s
 => => transferring dockerfile: 413B                                                                                        0.0s
 => [backend internal] load metadata for docker.io/library/python:3.12.0-alpine3.18                                        0.8s
 => [frontend internal] load metadata for docker.io/library/node:18                                                         0.8s
 => [auth] library/python:pull token for registry-1.docker.io                                                               0.0s
 => [auth] library/node:pull token for registry-1.docker.io                                                                 0.0s
 => [backend internal] load .dockerignore                                                                                   0.0s
 => => transferring context: 236B                                                                                           0.0s
 => [frontend internal] load .dockerignore                                                                                  0.0s
 => => transferring context: 117B                                                                                           0.0s
 => [backend 1/6] FROM docker.io/library/python:3.12.0-alpine3.18@sha256:09f18c1f8ca777f63934b415af9a781a0e5aaba5e005ba0475cba71bb3e8e609  0.0s
 => => resolve docker.io/library/python:3.12.0-alpine3.18@sha256:09f18c1f8ca777f63934b415af9a781a0e5aaba5e005ba0475cba71bb3e8e609  0.0s
 => [backend internal] load build context                                                                                   0.0s
 => => transferring context: 1.44kB                                                                                         0.0s
 => [frontend 1/6] FROM docker.io/library/node:18@sha256:c6ae79e38498325db67193d391e6ec1d224d96c693a8a4d943498556716d3783  0.0s
 => => resolve docker.io/library/node:18@sha256:c6ae79e38498325db67193d391e6ec1d224d96c693a8a4d943498556716d3783  0.0s
 => [frontend internal] load build context                                                                                  0.0s
 => => transferring context: 825.30kB                                                                                       0.0s
 => CACHED [backend 2/6] WORKDIR /app                                                                                       0.0s
 => CACHED [backend 3/6] COPY requirements.txt /app/                                                                        0.0s
 => CACHED [backend 4/6] RUN pip install --no-cache-dir -r requirements.txt                                                 0.0s
 => CACHED [backend 5/6] RUN apk update &&     apk add --no-cache postgresql-client                                         0.0s
 => CACHED [backend 6/6] COPY . .                                                                                           0.0s
 => [backend] exporting to image                                                                                            0.2s
 => => exporting layers                                                                                                     0.0s
 => => exporting manifest sha256:718c330f44629ddc4cd9e445ddd1cee78452c890d9c5b181e63483dee469002a                           0.0s
 => => exporting config sha256:50862b4fe101a361a637f0970b2fb2ddabc8d7e3c6d617513c36b5dc4375312c                             0.0s
 => => exporting attestation manifest sha256:90b816f05751f94d001eebc6016e5392e17b7e524c9cc6e2fcbf1e9aa8f6426d               0.0s
 => => exporting manifest list sha256:4e2fdabe95cc65798d1d1d18e9ea6e59255074bf61e1dfafffb27ae0588b501d                      0.0s
 => => naming to docker.io/library/fullstack_rest_api_react-backend:latest                                                  0.0s
```

```
lol@porphyriacus ~/B/4/I/LR2 (IGI_LR2)> docker tag geometric_lib:v0 porphyriacus/geometric_lib:v0
lol@porphyriacus ~/B/4/I/LR2 (IGI_LR2)> docker push porphyriacus/geometric_lib:v0
The push refers to repository [docker.io/porphyriacus/geometric_lib]
8d1e490ed26d: Pushed
0b03716e5e03: Pushed
73efe99b48e0: Pushed
589002ba0eae: Pushed
811797f98545: Pushed
0442ea5c1f20: Pushed
4d2b3ae65b0c: Pushed
cd5a4bb5002f: Pushed
ec4795ed29c0: Pushed
v0: digest: sha256:69d4275ec93ad714b772d6e22583e27d2ed9ca6ec7dec77d52db020429a6d972 size: 856
```

```
lol@porphyriacus ~/B/4/I/L/fullstack_rest_api_react (IGI_LR2)> docker tag fullstack_rest_api_react-backend porphyriacus/todo-backend:v0
lol@porphyriacus ~/B/4/I/L/fullstack_rest_api_react (IGI_LR2)> docker tag fullstack_rest_api_react-frontend porphyriacus/todo-frontend:v0
lol@porphyriacus ~/B/4/I/L/fullstack_rest_api_react (IGI_LR2)> docker push porphyriacus/todo-frontend:v0
The push refers to repository [docker.io/porphyriacus/todo-frontend]
e23f099911d6: Pushed
cda7f44f2bdd: Pushed
c6b30c3f1696: Pushed
c1aec016b094: Pushed
47fff504dc8f: Pushed
3697be50c98b: Pushed
9bb66fc9fc4e: Pushed
3e6b9d1a9511: Pushed
79b2f47ad444: Pushed
2c1d150163d3: Pushed
c192b1aa61b9: Pushed
461077a72fb7: Pushed
fbe82d84601e: Pushed
37927ed901b1: Pushed
v0: digest: sha256:3c8d09f794dbee0b23a7acc25371fc967a6fe0ffafda4d09b55d0b932716fddd size: 856
lol@porphyriacus ~/B/4/I/L/fullstack_rest_api_react (IGI_LR2)> docker push porphyriacus/todo-backend:v0
The push refers to repository [docker.io/porphyriacus/todo-backend]
305ee3ac802a: Pushed
43b796515e53: Pushed
0618795d417f: Pushed
932eacc0db21: Pushed
c926b61bad3b: Pushed
b67d3e2c29c5: Pushed
220b672f2d5c: Pushed
ad5c071b929d: Pushed
2bcb605b85d2: Pushed
a0d5a56b7e43: Pushed
643a60433225: Pushed
v0: digest: sha256:4e2fdabe95cc65798d1d1d18e9ea6e59255074bf61e1dfafffb27ae0588b501d size: 856
```

```
lol@porphyriacus ~/B/4/I/LR2 (IGI_LR2)> docker run --name="test_geom_lib" -e FIGURE=circle -e RADIUS=5 geometric_lib:v0
Circle (radius=5.0):
  Area: 78.53981633974483
  Perimeter: 31.41592653589793
```

```
lol@porphyriacus ~/B/4/I/LR2 (IGI_LR2)> docker run --name="test_geom_lib2" -e FIGURE=square -e SIDE=4 geometric_lib:v0
Square (side=4.0):
  Area: 16.0
  Perimeter: 16.0
lol@porphyriacus ~/B/4/I/LR2 (IGI_LR2)> docker stop test_geom_lib
test_geom_lib
lol@porphyriacus ~/B/4/I/LR2 (IGI_LR2)> docker stop test_geom_lib2
test_geom_lib2
```

```
porphyriacus ~> docker run --name="docker_start" -p 80:80 docker/getting-started
/docker-entrypoint.sh: /docker-entrypoint.d/ is not empty, will attempt to perform configuration
/docker-entrypoint.sh: Looking for shell scripts in /docker-entrypoint.d/
/docker-entrypoint.sh: Launching /docker-entrypoint.d/10-listen-on-ipv6-by-default.sh
10-listen-on-ipv6-by-default.sh: info: Getting the checksum of /etc/nginx/conf.d/default.conf
10-listen-on-ipv6-by-default.sh: info: Enabled listen on IPv6 in /etc/nginx/conf.d/default.conf
/docker-entrypoint.sh: Launching /docker-entrypoint.d/20-envsubst-on-templates.sh
/docker-entrypoint.sh: Launching /docker-entrypoint.d/30-tune-worker-processes.sh
/docker-entrypoint.sh: Configuration complete; ready for start up
2026/03/11 18:59:36 [notice] 1#1: using the "epoll" event method
2026/03/11 18:59:36 [notice] 1#1: nginx/1.23.3
2026/03/11 18:59:36 [notice] 1#1: built by gcc 12.2.1 20220924 (Alpine 12.2.1_git20220924-r4)
2026/03/11 18:59:36 [notice] 1#1: OS: Linux 6.12.72-linuxkit
2026/03/11 18:59:36 [notice] 1#1: getrlimit(RLIMIT_NOFILE): 1048576:1048576
2026/03/11 18:59:36 [notice] 1#1: start worker processes
2026/03/11 18:59:36 [notice] 1#1: start worker process 29
2026/03/11 18:59:36 [notice] 1#1: start worker process 30
2026/03/11 18:59:36 [notice] 1#1: start worker process 31
2026/03/11 18:59:36 [notice] 1#1: start worker process 32
2026/03/11 18:59:36 [notice] 1#1: start worker process 33
2026/03/11 18:59:36 [notice] 1#1: start worker process 34
2026/03/11 18:59:36 [notice] 1#1: start worker process 35
2026/03/11 18:59:36 [notice] 1#1: start worker process 36
```

```
lol@porphyriacus ~/B/4/I/LR2 (IGI_LR2) [1]> docker build -t geometric_lib:v0 .
[+] Building 5.7s (11/11) FINISHED
 => [internal] load build definition from Dockerfile
 => => transferring dockerfile: 205B
 => [internal] load metadata for docker.io/library/python:3.11-alpine
 => [auth] library/python:pull token for registry-1.docker.io
 => [internal] load .dockerignore
 => => transferring context: 2B
 => [1/5] FROM docker.io/library/python:3.11-alpine@sha256:f07e2ace46f560f09a6eeec7b4913b80ee99546e749ef82342a419a326620856
 => => resolve docker.io/library/python:3.11-alpine@sha256:f07e2ace46f560f09a6eeec7b4913b80ee99546e749ef82342a419a326620856
 => => sha256:0b03716e5e03b2134212b6536fecae304149a4fb5586e92073e3b8f97af5b617 247B / 247B
 => => sha256:8d1e490ed26d028959a24939e51d195c903413dc99db7948740a3933b18cdd5d 16.02MB / 16.02MB
 => => sha256:811797f98545e24df50fd93066350a95b56d2300eb535b3891dc7a49ee42a239 460.94kB / 460.94kB
 => => sha256:589002ba0eaed121a1dbf42f6648f29e5be55d5c8a6ee0f8eaa0285cc21ac153 3.86MB / 3.86MB
 => => extracting sha256:589002ba0eaed121a1dbf42f6648f29e5be55d5c8a6ee0f8eaa0285cc21ac153
 => => extracting sha256:811797f98545e24df50fd93066350a95b56d2300eb535b3891dc7a49ee42a239
 => => extracting sha256:8d1e490ed26d028959a24939e51d195c903413dc99db7948740a3933b18cdd5d
 => => extracting sha256:0b03716e5e03b2134212b6536fecae304149a4fb5586e92073e3b8f97af5b617
 => [internal] load build context
 => => transferring context: 2.31kB
 => [2/5] WORKDIR /app
 => [3/5] COPY ./geometric_lib/*.py ./geometric_lib/
 => [4/5] COPY script.py .
 => [5/5] RUN chmod +x script.py
 => exporting to image
 => => exporting layers
 => => exporting manifest sha256:72dc985575d51624decd360163f35d2f1004e0554d4a6701090910 1d42c4d294
 => => exporting config sha256:96a19cca5aadad8598e30aa7f46d25fd3f730fcb6461e41a193cdfa55af77891
 => => exporting attestation manifest sha256:167b2c112bcd35d6e1aec5b423d1df54d28fad1157adeb74ef76f920aead649a
 => => exporting manifest list sha256:d36ad467f300ef17827f93e24d253eeb0a8b97ecf0f0de515456e8fb93a5d4b2
 => => naming to docker.io/library/geometric_lib:v0
 => => unpacking to docker.io/library/geometric_lib:v0
```

Сети

```
lol@porphyriacus ~/B/4/I/LR2 (IGI_LR2)> docker network ls
NETWORK ID     NAME      DRIVER    SCOPE
d83da3857aa8   bridge    bridge    local
117fa16ab962   host      host      local
9d258467ec64   none      null      local
lol@porphyriacus ~/B/4/I/LR2 (IGI_LR2)> docker network inspect bridge
[
    {
        "Name": "bridge",
        "Id": "d83da3857aa814135642f032e583033896321d04ab0ec74bbc0e030953883b26",
        "Created": "2026-03-12T10:23:30.060143088+03:00",
        "Scope": "local",
        "Driver": "bridge",
        "EnableIPv4": true,
        "EnableIPv6": true,
        "IPAM": {
            "Driver": "default",
            "Options": null,
            "Config": [
                {
                    "Subnet": "172.17.0.0/16",
                    "Gateway": "172.17.0.1"
                },
                {
                    "Subnet": "fd00:fff:f1::/64",
                    "IPRange": "fd00:fff:f1::/64",
                    "Gateway": "fd00:fff:f1::1"
                }
            ]
        },
        "Internal": false,
        "Attachable": false,
        "Ingress": false,
        "ConfigFrom": {
            "Network": ""
        },
        "ConfigOnly": false,
        "Containers": {
            "6ee9301875d552cec886c22ef6f04819c6206f555df9a1c3bbef27de210f46a4": {
```

```
lol@porphyriacus ~/B/4/I/LR2 (IGI_LR2)> docker network create my_bridge1
356d37b0ec62568be15919301d4efa54894f55a9422c421cee450c866ade6f0f
lol@porphyriacus ~/B/4/I/LR2 (IGI_LR2)> docker network ls | grep my_bridge1
356d37b0ec62   my_bridge1                                bridge    local
lol@porphyriacus ~/B/4/I/LR2 (IGI_LR2)> docker run -itd --name test1 --network my_bridge1 alpine sleep 3000
Unable to find image 'alpine:latest' locally
latest: Pulling from library/alpine
9e595aac14e0: Download complete
caa817ad3aea: Download complete
Digest: sha256:25109184c71bdad752c8312a8623239686a9a2071e8825f20acb8f2198c3f659
Status: Downloaded newer image for alpine:latest
291621c3b11f97e0b0ba4e31ea5ebb52ec4415aea7b1876d0123e3e2fd56b05e
```

```
        "Containers": {
            "291621c3b11f97e0b0ba4e31ea5ebb52ec4415aea7b1876d0123e3e2fd56b05e": {
                "Name": "test1",
                "EndpointID": "4d957eca7acbecd629f1817b8e65b9c8f2bf8c5f5decd62230b665120c6507c9",
                "MacAddress": "fe:38:44:6c:36:ce",
                "IPv4Address": "172.19.0.2/16",
                "IPv6Address": ""
            }
        },
```

```
lol@porphyriacus ~/B/4/I/LR2 (IGI_LR2)> docker network disconnect my_bridge1 test1
lol@porphyriacus ~/B/4/I/LR2 (IGI_LR2)> docker network inspect my_bridge1
[
    {
        "Name": "my_bridge1",
        "Id": "356d37b0ec62568be15919301d4efa54894f55a9422c421cee450c866ade6f0f",
        "Created": "2026-03-12T07:28:09.329863767Z",
        "Scope": "local",
```

```
  "Containers": {},
  "Status": {
```

```
lol@porphyriacus ~/B/4/I/LR2 (IGI_LR2) [1]> docker network create my_bridge2
```

```
lol@porphyriacus ~/B/4/I/LR2 (IGI_LR2) [1]> docker run -itd --name cont1 --network my_bridge2 alpine sleep 3000
                                            docker run -itd --name cont2 --network my_bridge2 alpine sleep 3000
                                            docker run -itd --name cont3 --network my_bridge2 alpine sleep 3000
d6187d038c31c9219d8f8e9a19a940508c09771732adafd3a585465b33d23517
e5786556ce6d125ce937ca5f3f2820f7567b9d6181316b14815035d290d0f5fb
72c23b864b3a9e56ed123e6772e2d2a036217efd05748bbf8aa2b7097324173c
```

```
"Containers": {
    "72c23b864b3a9e56ed123e6772e2d2a036217efd05748bbf8aa2b7097324173c": {
        "Name": "cont3",
        "EndpointID": "abbe67b733df44734bd82435e6bc32a6a1898b75788a4d5f6e01d76c3f136d3a",
        "MacAddress": "42:3b:b2:97:39:40",
        "IPv4Address": "172.20.0.4/16",
        "IPv6Address": ""
    },
    "d6187d038c31c9219d8f8e9a19a940508c09771732adafd3a585465b33d23517": {
        "Name": "cont1",
        "EndpointID": "b54cd740c58e62ffd3b28a84b7d17d11122de5be6e2d0ef066c8bca7812dc009",
        "MacAddress": "32:14:ce:0e:2f:27",
        "IPv4Address": "172.20.0.2/16",
        "IPv6Address": ""
    },
    "e5786556ce6d125ce937ca5f3f2820f7567b9d6181316b14815035d290d0f5fb": {
        "Name": "cont2",
        "EndpointID": "b9eae7d01c13a763fc2a48043af0b2f8b609049117e18297adc520fdf201457e",
        "MacAddress": "2e:5d:f4:55:3a:45",
        "IPv4Address": "172.20.0.3/16",
        "IPv6Address": ""
    }
},
```


```
lol@porphyriacus ~/B/4/I/LR2 (IGI_LR2)> docker exec -it cont1 sh
/ # ping 172.20.0.2
PING 172.20.0.2 (172.20.0.2): 56 data bytes
64 bytes from 172.20.0.2: seq=0 ttl=64 time=0.037 ms
64 bytes from 172.20.0.2: seq=1 ttl=64 time=0.112 ms
64 bytes from 172.20.0.2: seq=2 ttl=64 time=0.099 ms
64 bytes from 172.20.0.2: seq=3 ttl=64 time=0.125 ms
64 bytes from 172.20.0.2: seq=4 ttl=64 time=0.125 ms
64 bytes from 172.20.0.2: seq=5 ttl=64 time=0.095 ms
```

```
/ # ping cont2
PING cont2 (172.20.0.3): 56 data bytes
64 bytes from 172.20.0.3: seq=0 ttl=64 time=0.149 ms
64 bytes from 172.20.0.3: seq=1 ttl=64 time=0.113 ms
64 bytes from 172.20.0.3: seq=2 ttl=64 time=0.119 ms
^C
--- cont2 ping statistics ---
3 packets transmitted, 3 packets received, 0% packet loss
round-trip min/avg/max = 0.113/0.127/0.149 ms
/ # ping cont3
PING cont3 (172.20.0.4): 56 data bytes
64 bytes from 172.20.0.4: seq=0 ttl=64 time=0.137 ms
64 bytes from 172.20.0.4: seq=1 ttl=64 time=0.120 ms
64 bytes from 172.20.0.4: seq=2 ttl=64 time=0.133 ms
^C
--- cont3 ping statistics ---
3 packets transmitted, 3 packets received, 0% packet loss
round-trip min/avg/max = 0.120/0.130/0.137 ms
```