

```

package fundamentos_de_la_programacion;
import java.io.*;

public class tarea13_ejrc1_buffer {}
    public static void main(String[] args) throws IOException {
        BufferedReader br = new BufferedReader(new InputStreamReader(System.in));
        System.out.println("Introduzca primer coeficiente (a):");
        double a = Double.parseDouble(br.readLine());
        System.out.println("Introduzca segundo coeficiente (b):");
        double b = Double.parseDouble(br.readLine());
        System.out.println("Introduzca tercer coeficiente (c):");
        double c = Double.parseDouble(br.readLine());
        double d = (b * b) - (4 * a * c);
        if (d < 0) {
            System.out.println("No existen soluciones reales");
        } else {
            double x1 = (-b + Math.sqrt(d)) / (2 * a);
            double x2 = (-b - Math.sqrt(d)) / (2 * a);
            System.out.println("Solución 1: " + x1);
            System.out.println("Solución 2: " + x2);
        }
    }
}

```

```

import java.io.*;

public class tarea13_ejrc2_buffer {
    public static void main(String[] args) throws IOException {
        BufferedReader br = new BufferedReader(new InputStreamReader(System.in));
        System.out.println("Introduce el radio de un círculo:");
        double r = Double.parseDouble(br.readLine());
        double area = Math.PI * Math.pow(r, 2);
        System.out.println("El área es: " + area);
    }
}

```

```

import java.io.*;

public class tarea13_ejrc3_buffer {}
    public static void main(String[] args) throws IOException {
        BufferedReader br = new BufferedReader(new InputStreamReader(System.in));
        System.out.println("Introduce el radio:");
        double r = Double.parseDouble(br.readLine());
        double L = 2 * Math.PI * r;
        System.out.println("La longitud es: " + L);
    }
}

```

```

public class tarea13_ejrc4_buffer {}
    public static void main(String[] args) throws IOException {
        BufferedReader br = new BufferedReader(new InputStreamReader(System.in));
        System.out.println("Introduce un número:");
        int n1 = Integer.parseInt(br.readLine());
        System.out.println("Introduce otro número:");
        int n2 = Integer.parseInt(br.readLine());
        if (n1 == n2) {
            System.out.println("Son iguales");
        } else {
            System.out.println("No son iguales");
        }
    }
}

```

```

public class tarea13_ejrc5_buffer {
    public static void main(String[] args) throws IOException {
        BufferedReader br = new BufferedReader(new InputStreamReader(System.in));
        System.out.println("Introduce un número:");
        int num = Integer.parseInt(br.readLine());
        if (num >= 0) {
            System.out.println("Positivo");
        } else {
            System.out.println("Negativo");
        }
    }
}

```

```

import java.io.*;

public class tarea13_ejrc6_buffer {
    public static void main(String[] args) throws IOException {
        BufferedReader br = new BufferedReader(new InputStreamReader(System.in));
        System.out.println("Introduce n1 y n2:");
        int n1 = Integer.parseInt(br.readLine());
        int n2 = Integer.parseInt(br.readLine());
        if (n1 % n2 == 0) {
            System.out.println("Son múltiplos");
        } else {
            System.out.println("No son múltiplos");
        }
    }
}

```

```

import java.io.*;

public class tarea13_ejrc7_buffer {
    public static void main(String[] args) throws IOException {
        BufferedReader br = new BufferedReader(new InputStreamReader(System.in));
        int n1 = Integer.parseInt(br.readLine());
        int n2 = Integer.parseInt(br.readLine());
        if (n1 > n2) {
            System.out.println(n1 + " es mayor");
        } else {
            System.out.println(n2 + " es mayor");
        }
    }
}

```

```

import java.io.*;

public class tarea13_ejrc8_buffer {
    public static void main(String[] args) throws IOException {
        BufferedReader br = new BufferedReader(new InputStreamReader(System.in));
        int n1 = Integer.parseInt(br.readLine());
        int n2 = Integer.parseInt(br.readLine());
        if (n1 == n2) {
            System.out.println("Son iguales");
        } else {
            if (n1 > n2) {
                System.out.println(n1 + " es mayor");
            } else {
                System.out.println(n2 + " es mayor");
            }
        }
    }
}

```

```
import java.io.*;

public class tarea13_ejrc9_buffer {
    public static void main(String[] args) throws IOException {
        BufferedReader br = new BufferedReader(new InputStreamReader(System.in));
        int n1 = Integer.parseInt(br.readLine());
        int n2 = Integer.parseInt(br.readLine());
        if (n1 > n2) {
            System.out.println(n1 + " , " + n2);
        } else {
            System.out.println(n2 + " , " + n1);
        }
    }
}
```

```
import java.io.*;

public class tarea13_ejrc10_buffer {
    public static void main(String[] args) throws IOException {
        BufferedReader br = new BufferedReader(new InputStreamReader(System.in));
        int a = Integer.parseInt(br.readLine());
        int b = Integer.parseInt(br.readLine());
        int c = Integer.parseInt(br.readLine());
        if (a>b && b>c) System.out.println(a + "," + b + "," + c);
        if (a>c && c>b) System.out.println(a + "," + c + "," + b);
        if (b>a && a>c) System.out.println(b + "," + a + "," + c);
        if (b>c && c>a) System.out.println(b + "," + c + "," + a);
        if (c>a && a>b) System.out.println(c + "," + a + "," + b);
        if (c>b && b>a) System.out.println(c + "," + b + "," + a);
    }
}
```

```
import java.io.*;

public class tarea13_ejrc11_buffer {
    public static void main(String[] args) throws IOException {
        BufferedReader br = new BufferedReader(new InputStreamReader(System.in));
        int num = Integer.parseInt(br.readLine());
        if (num < 10) System.out.println("1 cifra");
        else if (num < 100) System.out.println("2 cifras");
        else if (num < 1000) System.out.println("3 cifras");
        else if (num < 10000) System.out.println("4 cifras");
        else System.out.println("5 cifras");
    }
}
```

```
import java.io.*;

public class tarea13_ejrc12_buffer {
    public static void main(String[] args) throws IOException {
        BufferedReader br = new BufferedReader(new InputStreamReader(System.in));
        int num = Integer.parseInt(br.readLine());
        while (num > 0) {
            System.out.print((num % 10) + " ");
            num = num / 10;
        }
    }
}
```

```
import java.io.*;

public class tarea13_ejrc13_buffer {
    public static void main(String[] args) throws IOException {
        BufferedReader br = new BufferedReader(new InputStreamReader(System.in));
        int num = Integer.parseInt(br.readLine());
        int original = num;
        int revers = 0;
        while (num > 0) {
            revers = (revers * 10) + (num % 10);
            num = num / 10;
        }
        if (original == revers) System.out.println("Es capicúa");
        else System.out.println("No lo es");
    }
}
```

```
import java.io.*;

public class tarea13_ejrc14_buffer {
    public static void main(String[] args) throws IOException {
        BufferedReader br = new BufferedReader(new InputStreamReader(System.in));
        int nota = Integer.parseInt(br.readLine());
        switch (nota) {
            case 0: case 1: case 2: case 3: case 4: System.out.println("Insuficiente"); break;
            case 5: System.out.println("Suficiente"); break;
            case 6: System.out.println("Bien"); break;
            case 7: case 8: System.out.println("Notable"); break;
            case 9: case 10: System.out.println("Sobresaliente"); break;
        }
    }
}
```

```
import java.io.*;

public class tarea13_ejrc15_buffer {
    public static void main(String[] args) throws IOException {
        BufferedReader br = new BufferedReader(new InputStreamReader(System.in));
        int dia = Integer.parseInt(br.readLine());
        switch (dia) {
            case 1: System.out.println("Lunes"); break;
            case 2: System.out.println("Martes"); break;
            case 3: System.out.println("Miércoles"); break;
            case 4: System.out.println("Jueves"); break;
            case 5: System.out.println("Viernes"); break;
            case 6: System.out.println("Sábado"); break;
            case 7: System.out.println("Domingo"); break;
        }
    }
}
```

```
import java.io.*;

public class tarea13_ejrc16_buffer {
    public static void main(String[] args) throws IOException {
        BufferedReader br = new BufferedReader(new InputStreamReader(System.in));
        int mes = Integer.parseInt(br.readLine());
        switch (mes) {
            case 1: case 3: case 5: case 7: case 8: case 10: case 12: System.out.println("31 días"); break;
            case 4: case 6: case 9: case 11: System.out.println("30 días"); break;
            case 2: System.out.println("28 días"); break;
        }
    }
}
```

```
import java.io.*;

public class tarea13_ejrc17_buffer {
    public static void main(String[] args) throws IOException {
        BufferedReader br = new BufferedReader(new InputStreamReader(System.in));
        int d = Integer.parseInt(br.readLine());
        int m = Integer.parseInt(br.readLine());
        if ((d >= 1 && d <= 30) && (m >= 1 && m <= 12)) System.out.println("Correcta");
        else System.out.println("Incorrecta");
    }
}
```

```
import java.io.*;

public class tarea13_ejrc18_buffer {
    public static void main(String[] args) throws IOException {
        BufferedReader br = new BufferedReader(new InputStreamReader(System.in));
        int d = Integer.parseInt(br.readLine());
        int m = Integer.parseInt(br.readLine());
        int a = Integer.parseInt(br.readLine());
        if (a == 0) System.out.println("Invalida");
        else {
            if (m == 2 && (d >= 1 && d <= 28)) System.out.println("OK");
            else if ((m == 4 || m == 6 || m == 9 || m == 11) && (d >= 1 && d <= 30)) System.out.println("OK");
            else if ((m == 1 || m == 3 || m == 5 || m == 7 || m == 8 || m == 10 || m == 12) && (d >= 1 && d <= 31)) System.out.println("OK");
            else System.out.println("Invalida");
        }
    }
}
```

```
import java.io.*;

public class tarea13_ejrc19_buffer {
    public static void main(String[] args) throws IOException {
        BufferedReader br = new BufferedReader(new InputStreamReader(System.in));
        int d = Integer.parseInt(br.readLine());
        int m = Integer.parseInt(br.readLine());
        int a = Integer.parseInt(br.readLine());
        d = d + 1;
        if (d > 30) {
            d = 1; m = m + 1;
            if (m > 12) { m = 1; a = a + 1; }
        }
        System.out.println(d + "/" + m + "/" + a);
    }
}
```

```
import java.io.*;

public class tarea13_ejrc20_buffer {
    public static void main(String[] args) throws IOException {
        BufferedReader br = new BufferedReader(new InputStreamReader(System.in));
        int d1 = Integer.parseInt(br.readLine());
        int m1 = Integer.parseInt(br.readLine());
        int a1 = Integer.parseInt(br.readLine());
        int d2 = Integer.parseInt(br.readLine());
        int m2 = Integer.parseInt(br.readLine());
        int a2 = Integer.parseInt(br.readLine());
        int total = (d2 - d1) + 30 * (m2 - m1) + 360 * (a2 - a1);
        System.out.println("Diferencia: " + total + " días");
    }
}
```

```

import java.io.*;

public class tarea13_ejrc21_buffer {
    public static void main(String[] args) throws IOException {
        BufferedReader br = new BufferedReader(new InputStreamReader(System.in));
        int h = Integer.parseInt(br.readLine());
        int m = Integer.parseInt(br.readLine());
        int s = Integer.parseInt(br.readLine());
        s = s + 1;
        if (s >= 60) {
            s = 0; m = m + 1;
            if (m >= 60) {
                m = 0; h = h + 1;
                if (h >= 24) h = 0;
            }
        }
        System.out.println(h + ":" + m + ":" + s);
    }
}

```

```

import java.io.*;

public class tarea13_ejrc22_buffer {
    public static void main(String[] args) throws IOException {
        BufferedReader br = new BufferedReader(new InputStreamReader(System.in));
        int num = Integer.parseInt(br.readLine());
        int dec = num / 10;
        int uni = num % 10;
        String res = "";
        if (dec != 0) {
            switch (dec) {
                case 1: res = "Diez"; break;
                case 2: res = "Veinte"; break;
                case 3: res = "Treinta"; break;
                case 4: res = "Cuarenta"; break;
                case 5: res = "Cincuenta"; break;
                case 6: res = "Sesenta"; break;
                case 7: res = "Setenta"; break;
                case 8: res = "Ochenta"; break;
                case 9: res = "Noventa"; break;
            }
            if (uni != 0) res = res + " y ";
        }
        switch (uni) {
            case 0: if (dec == 0) res = "Cero"; break;
            case 1: res += "uno"; break;
            case 2: res += "dos"; break;
            case 3: res += "tres"; break;
            case 4: res += "cuatro"; break;
            case 5: res += "cinco"; break;
            case 6: res += "seis"; break;
            case 7: res += "siete"; break;
            case 8: res += "ocho"; break;
            case 9: res += "nueve"; break;
        }
        System.out.println(res);
    }
}

```